

Page 1 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0014 Replacing version dated / version: 14.01.2019 / 0013 Valid from: 01.11.2021 PDF print date: 01.11.2021 Edelhartglanzwachs

# Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

# **1.1 Product identifier**

# Edelhartglanzwachs

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:
See definition of the substance or mixture.
Uses advised against:
No information available at present.

# 1.3 Details of the supplier of the safety data sheet

DREITURM GmbH Postach 11 40 36392 Steinau an der Straße Tel.: +49 (0) 66 63 / 970 - 0 Fax: +49 (0) 66 63 / 970 - 490

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number Emergency information services / official advisory body:

# Telephone number of the company in case of emergencies:

+1 872 5888271 (DTR)

**SECTION 2: Hazards identification** 

# 2.1 Classification of the substance or mixtureClassification according to Regulation (EC) 1272/2008 (CLP)Hazard classHazard categoryHazard statementFlam. Liq.3H226-Flammable liAquatic Chronic4H413-May cause lo

Hazard statement H226-Flammable liquid and vapour. H413-May cause long lasting harmful effects to aquatic life.

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)





Page 2 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0014 Replacing version dated / version: 14.01.2019 / 0013 Valid from: 01.11.2021 PDF print date: 01.11.2021 Edelhartglanzwachs

H226-Flammable liquid and vapour. H413-May cause long lasting harmful effects to aquatic life.

P210-Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

EUH066-Repeated exposure may cause skin dryness or cracking.

#### 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

#### n.a. 3.2 Mixtures

5.2 MIALUIES	
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	
Registration number (REACH)	01-2119472146-39-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	918-167-1
CAS	
content %	1-<100
Classification according to Regulation (EC) 1272/2008 (CLP), M-	EUH066
factors	Flam. Liq. 3, H226
	Asp. Tox. 1, H304
	Aquatic Chronic 4, H413

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification! For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Unsuitable cleaning product:

# Solvent

#### Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

#### Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.



Page 3 of 13

GB

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0014 Replacing version dated / version: 14.01.2019 / 0013 Valid from: 01.11.2021 PDF print date: 01.11.2021 Edelhartglanzwachs

# 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

**4.3 Indication of any immediate medical attention and special treatment needed** Symptomatic treatment.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media

Water jet spray/foam/CO2/dry extinguisher

Unsuitable extinguishing media

High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Explosive vapour/air or gas/air mixtures.

# **5.3 Advice for firefighters**

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

Full protection, if necessary.

Cool container at risk with water.

Dispose of contaminated extinction water according to official regulations.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

Remove possible causes of ignition - do not smoke.

If applicable, caution - risk of slipping.

# 6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

# 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

# 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13. Use no flammable substances.

# 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

# **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

# 7.1 Precautions for safe handling

7.1.1 General recommendations



Page 4 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0014 Replacing version dated / version: 14.01.2019 / 0013 Valid from: 01.11.2021 PDF print date: 01.11.2021 Edelhartglanzwachs Ensure good ventilation. Avoid inhalation of the vapours. Avoid contact with eyes or skin. Remove possible causes of ignition - do not smoke. Take precautions against electrostatic charges. Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use. Use working methods according to operating instructions. 7.1.2 Notes on general hygiene measures at the workplace General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed. 7.2 Conditions for safe storage, including any incompatibilities Keep out of access to unauthorised individuals. Store product closed and only in original packing. Do not store with alkalis. Do not store with oxidizing agents. Do not store with acids. Observe special storage conditions. Protect from direct sunlight and warming. Store cool. Store in a dry place. 7.3 Specific end use(s)

No information available at present.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Workplace exposure limit (WEL) of the total hydrocarbon solvent content of the mixture (RCP method according to EH40): 1200 mg/m3

<sup>(38)</sup> Chemical Name	Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	Content %:1- <100
WEL-TWA: 1200 mg/m3 (>=C7	normal and WEL-STEL:	
branched chain alkanes)		
Monitoring procedures:	<ul> <li>Draeger - Hydrocarbons 0,1%/c (81 03 571)</li> </ul>	
	- Draeger - Hydrocarbons 2/a (81 03 581)	
	<ul> <li>Compur - KITA-187 S (551 174)</li> </ul>	
BMGV:	Other information:	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

\*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

# 8.2 Exposure controls 8.2.1 Appropriate engineering controls



Page 5 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0014 Replacing version dated / version: 14.01.2019 / 0013 Valid from: 01.11.2021 PDF print date: 01.11.2021 Edelhartglanzwachs

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here. Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-

metrological investigative techniques. These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

# 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: With short-term contact: If applicable: Protective nitrile gloves (EN ISO 374). Minimum layer thickness in mm: 0,4 Permeation time (penetration time) in minutes:

>60 The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: If OES or MEL is exceeded. Gas mask filter A (EN 14387), code colour brown Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

#### 8.2.3 Environmental exposure controls

No information available at present.

#### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Physical state: Colour: Odour: Melting point/freezing point: Liquid White Characteristic There is no information available on this parameter.



œ–

Page 6 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0014 Replacing version dated / version: 14.01.2019 / 0013 Valid from: 01.11.2021 PDF print date: 01.11.2021 Edelhartglanzwachs

Boiling point or initial boiling point and boiling range: Flammability: Lower explosion limit: Upper explosion limit: Flash point: Auto-ignition temperature: Decomposition temperature: pH: Kinematic viscosity: Solubility: Partition coefficient n-octanol/water (log value): Vapour pressure: Density and/or relative density: Relative vapour density: Particle characteristics:

#### 9.2 Other information

Explosives: Oxidising liquids: 187-213 °C Flammable There is no information available on this parameter. There is no information available on this parameter. 60 °C No There is no information available on this parameter. Mixture is non-soluble (in water). 330 mPas (Dynamic viscosity ) Insoluble Does not apply to mixtures. There is no information available on this parameter. 0,779 g/cm3 (20°C) There is no information available on this parameter. Does not apply to liquids.

There is no information available on this parameter. There is no information available on this parameter.

# **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

The product has not been tested. **10.2 Chemical stability** Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** No dangerous reactions are known. **10.4 Conditions to avoid** See also section 7. Heating, open flame, ignition sources **10.5 Incompatible materials** See also section 7. Oxidizing agents Acids **10.6 Hazardous decomposition products** See also section 5.2 No decomposition when used as directed.

**SECTION 11: Toxicological information** 

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal						n.d.a.
route:						
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						



Page 7 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0014 Replacing version dated / version: 14.01.2019 / 0013 Valid from: 01.11.2021 PDF print date: 01.11.2021 Edelhartglanzwachs

Specific target organ toxicity - repeated exposure (STOT- RE):			n.d.a.
Aspiration hazard:			n.d.a.
Symptoms:			n.d.a.

Hydrocarbons, C11-C12, isc				1		1
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 401 (Acute	Analogous
					Oral Toxicity)	conclusion
Acute toxicity, by dermal	LD50	> 3160	mg/kg	Rabbit	OECD 402 (Acute	Analogous
route:					Dermal Toxicity)	conclusion
Acute toxicity, by inhalation:	LC50	>5000	mg/m3/8	Rat	OECD 403 (Acute	Vapours,
			h		Inhalation Toxicity)	Analogous
						conclusion
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant,
					Dermal	Analogous
					Irritation/Corrosion)	conclusion
Skin corrosion/irritation:						Repeated
						exposure may
						cause skin
						dryness or
						cracking.
Serious eye				Rabbit	OECD 405 (Acute	Not irritant,
damage/irritation:					Eye	Analogous
					Irritation/Corrosion)	conclusion
Respiratory or skin				Guinea pig	OECD 406 (Skin	Not sensitizising
sensitisation:				Currica pig	Sensitisation)	i tot oononizionig
Germ cell mutagenicity:					OECD 471 (Bacterial	Negative,
Contraction matagomony.					Reverse Mutation	Analogous
					Test)	conclusion
Germ cell mutagenicity:					OECD 473 (In Vitro	Negative,
Contraction matagomony.					Mammalian	Analogous
					Chromosome	conclusion
					Aberration Test)	Conclusion
Germ cell mutagenicity:					OECD 474	Negative,
Control indugoniony.					(Mammalian	Analogous
					Erythrocyte	conclusion
					Micronucleus Test)	Conclusion
Germ cell mutagenicity:					OECD 476 (In Vitro	Negative,
Cermicell mutagementy.					Mammalian Cell Gene	Analogous
					Mutation Test)	conclusion
Germ cell mutagenicity:					OECD 478 (Genetic	Negative,
Connicen mulayemony.					Toxicology - Rodent	Analogous
					dominant Lethal Test)	conclusion
Germ cell mutagenicity:					OECD 479 (Genetic	Negative,
Centri Cell mulayemolity.					Toxicology - In Vitro	Analogous
					Sister Chromatid	conclusion
						CONCIUSION
					Exchange assay in	
Carcinogenicity:					Mammalian Cells) OECD 451	Negative,
Carcinogenicity.						Analogous
					(Carcinogenicity	conclusion
Carainaganiait <i>ı</i> ::					Studies) OECD 453	
Carcinogenicity:						Negative,
					(Combined Chronic	Analogous
					Toxicity/Carcinogenicit	conclusion
					y Studies)	Negetive
Reproductive toxicity:					OECD 415 (One-	Negative,
					Generation	Analogous
					Reproduction Toxicity	conclusion
					Study)	

@B-



Page 8 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0014 Replacing version dated / version: 14.01.2019 / 0013 Valid from: 01.11.2021 PDF print date: 01.11.2021 Edelhartglanzwachs

Reproductive toxicity:	NOAEC	> 5,2	mg/l	Rat	OECD 414 (Prenatal	vapour
	110/120	× 0,2	ing/i		Developmental	Vapour
					Toxicity Study)	
Reproductive toxicity:					OECD 414 (Prenatal	Negative,
toproductive textolty.					Developmental	Analogous
						conclusion
Demos durations travialty					Toxicity Study)	
Reproductive toxicity:					OECD 421	Negative,
					(Reproduction/Develop	Analogous
					mental Toxicity	conclusion
					Screening Test)	
Reproductive toxicity:					OECD 422	Negative,
					(Combined Repeated	Analogous
					Dose Tox. Study with	conclusion
					the	
					Reproduction/Develop	
					m. Tox. Screening	
				-	Test)	
Reproductive toxicity	NOAEL	750	mg/kg	Rat	OECD 415 (One-	
(Developmental toxicity):					Generation	
					Reproduction Toxicity	
					Study)	
Reproductive toxicity (Effects	NOAEL	> 1500	mg/kg	Rat	OECD 415 (One-	
on fertility):					Generation	
on fortility).					Reproduction Toxicity	
<b>O 1 1 1 1 1 1 1</b>					Study)	NL C
Specific target organ toxicity -					OECD 412 (Subacute	Negative,
repeated exposure (STOT-					Inhalation Toxicity -	Analogous
RE):					28-Day Study)	conclusion
Specific target organ toxicity -					OECD 453	Negative,
repeated exposure (STOT-					(Combined Chronic	Analogous
RĖ):					Toxicity/Carcinogenicit	conclusion
					y Studies)	
Specific target organ toxicity -					OECD 413	Negative,
repeated exposure (STOT-					(Subchronic Inhalation	Analogous
RE):					Toxicity - 90-Day	conclusion
<b>A</b>					Study)	
Specific target organ toxicity -					OECD 422	Negative,
repeated exposure (STOT-					(Combined Repeated	Analogous
RE):					Dose Tox. Study with	conclusion
					the	
					Reproduction/Develop	
					m. Tox. Screening	
					Test)	
Specific target organ toxicity -				-	OECD 408 (Repeated	Negative,
repeated exposure (STOT-					Dose 90-Day Oral	Analogous
RE):					Toxicity Study in	conclusion
					Rodents)	
Aspiration hazard:				-		Asp. Tox. 1
Symptoms:						drowsiness,
						headaches
Specific target organ toxicity -	NOAEL	> 5000	mg/kg	Rat	OECD 408 (Repeated	
single exposure (STOT-SE),					Dose 90-Day Oral	
oral:					Toxicity Study in	
					Rodents)	
Specific target organ toxicity -	NOAEL	> 1000	mg/kg	Rat	OECD 422	
	NUAEL	> 1000	ing/kg	Γαι		
single exposure (STOT-SE),					(Combined Repeated	
	1				Dose Tox. Study with	
				1	the	
					Reproduction/Develop	
oral:						

- @B-



Page 9 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0014 Replacing version dated / version: 14.01.2019 / 0013 Valid from: 01.11.2021 PDF print date: 01.11.2021 Edelhartglanzwachs

Specific target organ toxicity -	NOAEC	> 10,4	mg/l	Rat	OECD 413	Vapours
repeated exposure (STOT-			_		(Subchronic Inhalation	
RE), inhalat.:					Toxicity - 90-Day	
					Study)	

# 11.2. Information on other hazards

Edelhartglanzwachs						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Endocrine disrupting						Does not apply
properties:						to mixtures.
Other information:						No other
						relevant
						information
						available on
						adverse effects
						on health.

# **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification).

Edelhartglanzwachs							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and							n.d.a.
degradability:							
12.3. Bioaccumulative							n.d.a.
potential:							
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT							n.d.a.
and vPvB assessment							
12.6. Endocrine							Does not apply
disrupting properties:							to mixtures.
12.7. Other adverse							No information
effects:							available on
							other adverse
							effects on the
							environment.

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to bacteria:	IC50		>100	mg/l			estimated
12.4. Mobility in soil:							Product floats
							on the water
							surface.
12.1. Toxicity to	NOELR	21d	>1	mg/l	Daphnia magna		Analogous
daphnia:							conclusion
12.1. Toxicity to fish:	LC50	96h	>1000	mg/l	Oncorhynchus	OECD 203	Analogous
					mykiss	(Fish, Acute	conclusion
						Toxicity Test)	
12.1. Toxicity to	EC50	48h	>1000	mg/l	Daphnia magna	OECD 202	Analogous
daphnia:						(Daphnia sp.	conclusion
						Acute	
						Immobilisation	
						Test)	
12.1. Toxicity to algae:	EC50	72h	>1000	mg/l	Pseudokirchnerie	OECD 201	Analogous
					lla subcapitata	(Alga, Growth	conclusion
						Inhibition Test)	

@B\_



(GB)

Page 10 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0014 Replacing version dated / version: 14.01.2019 / 0013 Valid from: 01.11.2021 PDF print date: 01.11.2021 Edelhartglanzwachs

12.1. Toxicity to algae:	NOELR	72h	1000	mg/l	Pseudokirchnerie Ila subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		28d	31,3	%		OECD 301 F (Ready Biodegradability - Manometric Respirometry Test)	Not readily but inherent biodegradable.
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

07 01 04 other organic solvents, washing liquids and mother liquors

07 01 99 wastes not otherwise specified

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

#### For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements 14.1. UN number or ID number:	3295	
Transport by road/by rail (ADR/RID) 14.2. UN proper shipping name:		
UN 3295 HYDROCARBONS, LIQUID, N.O.S.		
14.3. Transport hazard class(es):	3	
14.4. Packing group:	III	
Classification code:	F1	
LQ:	5 L	
14.5. Environmental hazards:	Not applicable	
Tunnel restriction code:	D/E	
Transport by sea (IMDG-code)		
14.2. UN proper shipping name:		•
HYDROCARBONS, LIQUID, N.O.S.	0	<u> </u>
14.3. Transport hazard class(es):	3	•
14.4. Packing group:		
EmS: Marine Pollutant:	F-E, S-D n.a	
14.5. Environmental hazards:	Not applicable	
Transport by air (IATA)		
14.2. UN proper shipping name: Hydrocarbons, liquid, n.o.s.		
riyurucarbuns, iiquiu, n.u.s.		



œ.

Page 11 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, An Revision date / version: 01.11.2021 / 0014 Replacing version dated / version: 14.01.2019 / 0013 Valid from: 01.11.2021 PDF print date: 01.11.2021 Edelhartglanzwachs	nex II	
14.3. Transport hazard class(es):	3	
14.4. Packing group:		
14.5. Environmental hazards:	Not applicable	
14.6. Special precautions for user		
Persons employed in transporting dangerous goods must be trained.		
All persons involved in transporting must observe safety regulations.		
Precautions must be taken to prevent damage.		
14.7. Maritime transport in bulk according to IMO instruments		
Freighted as packaged goods rather than in bulk, therefore not applicable.		
Minimum amount regulations have not been taken into account.		
•		
Danger code and packing code on request.		
Comply with special provisions.		
SECTION 15: Regulatory information		

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with trade association/occupational health regulations.

Directive 2012/18/EU ("Seveso III"), Annex I, Part 1 - The following categories apply to this product (others may also need to be considered according to storage, handling etc.):

Hazard categories	Notes to Annex I	Qualifying quantity (tonnes) of	Qualifying quantity (tonnes) of
		dangerous substances as	dangerous substances as
		referred to in Article 3(10) for	referred to in Article 3(10) for
		the application of - Lower-tier	the application of - Upper-tier
		requirements	requirements
P5c		5000	50000

The Notes to Annex 1 of Directive 2012/18/EU, in particular those named in the tables here and notes 1-6, must be taken into account when assigning categories and qualifying quantities.

Directive 2010/75/EU (VOC):

Observe incident regulations.

#### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

# **SECTION 16: Other information**

Revised sections:

1-16

< 100 %

Employee training in handling dangerous goods is required. These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

# Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Flam. Liq. 3, H226	Classification based on test data.
Aquatic Chronic 4, H413	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.



Page 12 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0014 Replacing version dated / version: 14.01.2019 / 0013 Valid from: 01.11.2021 PDF print date: 01.11.2021 Edelhartglanzwachs

H413 May cause long lasting harmful effects to aquatic life. EUH066 Repeated exposure may cause skin dryness or cracking.

Flam. Liq. — Flammable liquid Aquatic Chronic — Hazardous to the aquatic environment - chronic Asp. Tox. — Aspiration hazard

#### Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany). EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

# Any abbreviations and acronyms used in this document:

according, according to acc., acc. to Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement ADR concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Article number Art., Art. no. ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF Bioconcentration factor BSEF The International Bromine Council body weight hw CAS **Chemical Abstracts Service** CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) European Community EC ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect European Economic Community EEC EINECS European Inventory of Existing Commercial Chemical Substances **ELINCS** European List of Notified Chemical Substances **European Norms** ΕN EPA United States Environmental Protection Agency (United States of America)  $ErCx, E\mu Cx, ErLx (x = 10, 50)$ Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) etc. et cetera ΕU **European Union** EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number gen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals



(GB)

Page 13 of 13 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0014 Replacing version dated / version: 14.01.2019 / 0013 Valid from: 01.11.2021 PDF print date: 01.11.2021 Edelhartglanzwachs GWP Global warming potential Adsorption coefficient of organic carbon in the soil Koc Kow octanol-water partition coefficient IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods incl. including, inclusive IUCLIDInternational Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Logarithm of adsorption coefficient of organic carbon in the soil Log Koc Log Kow, Log Pow Logarithm of octanol-water partition coefficient LQ Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships not applicable n.a. n.av. not available n.c. not checked n.d.a. no data available NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development org. organic PBT persistent, bioaccumulative and toxic ΡE Polyethylene PNEC Predicted No Effect Concentration ppm parts per million PVC Polyvinylchloride Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning RFACH the Registration, Evaluation, Authorisation and Restriction of Chemicals) 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical REACH-IT List-No. identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Tel. Telephone TOC Total organic carbon UN RTDG United Nations Recommendations on the Transport of Dangerous Goods VOC Volatile organic compounds vPvB very persistent and very bioaccumulative wwt wet weight The statements made here should describe the product with regard to the necessary safety precautions - they are

not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.