

GB

Page 1 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 06.01.2022 / 0020 Replacing version dated / version: 01.11.2021 / 0019 Valid from: 06.01.2022 PDF print date: 07.01.2022 GOLDREIF® Frischreiniger

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

GOLDREIF® Frischreiniger

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:
Automatic machine cleaner
Uses advised against:
No information available at present.

1.3 Details of the supplier of the safety data sheet

DREITURM GmbH Postach 11 40 36392 Steinau an der Straße Tel.: +49 (0) 66 63 / 970 - 0 Fax: +49 (0) 66 63 / 970 - 490

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies: +1 872 5888271 (DTR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH208-Contains Orange, sweet, ext.. May produce an allergic reaction. EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).



Page 2 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 06.01.2022 / 0020 Replacing version dated / version: 01.11.2021 / 0019 Valid from: 06.01.2022 PDF print date: 07.01.2022 GOLDREIF® Frischreiniger

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a. 3 2 Mixtures

(GB)

J.Z WIXLUIES	
Sulfuric acid, mono-C12-16-alkyl esters, sodium salts	
Registration number (REACH)	01-2119489464-26-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	277-362-3
CAS	73296-89-6
content %	1-<5
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Skin Irrit. 2, H315
factors	Eye Dam. 1, H318
	Aquatic Chronic 3, H412
Specific Concentration Limits and ATE	Eye Dam. 1, H318: >=20 %
	Eye Irrit. 2, H319: >=10 %

Orange, sweet, ext.	
Registration number (REACH)	01-2119493353-35-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	232-433-8
CAS	8028-48-6
content %	0,1-<1
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Flam. Liq. 3, H226
factors	Skin Irrit. 2, H315
	Skin Sens. 1, H317
	Asp. Tox. 1, H304
	Aquatic Chronic 2, H411

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours. Sensitive individuals:

Allergic reaction possible.

4.3 Indication of any immediate medical attention and special treatment needed



@___

Page 3 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 06.01.2022 / 0020 Replacing version dated / version: 01.11.2021 / 0019 Valid from: 06.01.2022 PDF print date: 07.01.2022 GOLDREIF® Frischreiniger

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water jet spray/foam/CO2/dry extinguisher

Unsuitable extinguishing media

None known

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Oxides of sulphur Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Neutralising is possible (only from a specialist).

Flush residue using copious water. 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation. Avoid contact with eyes or skin. Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.



@B-

Page 4 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 06.01.2022 / 0020 Replacing version dated / version: 01.11.2021 / 0019 Valid from: 06.01.2022 PDF print date: 07.01.2022 GOLDREIF® Frischreiniger

Observe directions on label and instructions for use. 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Store product closed and only in original packing. Not to be stored in gangways or stair wells. Do not use alkali sensitive materials. Do not store with acids. Store at room temperature.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Area of application	Exposure route /	Effect on health	Descripto	Value	Unit	Note
	Environmental		r			
	compartment					
	Environment - freshwater		PNEC	0,096	mg/l	
	Environment - marine		PNEC	0,0096	mg/l	
	Environment - sporadic (intermittent) release		PNEC	0,036	mg/l	
	Environment - sewage treatment plant		PNEC	1084	mg/l	
	Environment - sediment, freshwater		PNEC	3,37	mg/kg	
	Environment - sediment, marine		PNEC	0,337	mg/kg	
	Environment - soil		PNEC	0,616	mg/kg	
Consumer	Human - dermal	Long term, systemic effects	DNEL	2440	mg/kg bw/d	
Consumer	Human - oral	Long term, systemic effects	DNEL	24	mg/kg bw/d	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	85	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	4060	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	285	mg/m3	

Area of application	Exposure route / Environmental compartment	Effect on health	Descripto r	Value	Unit	Note
	Environment - soil		PNEC	0,261	mg/kg dw	
	Environment - sewage treatment plant		PNEC	2,1	mg/l	
	Environment - freshwater		PNEC	0,0054	mg/l	
	Environment - marine		PNEC	0,00054	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	5,77	µg/I	



Page 5 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 06.01.2022 / 0020 Replacing version dated / version: 01.11.2021 / 0019 Valid from: 06.01.2022 PDF print date: 07.01.2022 GOLDREIF® Frischreiniger

	Environment - sediment, freshwater		PNEC	1,3	mg/kg dw	
	Environment - sediment, marine		PNEC	0,13	mg/kg dw	
Consumer	Human - oral	Long term, systemic effects	DNEL	4,44	mg/kg bw/day	
Consumer	Human - dermal	Long term, systemic effects	DNEL	4,44	mg/kg bw/day	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	7,78	mg/m3	
Consumer	Human - dermal	Short term, local effects	DNEL	0,0929	mg/cm2	
Workers / employees	Human - inhalation	Long term	DNEL	31,1	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	8,89	mg/kg bw/day	
Workers / employees	Human - dermal	Short term, local effects	DNEL	0,1858	mg/cm2	

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Chemical resistant protective gloves (EN ISO 374). If applicable Protective gloves made of butyl (EN ISO 374). Protective Neoprene® / polychloroprene gloves (EN ISO 374). Protective nitrile gloves (EN ISO 374). Minimum layer thickness in mm: 0,5 Permeation time (penetration time) in minutes: 480 The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended. Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed. In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications. Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

@B—



(GB)

Page 6 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 06.01.2022 / 0020 Replacing version dated / version: 01.11.2021 / 0019 Valid from: 06.01.2022 PDF print date: 07.01.2022 GOLDREIF® Frischreiniger

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Yellow
Odour:	Perfumed
Melting point/freezing point:	There is no information available on this parameter.
Boiling point or initial boiling point and boiling range:	There is no information available on this parameter.
Flammability:	There is no information available on this parameter.
Lower explosion limit:	There is no information available on this parameter.
Upper explosion limit:	There is no information available on this parameter.
Flash point:	There is no information available on this parameter.
Auto-ignition temperature:	There is no information available on this parameter.
Decomposition temperature:	There is no information available on this parameter.
pH:	11,2
Kinematic viscosity:	There is no information available on this parameter.
Solubility:	Soluble
Partition coefficient n-octanol/water (log value):	Does not apply to mixtures.
Vapour pressure:	There is no information available on this parameter.
Density and/or relative density:	1,025 g/cm3
Relative vapour density:	There is no information available on this parameter.
Particle characteristics:	Does not apply to liquids.
9.2 Other information	
Explosives:	Product is not explosive.
Oxidising liquids:	No

SECTION 10: Stability and reactivity

10.1 Reactivity The product has not been tested.

10.2 Chemical stability
Stable with proper storage and handling.
10.3 Possibility of hazardous reactions
No dangerous reactions are known.
10.4 Conditions to avoid
None known
10.5 Incompatible materials
Avoid contact with strong acids.
Avoid contact with alkali sensitive materials.
10.6 Hazardous decomposition products

lo decomposition when used as directed

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

GOLDREIF® Frischreiniger						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.



- @8						
Page 7 of 14						
Safety data sheet according to	Regulation (F	-C) No 1907/2	2006 Annex I			
Revision date / version: 06.01.			2000, / 4110/			
Replacing version dated / vers		21 / 0010				
Valid from: 06.01.2022		1 / 0015				
PDF print date: 07.01.2022						
GOLDREIF® Frischreiniger						
Acute toxicity, by dermal						n.d.a.
route:						
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-						
RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.
						1
Sulfuric acid, mono-C12-16-a						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rat	OECD 401 (Acute	Analogous
					Oral Toxicity)	conclusion
Acute toxicity, by dermal	LD50	>2000	mg/kg	Rat	OECD 402 (Acute	Analogous
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rat		
	LD50	>2000	mg/kg	Rat	OECD 402 (Acute	Analogous
route:	LD50	>2000	mg/kg		OECD 402 (Acute Dermal Toxicity)	Analogous conclusion Skin Irrit. 2,
route:	LD50	>2000	mg/kg		OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute	Analogous conclusion
route: Skin corrosion/irritation:	LD50	>2000			OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal	Analogous conclusion Skin Irrit. 2, Analogous conclusion
route: Skin corrosion/irritation: Serious eye	LD50		mg/kg %		OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal	Analogous conclusion Skin Irrit. 2, Analogous
route: Skin corrosion/irritation: Serious eye damage/irritation:	LD50	>=10	%		OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye	LD50				OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal	Analogous conclusion Skin Irrit. 2, Analogous conclusion
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation:	LD50	>=10	%	Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion)	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye	LD50	>=10	%		OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion)	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation:	LD50	>=10	%	Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation:	LD50	>=10	%	Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion)	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1 Eye Dam. 1
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin	LD50	>=10	%	Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1 Eye Dam. 1 No (skin
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation:	LD50	>=10	%	Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion)	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1 Eye Dam. 1 No (skin contact),
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin	LD50	>=10	%	Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1 Eye Dam. 1 No (skin contact), Analogous
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation:	LD50	>=10	%	Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation)	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1 Eye Dam. 1 No (skin contact), Analogous conclusion
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin	LD50	>=10	%	Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 476 (In Vitro	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1 Eye Dam. 1 No (skin contact), Analogous conclusion Negative,
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation:	LD50	>=10	%	Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 476 (In Vitro Mammalian Cell Gene	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1 Eye Dam. 1 No (skin contact), Analogous conclusion Negative, Analogous
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity:	LD50	>=10	%	Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1 Eye Dam. 1 No (skin contact), Analogous conclusion Negative, Analogous conclusion
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation:	LD50	>=10	%	Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 475	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1 Eye Dam. 1 No (skin contact), Analogous conclusion Negative, Analogous conclusion Negative,
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity:	LD50	>=10	%	Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 475 (Mammalian Bone	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1 Eye Dam. 1 No (skin contact), Analogous conclusion Negative, Analogous conclusion Negative, Analogous
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity:	LD50	>=10	%	Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 475 (Mammalian Bone Marrow Chromosome	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1 Eye Dam. 1 No (skin contact), Analogous conclusion Negative, Analogous conclusion Negative,
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity:		>=10	%	Rabbit Rabbit Guinea pig	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test)	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1 Eye Dam. 1 No (skin contact), Analogous conclusion Negative, Analogous conclusion Negative, Analogous
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity:	LD50	>=10	%	Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 475 (Mammalian Bone Marrow Chromosome	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1 Eye Dam. 1 No (skin contact), Analogous conclusion Negative, Analogous conclusion Negative, Analogous
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Germ cell mutagenicity:		>=10	% %	Rabbit Rabbit Guinea pig	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test) OECD 414 (Prenatal	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1 Eye Dam. 1 No (skin contact), Analogous conclusion Negative, Analogous conclusion Negative, Analogous conclusion
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Germ cell mutagenicity:		>=10	% % % %	Rabbit Rabbit Guinea pig	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test) OECD 414 (Prenatal Developmental	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1 Eye Dam. 1 No (skin contact), Analogous conclusion Negative, Analogous conclusion Negative, Analogous conclusion
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Germ cell mutagenicity: Reproductive toxicity:		>=10	% %	Rabbit Rabbit Guinea pig	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test) OECD 414 (Prenatal	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1 Eye Dam. 1 No (skin contact), Analogous conclusion Negative, Analogous conclusion Negative, Analogous conclusion
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Germ cell mutagenicity:		>=10	% %	Rabbit Rabbit Guinea pig	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test) OECD 414 (Prenatal Developmental	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1 Eye Dam. 1 No (skin contact), Analogous conclusion Negative, Analogous conclusion Negative, Analogous conclusion
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Germ cell mutagenicity: Reproductive toxicity: Aspiration hazard:		>=10	% %	Rabbit Rabbit Guinea pig	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test) OECD 414 (Prenatal Developmental	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1 Eye Dam. 1 No (skin contact), Analogous conclusion Negative, Analogous conclusion Negative, Analogous conclusion
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Germ cell mutagenicity: Reproductive toxicity: Aspiration hazard: Orange, sweet, ext.	NOEL	>=10 >=20 250	% % %	Rabbit Rabbit Guinea pig Rat	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test) OECD 414 (Prenatal Developmental Toxicity Study)	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1 Eye Dam. 1 No (skin contact), Analogous conclusion Negative, Analogous conclusion Negative, Analogous conclusion Negative, Analogous conclusion
route: Skin corrosion/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Germ cell mutagenicity: Reproductive toxicity: Aspiration hazard:		>=10	% %	Rabbit Rabbit Guinea pig	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion) OECD 406 (Skin Sensitisation) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test) OECD 414 (Prenatal Developmental	Analogous conclusion Skin Irrit. 2, Analogous conclusion Eye Irrit. 2 Eye Dam. 1 Eye Dam. 1 No (skin contact), Analogous conclusion Negative, Analogous conclusion Negative, Analogous conclusion

Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 401 (Acute	
					Oral Toxicity)	
Acute toxicity, by dermal	LD50	>5000	mg/kg	Rabbit	OECD 402 (Acute	
route:					Dermal Toxicity)	
Skin corrosion/irritation:				Rabbit		Irritant
Respiratory or skin				Mouse	OECD 429 (Skin	Yes (skin
sensitisation:					Sensitisation - Local	contact)
					Lymph Node Assay)	,
Aspiration hazard:						Yes
		·				•



œ

Page 8 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 06.01.2022 / 0020 Replacing version dated / version: 01.11.2021 / 0019 Valid from: 06.01.2022 PDF print date: 07.01.2022 GOLDREIF® Frischreiniger

Symptoms:			mucous
			membrane
			irritation

11.2. Information on other hazards

GOLDREIF® Frischreiniger								
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes		
Endocrine disrupting						Does not apply		
properties:						to mixtures.		
Other information:						No other		
						relevant		
						information		
						available on		
						adverse effects		
						on health.		

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

GOLDREIF® Frischrei				-			
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and							The
degradability:							surfactant(s)
							contained in
							this mixture
							complies(comp
							y) with the
							biodegradabilit
							criteria as laid
							down in
							Regulation
							(EC)
							No.648/2004
							on detergents.
							Supporting
							documents that
							confirm this are
							kept available
							for the
							competent authorities and
							will be provided by a detergent
							manufacturer
							upon inquiry or
							demand.
12.3. Bioaccumulative							n.d.a.
potential:							1.0.0.
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT							n.d.a.
and vPvB assessment							
12.6. Endocrine							Does not apply
disrupting properties:							to mixtures.
<u> </u>	1					1	



Page 9 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 06.01.2022 / 0020 Replacing version dated / version: 01.11.2021 / 0019 Valid from: 06.01.2022 PDF print date: 07.01.2022 GOLDREIF® Frischreiniger

12.7. Other adverse effects:	No information available on other adverse effects on the environment.
Other information:	DOC- elimination degree(complex ing organic substance)>= 80%/28d: n.a.

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	NOEC/NOEL	34d	0,11	mg/l	Pimephales promelas	OECD 210 (Fish, Early-Life Stage Toxicity Test)	Analogous conclusion
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	0,14	mg/l	Daphnia magna	,	Analogous conclusion
12.1. Toxicity to fish:	LC50	96h	1,3	mg/l	Brachydanio rerio	OECD 203 (Fish, Acute Toxicity Test)	Analogous conclusion
12.1. Toxicity to daphnia:	EC50	48h	2,8	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	Analogous conclusion
12.1. Toxicity to algae:	EC20	72h	>20	mg/l	Desmodesmus subspicatus	Regulation (EC) 440/2008 C.3 (FRESHWATER ALGAE AND CYANOBACTER IA, GROWTH INHIBITION TEST)	Analogous conclusion
12.2. Persistence and degradability:		27d	97	%		OECD 303 A (Simulation Test - Aerobic Sewage Treatment - Activated Sludge Units)	Readily biodegradable, Analogous conclusion
12.3. Bioaccumulative potential:	Log Pow		-2,1				
12.4. Mobility in soil:	Koc		316				
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substanc
Toxicity to bacteria:		3h	680	mg/l	activated sludge	Regulation (EC) 440/2008 C.11 (BIODEGRADAT ION - ACTIVATED SLUDGE RESPIRATION INHIBITION)	Analogous conclusion

Orange, sweet, ext.							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	NOEC/NOEL	96h	4,0	mg/l	Brachydanio rerio	OECD 203	
						(Fish, Acute	
						Toxicity Test)	

@B-



œ

Page 10 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 06.01.2022 / 0020 Replacing version dated / version: 01.11.2021 / 0019 Valid from: 06.01.2022 PDF print date: 07.01.2022 GOLDREIF® Frischreiniger

12.1. Toxicity to fish:	EL50	96h	2,4-3,1	mg/l	Brachydanio rerio	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to daphnia:	NOEC/NOEL	48h	0,48	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to daphnia:	EC50	48h	0,67	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to fish:	LC50	96h	0,7	mg/l	Pimephales promelas	OEĆD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to algae:	EC50	72h	150	mg/l	Desmodesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	
12.1. Toxicity to algae:	NOEC/NOEL	72h	50	mg/l	Desmodesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		28d	72-83,4	%		OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	Readily biodegradable
12.2. Persistence and degradability:		28d	100	%		OECD 301 E (Ready Biodegradability - Modified OECD Screening Test)	Readily biodegradable
12.4. Mobility in soil:							Product is slightly volatile.
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Other information:							Does not contain any organically bound halogens which can contribute to the AOX value in waste water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

1825 dreiturm

œ.

Page 11 of 14 Safety data sheet according to Regulation (EC) No 190 Revision date / version: 06.01.2022 / 0020	7/2006, Annex II				
Replacing version dated / version: 01.11.2021 / 0019					
Valid from: 06.01.2022					
PDF print date: 07.01.2022					
GOLDREIF® Frischreiniger					
E.g. dispose at suitable refuse site. For contaminated packing material Pay attention to local and national official regulations. Empty container completely. Uncontaminated packaging can be recycled. Dispose of packaging that cannot be cleaned in the sar					
SECTION	14: Transport information				
Conoral statements					
General statements 14.1. UN number or ID number:	n.a.				
	11.a.				
Transport by road/by rail (ADR/RID) 14.2. UN proper shipping name:					
14.2. On proper shipping name. 14.3. Transport hazard class(es):	n.a.				
14.4. Packing group:	n.a.				
Classification code:	n.a.				
LQ:	n.a.				
14.5. Environmental hazards:	Not applicable				
Tunnel restriction code:					
Transport by sea (IMDG-code)					
14.2. UN proper shipping name:					
14.3. Transport hazard class(es):	n.a.				
14.4. Packing group: Marine Pollutant:	n.a.				
14.5. Environmental hazards:	n.a Not applicable				
Transport by air (IATA)					
14.2. UN proper shipping name:					
14.3. Transport hazard class(es):	n.a.				
14.4. Packing group:	n.a.				
14.5. Environmental hazards:	Not applicable				
14.6. Special precautions for user	••				
Unless specified otherwise, general measures for safe	transport must be followed.				
14.7. Maritime transport in bulk according	•				
Non-dangerous material according to Transport Regula					
SECTION (4E. Dogulatory information				
SECTION	15: Regulatory information				
15.1 Safety, health and environmental reg	gulations/legislation specific for the substance or mixture				
Observe restrictions: General hygiene measures for the handling of chemical	ls are applicable.				
Directive 2010/75/EU (VOC):	< 0,6 %				
15.2 Chemical safety assessment A chemical safety assessment is not provided for mixtu	res.				

SECTION 16: Other information

Revised sections:

15

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP): Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3). H226 Flammable liquid and vapour.



GB

Page 12 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 06.01.2022 / 0020 Replacing version dated / version: 01.11.2021 / 0019 Valid from: 06.01.2022 PDF print date: 07.01.2022 GOLDREIF® Frischreiniger

H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Skin Irrit. — Skin irritation Eye Dam. — Serious eye damage Aquatic Chronic — Hazardous to the aquatic environment - chronic Flam. Liq. — Flammable liquid Skin Sens. — Skin sensitization Asp. Tox. — Aspiration hazard

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany). EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF Bioconcentration factor BSEF The International Bromine Council body weight bw CAS **Chemical Abstracts Service** CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon dry weight dw for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) European Community EC ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect EEC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances **ELINCS** European List of Notified Chemical Substances EN **European Norms** United States Environmental Protection Agency (United States of America) EPA

(GB) Page 13 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 06.01.2022 / 0020 Replacing version dated / version: 01.11.2021 / 0019 Valid from: 06.01.2022 PDF print date: 07.01.2022 **GOLDREIF®** Frischreiniger Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) ErCx, $E\mu Cx$, ErLx (x = 10, 50) etc. et cetera EU **European Union** EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number gen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Koc Adsorption coefficient of organic carbon in the soil octanol-water partition coefficient Kow IARC International Agency for Research on Cancer IATA International Air Transport Association International Bulk Chemical (Code) IBC (Code) IMDG-code International Maritime Code for Dangerous Goods including, inclusive incl. IUCLIDInternational Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Logarithm of adsorption coefficient of organic carbon in the soil Log Koc Logarithm of octanol-water partition coefficient Log Kow, Log Pow LQ Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships not applicable n.a. not available n.av. not checked n.c. n.d.a. no data available NIOSHNational Institute for Occupational Safety and Health (USA) NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development ora. organic OSHA Occupational Safety and Health Administration (USA) persistent, bioaccumulative and toxic PBT PE Polyethylene PNEC Predicted No Effect Concentration parts per million ppm PVC Polyvinylchloride REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the RID International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Telephone Tel.

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.



œ.

Page 14 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 06.01.2022 / 0020 Replacing version dated / version: 01.11.2021 / 0019 Valid from: 06.01.2022 PDF print date: 07.01.2022 GOLDREIF® Frischreiniger