

Page 1 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 08.03.2019 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 SAN-EFFEKT

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

### **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1 Product identifier**

## SAN-EFFEKT

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture: Bathroom cleaner
Uses advised against: No information available at present.

### 1.3 Details of the supplier of the safety data sheet

DREITURM GmbH Postach 11 40 36392 Steinau an der Straße Tel.: +49 (0) 66 63 / 970 - 0 Fax: +49 (0) 66 63 / 970 - 490

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

### 1.4 Emergency telephone number Emergency information services / official advisory body:

### Telephone number of the company in case of emergencies:

+1 872 5888271 (DTR)

**SECTION 2: Hazards identification** 

## 2.1 Classification of the substance or mixture Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

### 2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH210-Safety data sheet available on request.

## 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

## **SECTION 3: Composition/information on ingredients**



œ–

Page 2 of 11

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 08.03.2019 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 SAN-EFFEKT

### 3.1 Substances

#### n.a. 3.2 Mixtures

Citric acid monohydrate	
Registration number (REACH)	01-2119457026-42-XXXX
Index	607-750-00-3
EINECS, ELINCS, NLP, REACH-IT List-No.	201-069-1
CAS	5949-29-1
content %	1-5
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Eye Irrit. 2, H319
factors	STOT SE 3, H335

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

### Inhalation

Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

Unsuitable cleaning product:

Solvent

Thinners

## Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

#### Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

The following may occur:

Irritation of the eyes With long-term contact:

Dermatitis (skin inflammation)

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

n.c.

### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

### Suitable extinguishing media

Adapt to the nature and extent of fire.

Water jet spray / alcohol resistant foam / CO2 / dry extinguisher.

### Unsuitable extinguishing media

None known

5.2 Special hazards arising from the substance or mixture



GB

Page 3 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 08.03.2019 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 SAN-EFFEKT

In case of fire the following can develop: Oxides of carbon Toxic pyrolysis products.

### 5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

### 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

#### 6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

#### **6.2 Environmental precautions**

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

#### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Flush residue using copious water. Unsuitable cleaning product: Solvent

Thinners

### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

### **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

### 7.1 Precautions for safe handling

## 7.1.1 General recommendations

Ensure good ventilation. Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

### 7.2 Conditions for safe storage, including any incompatibilities

Store product closed and only in original packing. Not to be stored in gangways or stair wells. Store at room temperature.



Page 4 of 11

GB

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 08.03.2019 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 SAN-EFFEKT

### 7.3 Specific end use(s)

No information available at present.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Citric acid monohydrate	e					
Area of application	Exposure route /	Effect on health	Descripto	Value	Unit	Note
	Environmental		r			
	compartment					
	Environment - freshwater		PNEC	0,44	mg/l	
	Environment - marine		PNEC	0,044	mg/l	
	Environment - sewage		PNEC	1000	mg/l	
	treatment plant					
	Environment - sediment,		PNEC	34,6	mg/kg dry	
	freshwater				weight	
	Environment - sediment,		PNEC	3,46	mg/kg dry	
	marine				weight	
	Environment - soil		PNEC	33,1	mg/kg dry	
					weight	

## 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles (EN 166) with side protection, with danger of splashes.

Skin protection - Hand protection:

Chemical resistant protective gloves (EN ISO 374).

If applicable

Rubber gloves (EN ISO 374).

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards: If applicable, these are included in the individual protective measures (eye/face protection, skin protection, respiratory protection).

Additional information on hand protection - No tests have been performed. In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.



Page 5 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 08.03.2019 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 SAN-EFFEKT

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

### 8.2.3 Environmental exposure controls

No information available at present.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Pink
Odour:	Perfumed
Melting point/freezing point:	There is no information available on this parameter.
Boiling point or initial boiling point and boiling range:	There is no information available on this parameter.
Flammability:	There is no information available on this parameter.
Lower explosion limit:	There is no information available on this parameter.
Upper explosion limit:	There is no information available on this parameter.
Flash point:	There is no information available on this parameter.
Auto-ignition temperature:	There is no information available on this parameter.
Decomposition temperature:	There is no information available on this parameter.
pH:	5,0
Kinematic viscosity:	There is no information available on this parameter.
Solubility:	Soluble
Partition coefficient n-octanol/water (log value):	Does not apply to mixtures.
Vapour pressure:	There is no information available on this parameter.
Density and/or relative density:	1,0355 g/ml
Relative vapour density:	There is no information available on this parameter.
Particle characteristics:	Does not apply to liquids.
9.2 Other information	
Explosives:	Product is not explosive.
Oxidising liquids:	Νο
<b>O</b>	

### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

The product has not been tested. **10.2 Chemical stability** Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** No decomposition if used as intended. **10.4 Conditions to avoid** None known **10.5 Incompatible materials** No dangerous reactions are known. **10.6 Hazardous decomposition products** No decomposition when used as directed.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

SAN-EFFEKI						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
		•				



- @B -

Page 6 of 11	/-					
Safety data sheet according to		EC) No 1907/	2006, Annex II			
Revision date / version: 01.11.2						
Replacing version dated / versi	ion: 08.03.201	19 / 0006				
Valid from: 01.11.2021						
PDF print date: 01.11.2021						
SAN-EFFEKT						
Acute toxicity, by dermal						n.d.a.
route:						
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						1
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						n.d.a.
Specific target organ toxicity -						n.a.a.
repeated exposure (STOT-						
RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.
Citric acid monohydrate						
Citric acid monohydrate	Endpoint	Value	Unit	Organism	Test method	Notes
Toxicity / effect	Endpoint	<b>Value</b>	Unit	Organism Bat	Test method	Notes
Toxicity / effect Acute toxicity, by oral route:	LD50	3000	mg/kg	Rat		Notes
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermal					OECD 402 (Acute	Notes
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:	LD50	3000	mg/kg	Rat Rat	OECD 402 (Acute Dermal Toxicity)	
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermal	LD50	3000	mg/kg	Rat	OECD 402 (Acute	Notes Not irritant
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:	LD50	3000	mg/kg	Rat Rat	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal	
Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation:	LD50	3000	mg/kg	Rat Rat	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant
Toxicity / effect         Acute toxicity, by oral route:         Acute toxicity, by dermal route:         Skin corrosion/irritation:         Serious eye	LD50	3000	mg/kg	Rat Rat Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute	
Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Skin corrosion/irritation:	LD50	3000	mg/kg	Rat Rat Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye	Not irritant
Toxicity / effect         Acute toxicity, by oral route:         Acute toxicity, by dermal route:         Skin corrosion/irritation:         Serious eye	LD50	3000	mg/kg	Rat Rat Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute	Not irritant
Toxicity / effect         Acute toxicity, by oral route:         Acute toxicity, by dermal route:         Skin corrosion/irritation:         Serious eye damage/irritation:	LD50	3000	mg/kg	Rat Rat Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye	Not irritant Eye Irrit. 2
Toxicity / effect         Acute toxicity, by oral route:         Acute toxicity, by dermal route:         Skin corrosion/irritation:         Serious eye damage/irritation:         Respiratory or skin	LD50	3000	mg/kg	Rat Rat Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye	Not irritant Eye Irrit. 2
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:Serious eyedamage/irritation:Respiratory or skinsensitisation:Germ cell mutagenicity:	LD50	3000	mg/kg	Rat Rat Rabbit Rabbit	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant         Eye Irrit. 2         Not sensitizising         Negative
Toxicity / effect         Acute toxicity, by oral route:         Acute toxicity, by dermal route:         Skin corrosion/irritation:         Serious eye damage/irritation:         Respiratory or skin sensitisation:	LD50	3000	mg/kg	Rat Rat Rabbit Rabbit Salmonella	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant         Eye Irrit. 2         Not sensitizising         Negative         vomiting,
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:Serious eyedamage/irritation:Respiratory or skinsensitisation:Germ cell mutagenicity:	LD50	3000	mg/kg	Rat Rat Rabbit Rabbit Salmonella	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant         Eye Irrit. 2         Not sensitizising         Negative         vomiting, cornea opacity,
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:Serious eyedamage/irritation:Respiratory or skinsensitisation:Germ cell mutagenicity:	LD50	3000	mg/kg	Rat Rat Rabbit Rabbit Salmonella	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant         Eye Irrit. 2         Not sensitizising         Negative         vomiting, cornea opacity, coughing,
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:Serious eyedamage/irritation:Respiratory or skinsensitisation:Germ cell mutagenicity:	LD50	3000	mg/kg	Rat Rat Rabbit Rabbit Salmonella	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant         Eye Irrit. 2         Not sensitizising         Negative         vomiting, cornea opacity, coughing, stomach pain,
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:Serious eyedamage/irritation:Respiratory or skinsensitisation:Germ cell mutagenicity:	LD50	3000	mg/kg	Rat Rat Rabbit Rabbit Salmonella	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant         Eye Irrit. 2         Not sensitizising         Negative         vomiting, cornea opacity, coughing, stomach pain, mucous
Toxicity / effectAcute toxicity, by oral route:Acute toxicity, by dermalroute:Skin corrosion/irritation:Serious eyedamage/irritation:Respiratory or skinsensitisation:Germ cell mutagenicity:	LD50	3000	mg/kg	Rat Rat Rabbit Rabbit Salmonella	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant         Eye Irrit. 2         Not sensitizising         Negative         vomiting, cornea opacity, coughing, stomach pain, mucous membrane
Toxicity / effect         Acute toxicity, by oral route:         Acute toxicity, by dermal route:         Skin corrosion/irritation:         Serious eye damage/irritation:         Respiratory or skin sensitisation:         Germ cell mutagenicity:         Symptoms:	LD50 LD50	3000 >2000	mg/kg mg/kg	Rat         Rabbit         Rabbit         Salmonella         typhimurium	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant         Eye Irrit. 2         Not sensitizising         Negative         vomiting, cornea opacity, coughing, stomach pain, mucous
Toxicity / effect         Acute toxicity, by oral route:         Acute toxicity, by dermal route:         Skin corrosion/irritation:         Skin corrosion/irritation:         Serious eye damage/irritation:         Respiratory or skin sensitisation:         Germ cell mutagenicity:         Symptoms:	LD50	3000	mg/kg	Rat Rat Rabbit Rabbit Salmonella	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant         Eye Irrit. 2         Not sensitizising         Negative         vomiting, cornea opacity, coughing, stomach pain, mucous membrane
Toxicity / effect         Acute toxicity, by oral route:         Acute toxicity, by dermal route:         Skin corrosion/irritation:         Serious eye damage/irritation:         Respiratory or skin sensitisation:         Germ cell mutagenicity:         Symptoms:	LD50 LD50	3000 >2000	mg/kg mg/kg	Rat         Rabbit         Rabbit         Salmonella         typhimurium	OECD 402 (Acute Dermal Toxicity) OECD 404 (Acute Dermal Irritation/Corrosion) OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant         Eye Irrit. 2         Not sensitizising         Negative         vomiting, cornea opacity, coughing, stomach pain, mucous membrane

## 11.2. Information on other hazards

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Endocrine disrupting						Does not apply
properties:						to mixtures.
Other information:						No other
						relevant
						information
						available on
						adverse effects
						on health.

## **SECTION 12: Ecological information**



Page 7 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 08.03.2019 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 SAN-EFFEKT

Possibly more information on environmental effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	-						n.d.a.
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and							The
degradability:							surfactant(s)
aogradability.							contained in
							this mixture
							complies(comp
							y) with the
							biodegradabilit
							criteria as laid
							down in
							Regulation
							(EC)
							No.648/2004
							on detergents.
							Data to suppor
							this assertion
							are held at the
							disposal of the
							competent
							authorities of
							the Member
							States and will
							be made
							available to
							them, at their
							direct request
							or at the
							request of a
							detergent
							manufacturer.
12.3. Bioaccumulative							n.d.a.
potential:							
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT							n.d.a.
and vPvB assessment							
12.6. Endocrine							Does not apply
disrupting properties:							to mixtures.
12.7. Other adverse							n.d.a.
effects:							
Other information:							According to
							the recipe,
							contains no
							AOX.
Other information:			-				DOC-
							elimination
							degree(comple
							ing organic
							substance)>=
							80%/28d: n.a.
				1			1 00%/280: n.a.

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
							vPvB substance

@B\_



Page 8 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 08.03.2019 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 SAN-EFFEKT

12.1. Toxicity to fish:	LC50	96h	440-760	mg/l	Leuciscus idus	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to daphnia:	EC50	72h	120	mg/l	Daphnia magna	, , ,	
12.1. Toxicity to algae:	IC5	7d	640	mg/l	Scenedesmus quadricauda		Anhydrous substance
12.2. Persistence and degradability:		28d	97	%		OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	Readily biodegradable
12.2. Persistence and degradability:		28d	98	%		OEĆD 302 B (Inherent Biodegradability - Zahn- Wellens/EMPA Test)	Readily biodegradable
12.3. Bioaccumulative potential:	Log Pow		<1				Bioaccumulatio n is unlikely (LogPow < 1).
Toxicity to bacteria:	EC50		>10000	mg/l	Pseudomonas subspicata	DIN 38412 T.8	
Other information:	COD		665	mg/g			
Other information:	BOD5		481	mg/g			

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

07 06 01 aqueous washing liquids and mother liquors

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

### For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

Recommended cleaner:

Water

15 01 02 plastic packaging

## **SECTION 14: Transport information**

### **General statements**

## 14.1. UN number or ID number:

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name: 14.3. Transport hazard class(es):

14.4. Packing group:

n.a.

n.a.

n.a.

dreiturm

Page 9 of 11 Safety data sheet according to Regulation (EC) No 190	07/2006, Annex II	
Revision date / version: 01.11.2021 / 0007		
Replacing version dated / version: 08.03.2019 / 0006 Valid from: 01.11.2021		
PDF print date: 01.11.2021		
SAN-EFFEKT		
Classification code:	n.a.	
LQ:	n.a.	
14.5. Environmental hazards:	Not applicable	
Tunnel restriction code:		
Transport by sea (IMDG-code)		
14.2. UN proper shipping name:		
14.3. Transport hazard class(es): 14.4. Packing group:	n.a. n.a.	
Marine Pollutant:	n.a	
14.5. Environmental hazards:	Not applicable	
	Not applicable	
Transport by air (IATA)		
14.2. UN proper shipping name:		
14.3. Transport hazard class(es):	n.a.	
14.4. Packing group: 14.5. Environmental hazards:	n.a. Net epplicable	
	Not applicable	
14.6. Special precautions for user		
Unless specified otherwise, general measures for safe		
14.7. Maritime transport in bulk accordin		
Non-dangerous material according to Transport Regula	ations.	
SECTION	15: Regulatory information	
15.1 Safety, health and environmental re	gulations/legislation specific for the substance or	r mixture
Observe restrictions:		
General hygiene measures for the handling of chemica	als are applicable.	
Directive 2010/75/EU (VOC):	< 0,1 %	
15.2 Chemical safety assessment		
A chemical safety assessment is not provided for mixtu	ures.	

**SECTION 16: Other information** 

**Revised sections:** 

each as amended.

1-16

# Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP): Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3). H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Eye Irrit. — Eye irritation STOT SE — Specific target organ toxicity - single exposure - respiratory tract irritation

### Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended. Guidelines for the preparation of safety data sheets as amended (ECHA). Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA). Safety data sheets for the constituent substances. ECHA Homepage - Information about chemicals. GESTIS Substance Database (Germany). German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany). EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831,



Page 10 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 08.03.2019 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 SAN-EFFEKT

National Lists of Occupational Exposure Limits for each country as amended. Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

### Any abbreviations and acronyms used in this document:

acc., acc. to according, according to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Article number Art., Art. no. ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF Bioconcentration factor BSEF The International Bromine Council body weight bw CAS **Chemical Abstracts Service** CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.q. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) European Community FC ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect European Economic Community EEC EINECS European Inventory of Existing Commercial Chemical Substances **ELINCS** European List of Notified Chemical Substances ΕN **European Norms** EPA United States Environmental Protection Agency (United States of America)  $ErCx, E\mu Cx, ErLx (x = 10, 50)$ Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) etc. et cetera ΕU **European Union** EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number gen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Adsorption coefficient of organic carbon in the soil Koc octanol-water partition coefficient Kow IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) International Maritime Code for Dangerous Goods IMDG-code incl. includina, inclusive IUCLIDInternational Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Logarithm of adsorption coefficient of organic carbon in the soil Log Koc Log Kow, Log Pow Logarithm of octanol-water partition coefficient Limited Quantities LQ MARPOL International Convention for the Prevention of Marine Pollution from Ships n.a. not applicable



Page 11 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0007 Replacing version dated / version: 08.03.2019 / 0006 Valid from: 01.11.2021 PDF print date: 01.11.2021 SAN-EFFEKT n.av. not available n.c. not checked n.d.a. no data available NIOSHNational Institute for Occupational Safety and Health (USA) NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development organic org. OSHA Occupational Safety and Health Administration (USA) PBT persistent, bioaccumulative and toxic ΡE Polyethylene PNEC Predicted No Effect Concentration parts per million ppm PVC Polyvinylchloride REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the RID International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Tel. Telephone TOC Total organic carbon UN RTDG United Nations Recommendations on the Transport of Dangerous Goods VOC Volatile organic compounds vPvB very persistent and very bioaccumulative wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.