

GB

Page 1 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 28.08.2023 / 0014 Replacing version dated / version: 01.11.2021 / 0013 Valid from: 28.08.2023 PDF print date: 28.08.2023 SPRAYFRIS classic

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

SPRAYFRIS classic

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:
Surface cleaner
Uses advised against:
No information available at present.

1.3 Details of the supplier of the safety data sheet

DREITURM GmbH Postach 11 40 36392 Steinau an der Straße Tel.: +49 (0) 66 63 / 970 - 0 Fax: +49 (0) 66 63 / 970 - 490

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+1 872 5888271 (DTR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).



@B-

Page 2 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 28.08.2023 / 0014 Replacing version dated / version: 01.11.2021 / 0013 Valid from: 28.08.2023 PDF print date: 28.08.2023 SPRAYFRIS classic

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a.

3.2 Mixtures

Ethanol	
Registration number (REACH)	01-2119457610-43-XXXX
Index	603-002-00-5
EINECS, ELINCS, NLP, REACH-IT List-No.	200-578-6
CAS	64-17-5
content %	10-20
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Flam. Liq. 2, H225
factors	Eye Irrit. 2, H319
Specific Concentration Limits and ATE	Eye Irrit. 2, H319: >=50 %

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Call doctor immediately - have Data Sheet available.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

The following may occur:

Inhalation of fumes may have narcotic effect.

Irritation of the eyes

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

n.c.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media Adapt to the nature and extent of fire. CO2 Water jet spray



B-

Page 3 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 28.08.2023 / 0014 Replacing version dated / version: 01.11.2021 / 0013 Valid from: 28.08.2023 PDF print date: 28.08.2023 SPRAYFRIS classic

Foam Dry extinguisher **Unsuitable extinguishing media** n.c.

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Cool container at risk with water. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Remove possible causes of ignition - do not smoke.

Ensure sufficient supply of air.

Avoid contact with eyes.

Avoid inhaling

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Do not pour down the drain undiluted.

Prevent surface and ground-water infiltration, as well as ground penetration.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent) and dispose of according to Section 13. Flush residue using copious water.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Keep away from sources of ignition - Do not smoke. Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.



Page 4 of 14

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 28.08.2023 / 0014 Replacing version dated / version: 01.11.2021 / 0013 Valid from: 28.08.2023 PDF print date: 28.08.2023 SPRAYFRIS classic

7.2 Conditions for safe storage, including any incompatibilities

Observe special storage conditions. Store product closed and only in original packing. Not to be stored in gangways or stair wells. Protect from direct sunlight and warming. Store in a well ventilated place. 7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Chemical Name	Ethanol				
WEL-TWA: 1000 ppm (1920 mg	g/m3)	WEL-STEL:			
Monitoring procedures:	-	Draeger - Alcohol 25/a Ethanol (81 01 631)			
	-	Compur - KITA-104 SA (549 210)			
		DFG (D) (Loesungsmittelgemische), Methode Nr. 6 DFG	G (E) (Solvent mixtures) -		
	-	2013, 2002 - EU project BC/CEN/ENTR/000/2002-16 ca	ard 63-2 (2004)		
		DFG Meth. Nr. 2 (D) (Loesungsmittelgemische) - 2013	- EU project		
	-	BC/CEN/ENTR/000/2002-16 card 63-2 (2004)			
		DFG Meth. Nr. 3 (D) (Loesungsmittelgemische) - 2013	- EU project		
	-	BC/CEN/ENTR/000/2002-16 card 63-2 (2004)			
BMGV:		Other information: -			

BMGV:

Area of application	Exposure route / Environmental compartment	Effect on health	Descripto r	Value	Unit	Note
	Environment - freshwater		PNEC	0,96	mg/l	
	Environment - marine		PNEC	0,79	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	2,75	mg/l	
	Environment - sewage treatment plant		PNEC	580	mg/l	
	Environment - sediment, freshwater		PNEC	3,6	mg/kg dry weight	
	Environment - soil		PNEC	0,63	mg/kg dry weight	
	Environment - oral (animal feed)		PNEC	0,38	g/kg feed	
	Environment - sediment, marine		PNEC	2,9	mg/kg dry weight	
Consumer	Human - dermal	Short term, local effects	DNEL	950	mg/m3	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	114	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	87	mg/kg	
Consumer	Human - dermal	Long term, systemic effects	DNEL	206	mg/kg bw/d	
Consumer	Human - inhalation	Short term, local effects	DNEL	950	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	343	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	950	mg/m3	



GB

Page 5 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 28.08.2023 / 0014 Replacing version dated / version: 01.11.2021 / 0013 Valid from: 28.08.2023 PDF print date: 28.08.2023 SPRAYFRIS classic

Workers / employees	Human - inhalation	Short term, local effects	DNEL	1900	mg/m3	
		ellecis				

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and nonmetrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Recommended Tight fitting protective goggles (EN 166) with side protection, with danger of splashes.

Skin protection - Hand protection: Recommended If applicable Rubber gloves (EN ISO 374). Protective hand cream recommended. The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: If OES or MEL is exceeded. Gas mask filter A (EN 14387), code colour brown Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed. In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.



GB

Page 6 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 28.08.2023 / 0014 Replacing version dated / version: 01.11.2021 / 0013 Valid from: 28.08.2023 PDF print date: 28.08.2023 SPRAYFRIS classic

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Blue
Odour:	Perfumed
Melting point/freezing point:	There is no information available on this parameter.
Boiling point or initial boiling point and boiling range:	There is no information available on this parameter.
Flammability:	There is no information available on this parameter.
Lower explosion limit:	There is no information available on this parameter.
Upper explosion limit:	There is no information available on this parameter.
Flash point:	36,5 °C (Does not maintain combustion.)
Auto-ignition temperature:	There is no information available on this parameter.
Decomposition temperature:	There is no information available on this parameter.
pH:	11
Kinematic viscosity:	There is no information available on this parameter.
Solubility:	There is no information available on this parameter.
Partition coefficient n-octanol/water (log value):	Does not apply to mixtures.
Vapour pressure:	There is no information available on this parameter.
Density and/or relative density:	0,97 g/ml
Relative vapour density:	There is no information available on this parameter.
Particle characteristics:	Does not apply to liquids.
9.2 Other information	

No information available at present.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known. **10.4 Conditions to avoid**

Heating, open flame, ignition sources

10.5 Incompatible materials

Avoid contact with strong oxidizing agents. Avoid contact with strong acids.

10.6 Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

SPRAYFRIS classic						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.



œ-

Safety data sheet according to Revision date / version: 28.08.2		- C) No. 4007/0				
		:C) No 1907/20	JUG, Annex II			
		1 / 0012				
Replacing version dated / version	100.01.11.202	1 / 0013				
Valid from: 28.08.2023 PDF print date: 28.08.2023						
SPRAYFRIS classic						
OI ITATI ITIO Classic						
Acute toxicity, by dermal						n.d.a.
route:						n.u.u.
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-						
RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.
·						
Ethanol				.	· • · ·	N
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	10470	mg/kg	Rat	OECD 401 (Acute	
				Dahhit	Oral Toxicity)	
Acute toxicity, by dermal	LD50	>2000	mg/kg	Rabbit	OECD 402 (Acute	
route: Acute toxicity, by inhalation:	LC50	51-124,7	mg/l/4h	Rat	Dermal Toxicity) OECD 403 (Acute	Vapours
Acute toxicity, by initialation.	LC30	51-124,7	1119/1/411	Ral	Inhalation Toxicity)	vapours
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant
Skin conosion/initiation.				Rabbit	Dermal	Not initiant
					Irritation/Corrosion)	
Serious eye				Rabbit	OECD 405 (Acute	Eye Irrit. 2
damage/irritation:					Eye	
damage, intation.					Irritation/Corrosion)	
Respiratory or skin				Mouse	OECD 429 (Skin	No (skin
sensitisation:					Sensitisation - Local	contact)
					Lymph Node Assay)	
Germ cell mutagenicity:				Salmonella	Lymph Node Assay) OECD 471 (Bacterial	Negative
Germ cell mutagenicity:				Salmonella typhimurium		
					OECD 471 (Bacterial Reverse Mutation Test)	
Germ cell mutagenicity: Germ cell mutagenicity:					OECD 471 (Bacterial Reverse Mutation	
				typhimurium	OECD 471 (Bacterial Reverse Mutation Test) OECD 476 (In Vitro Mammalian Cell Gene	Negative
Germ cell mutagenicity:				typhimurium	OECD 471 (Bacterial Reverse Mutation Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)	Negative Negative
				typhimurium	OECD 471 (Bacterial Reverse Mutation Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 473 (In Vitro	Negative
Germ cell mutagenicity:				typhimurium	OECD 471 (Bacterial Reverse Mutation Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 473 (In Vitro Mammalian	Negative Negative
Germ cell mutagenicity:				typhimurium	OECD 471 (Bacterial Reverse Mutation Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 473 (In Vitro Mammalian Chromosome	Negative Negative
Germ cell mutagenicity: Germ cell mutagenicity:				typhimurium	OECD 471 (Bacterial Reverse Mutation Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 473 (In Vitro Mammalian Chromosome Aberration Test)	Negative Negative Negative
Germ cell mutagenicity:				typhimurium	OECD 471 (Bacterial Reverse Mutation Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 475	Negative Negative
Germ cell mutagenicity: Germ cell mutagenicity:				typhimurium	OECD 471 (Bacterial Reverse Mutation Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 475 (Mammalian Bone	Negative Negative Negative
Germ cell mutagenicity: Germ cell mutagenicity:				typhimurium	OECD 471 (Bacterial Reverse Mutation Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 475 (Mammalian Bone Marrow Chromosome	Negative Negative Negative
Germ cell mutagenicity: Germ cell mutagenicity: Germ cell mutagenicity:				typhimurium Mouse	OECD 471 (Bacterial Reverse Mutation Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test)	Negative Negative Negative Negative
Germ cell mutagenicity: Germ cell mutagenicity:	NOAEL	>3000	mg/kg	typhimurium	OECD 471 (Bacterial Reverse Mutation Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test) OECD 451	Negative Negative Negative
Germ cell mutagenicity: Germ cell mutagenicity: Germ cell mutagenicity:	NOAEL	>3000	mg/kg	typhimurium Mouse	OECD 471 (Bacterial Reverse Mutation Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test) OECD 451 (Carcinogenicity	Negative Negative Negative Negative
Germ cell mutagenicity: Germ cell mutagenicity: Germ cell mutagenicity: Carcinogenicity:				typhimurium Mouse Rat	OECD 471 (Bacterial Reverse Mutation Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test) OECD 451 (Carcinogenicity Studies)	Negative Negative Negative Negative
Germ cell mutagenicity: Germ cell mutagenicity: Germ cell mutagenicity:	NOAEL	>3000 5200	mg/kg	typhimurium Mouse	OECD 471 (Bacterial Reverse Mutation Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test) OECD 451 (Carcinogenicity Studies) OECD 416 (Two-	Negative Negative Negative Negative
Germ cell mutagenicity: Germ cell mutagenicity: Germ cell mutagenicity: Carcinogenicity:				typhimurium Mouse Rat	OECD 471 (Bacterial Reverse Mutation Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test) OECD 451 (Carcinogenicity Studies) OECD 416 (Two- generation	Negative Negative Negative Negative
Germ cell mutagenicity: Germ cell mutagenicity: Germ cell mutagenicity: Carcinogenicity:			mg/kg	typhimurium Mouse Rat	OECD 471 (Bacterial Reverse Mutation Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test) OECD 451 (Carcinogenicity Studies) OECD 416 (Two- generation Reproduction Toxicity	Negative Negative Negative Negative
Germ cell mutagenicity: Germ cell mutagenicity: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity:	NOAEL	5200	mg/kg bw/d	typhimurium Mouse Rat Rat	OECD 471 (Bacterial Reverse Mutation Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test) OECD 451 (Carcinogenicity Studies) OECD 416 (Two- generation Reproduction Toxicity Study)	Negative Negative Negative Negative 24 mon
Germ cell mutagenicity: Germ cell mutagenicity: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Specific target organ toxicity -			mg/kg	typhimurium Mouse Rat	OECD 471 (Bacterial Reverse Mutation Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test) OECD 451 (Carcinogenicity Studies) OECD 416 (Two- generation Reproduction Toxicity Study) OECD 403 (Acute	Negative Negative Negative Negative
Germ cell mutagenicity: Germ cell mutagenicity: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity:	NOAEL	5200	mg/kg bw/d	typhimurium Mouse Rat Rat	OECD 471 (Bacterial Reverse Mutation Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test) OECD 451 (Carcinogenicity Studies) OECD 416 (Two- generation Reproduction Toxicity Study)	Negative Negative Negative Negative 24 mon



œ.

Page 8 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 28.08.2023 / 0014 Replacing version dated / version: 01.11.2021 / 0013 Valid from: 28.08.2023 PDF print date: 28.08.2023 SPRAYFRIS classic

Specific target organ toxicity - repeated exposure (STOT- RE):	NOAEL	1730	mg/kg/d	Rat	OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	Female
Symptoms:						respiratory distress, drowsiness, unconsciousnes s, drop in blood pressure, vomiting, coughing, headaches, intoxication, drowsiness, mucous membrane irritation, dizziness, nausea

11.2. Information on other hazards

SPRAYFRIS classic						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Endocrine disrupting						Does not apply
properties:						to mixtures.
Other information:						No other
						relevant
						information
						available on
						adverse effects
						on health.

Ethanol						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Other information:						Excessive alcohol consumption during pregnancy induces the foetus alcohol syndrome (reduced weight at birth, physical and mental disorders)., There is no sign that this syndrome is also caused by dermal or inhalative absorption., Experiences on persons.
	SE	CTION 12	2: Ecologi	cal informat	ion	



- @B -

Page 9 of 14 Safety data sheet accor Revision date / version: Replacing version datec Valid from: 28.08.2023 PDF print date: 28.08.20 SPRAYFRIS classic	28.08.2023 / 0 J / version: 01.1 023	014 1.2021 / 00)13				
Possibly more information SPRAYFRIS classic	on on environm	ental effects	s, see Sect	ion 2.1 (clas	sification).		
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to daphnia:							n.d.a.
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and							The
degradability:							surfactant(s)
							contained in this mixture complies(compl y) with the
							biodegradability criteria as laid
							down in Regulation (EC)
							No.648/2004
							on detergents. Data to support
							this assertion
							are held at the disposal of the
							competent
							authorities of
							the Member
							States and will
							be made available to
							them, at their
							direct request
							or at the
							request of a
							detergent manufacturer.
12.3. Bioaccumulative potential:							n.d.a.
12.4. Mobility in soil:					1		n.d.a.
12.5. Results of PBT							n.d.a.
and vPvB assessment							
12.6. Endocrine disrupting properties:							Does not apply to mixtures.
12.7. Other adverse							No information
effects:							available on
							other adverse
							effects on the
Other information:							environment. DOC-
							elimination
							degree(complex
							ing organic
							substance)>= 80%/28d: n.a.
Other information:	AOX			%			According to
				,			the recipe,
							contains no AOX.
Ethonol							·
Ethanol Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes



œ

Page 10 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 28.08.2023 / 0014 Replacing version dated / version: 01.11.2021 / 0013 Valid from: 28.08.2023 PDF print date: 28.08.2023 SPRAYFRIS classic

12.1. Toxicity to fish:	LC50	96h	13000	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to fish:	NOEC/NOEL	120h	250	mg/l	Brachydanio rerio	OECD 212 (Fish, Short- term Toxicity Test on Embryo and Sac-fry Stages)	
12.1. Toxicity to daphnia:	EC50	48h	5414	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to daphnia:	NOEC/NOEL	10d	9,6	mg/l	Ceriodaphnia spec.	,	References
12.1. Toxicity to algae:	EC50	72h	275	mg/l	Chlorella vulgaris	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		28d	97	%	activated sludge	OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	Readily biodegradable
12.3. Bioaccumulative potential:	Log Pow		(-0,35) - (-0,32)				Bioaccumulatio n is unlikely (LogPow < 1).
12.3. Bioaccumulative potential:	BCF		0,66 - 3,2				
12.4. Mobility in soil:	H (Henry)		0,00013 8				
12.4. Mobility in soil: 12.5. Results of PBT and vPvB assessment	Кос		1,0				Highestimated No PBT substance, No vPvB substance
Toxicity to bacteria:	IC50	3h	>1000	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	Analogous conclusion
Other organisms:	NOEC/NOEL		280	mg/l	Lemna gibba	OECD 201 (Alga, Growth Inhibition Test)	
Other information:	COD		1,9	g/g			
Other information:	BOD5		1	g/g			

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

07 06 01 aqueous washing liquids and mother liquors

20 01 29 detergents containing hazardous substances

dreiturm

(GB)

Page 11 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 28.08.2023 / 0014 Replacing version dated / version: 01.11.2021 / 0013 Valid from: 28.08.2023 PDF print date: 28.08.2023 SPRAYFRIS classic

Recommendation: Sewage disposal shall be discouraged. Pay attention to local and national official regulations. E.g. suitable incineration plant. E.g. dispose at suitable refuse site. **For contaminated packing material**

Pay attention to local and national official regulations.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

15 01 10 packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

General statements Transport by road/by rail (ADR/RID)

14.1. UN number or ID number:	Not applicable
14.2. UN proper shipping name:	
Not applicable	
14.3. Transport hazard class(es):	Not applicable
14.4. Packing group:	Not applicable
14.5. Environmental hazards:	Not applicable
Tunnel restriction code:	Not applicable
Classification code:	Not applicable
LQ:	Not applicable
Transport category:	Not applicable
Transport by sea (IMDG-code)	
14.1. UN number or ID number:	Not applicable
14.2. UN proper shipping name:	
Not applicable	
14.3. Transport hazard class(es):	Not applicable
14.4. Packing group:	Not applicable
14.5. Environmental hazards:	Not applicable
Marine Pollutant:	Not applicable
EmS:	Not applicable
Transport by air (IATA)	
14.1. UN number or ID number:	Not applicable
14.2. UN proper shipping name:	
Not applicable	
14.3. Transport hazard class(es):	Not applicable
14.4. Packing group:	Not applicable
14.5. Environmental hazards:	Not applicable
14.6. Special precautions for user	
Unless specified otherwise, general measures for safe transport must be followed.	
117 Maritima transport in bulk according to IMO instruments	

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions: General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC):

~ 18,3 %

National requirements/regulations on safety and health protection must be applied when using work equipment.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.



Page 12 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 28.08.2023 / 0014 Replacing version dated / version: 01.11.2021 / 0013 Valid from: 28.08.2023 PDF print date: 28.08.2023 SPRAYFRIS classic

SECTION 16: Other information

Revised sections:

(GB)

3, 5, 7, 9, 14, 15

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3). H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Flam. Liq. — Flammable liquid Eye Irrit. - Eye irritation

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals. GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

according, according to acc., acc. to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF Bioconcentration factor BSEF The International Bromine Council body weight bw CAS Chemical Abstracts Service CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.a. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) European Community FC ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

dreitur professional cleaning (GB) Page 13 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 28.08.2023 / 0014 Replacing version dated / version: 01.11.2021 / 0013 Valid from: 28.08.2023 PDF print date: 28.08.2023 SPRAYFRIS classic EEC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances **ELINCS** European List of Notified Chemical Substances **European Norms** EN

EPA United States Environmental Protection Agency (United States of America) ErCx, $E\mu Cx$, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) et cetera etc. EU **European Union** EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number general gen. GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Koc Adsorption coefficient of organic carbon in the soil octanol-water partition coefficient Kow IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) International Maritime Code for Dangerous Goods IMDG-code incl. including, inclusive IUCLIDInternational Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Logarithm of adsorption coefficient of organic carbon in the soil Log Koc Log Kow, Log Pow Logarithm of octanol-water partition coefficient Limited Quantities LO MARPOL International Convention for the Prevention of Marine Pollution from Ships n.a. not applicable n.av. not available not checked n.c. n.d.a. no data available NIOSHNational Institute for Occupational Safety and Health (USA) NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development organic org. OSHA Occupational Safety and Health Administration (USA) PBT persistent, bioaccumulative and toxic Polyethylene PE PNEC Predicted No Effect Concentration ppm parts per million PVC Polyvinylchloride Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning REACH the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the RID International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Telephone Tel. TOC Total organic carbon UN RTDG United Nations Recommendations on the Transport of Dangerous Goods VOC Volatile organic compounds vPvB very persistent and very bioaccumulative wet weight wwt

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:



Page 14 of 14

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 28.08.2023 / 0014 Replacing version dated / version: 01.11.2021 / 0013 Valid from: 28.08.2023 PDF print date: 28.08.2023 SPRAYFRIS classic

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.