

Page 1 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 05.01.2022 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 05.01.2022 PDF print date: 06.01.2022 TEPPICHREINIGER

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

TEPPICHREINIGER

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture: Carpet cleaner

Uses advised against: No information available at present.

1.3 Details of the supplier of the safety data sheet

DREITURM GmbH Postach 11 40 36392 Steinau an der Straße Tel.: +49 (0) 66 63 / 970 - 0 Fax: +49 (0) 66 63 / 970 - 490

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+1 872 5888271 (DTR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixtureClassification according to Regulation (EC) 1272/2008 (CLP)Hazard classHazard categoryHazard statementEye Dam.1H318-Causes serious eye damage.

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)



H318-Causes serious eye damage.



Page 2 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 05.01.2022 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 05.01.2022 PDF print date: 06.01.2022 TEPPICHREINIGER

P280-Wear eye protection / face protection. P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER / doctor.

EUH208-Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Sulfuric acid, mono-C10-16-alkyl esters, sodium salts Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a. **? ? Mixtures**

(GB)

Sulfuric acid, mono-C10-16-alkyl esters, sodium salts
Registration number (REACH)
Index

Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	271-557-7
CAS	68585-47-7
content %	1-<5
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Acute Tox. 4, H302
factors	Skin Irrit. 2, H315
	Eye Dam. 1, H318
	Aquatic Chronic 3, H412

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	270-407-8
CAS	68439-57-6
content %	1-<5
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Skin Irrit. 2, H315
factors	Eye Dam. 1, H318
Specific Concentration Limits and ATE	Skin Irrit. 2, H315: >=5 %
	Eye Dam. 1, H318: >38 %
	Eye Irrit. 2, H319: >5 %

1,2-benzisothiazol-3(2H)-one		
Registration number (REACH)		
Index	613-088-00-6	
EINECS, ELINCS, NLP, REACH-IT List-No.	220-120-9	
CAS	2634-33-5	
content %	0,005-<0,05	



69	
Page 3 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex I Revision date / version: 05.01.2022 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 05.01.2022 PDF print date: 06.01.2022 TEPPICHREINIGER	
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Acute Tox. 4, H302
factors	Skin Irrit. 2, H315
Tactors	
	Eye Dam. 1, H318
	Skin Sens. 1, H317
	Aquatic Acute 1, H400 (M=1)
	Aquatic Chronic 2, H411
Specific Concentration Limits and ATE	Skin Sens. 1, H317: >=0,05 %
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1) Registration number (REACH)	
Index	613-167-00-5
EINECS, ELINCS, NLP, REACH-IT List-No.	
CAS	55965-84-9
content %	0,00015-<0,0015
Classification according to Regulation (EC) 1272/2008 (CLP), M-	EUH071
factors	Acute Tox. 2, H310
Tactor S	Acute Tox. 2, H330
	Acute Tox. 3. H301
	Skin Corr. 1C, H314
	Eye Dam. 1, H318
	Skin Sens. 1A, H317
	Aquatic Acute 1, H400 (M=100)
	Aquatic Acute 1, 1400 (M=100) Aquatic Chronic 1, H410 (M=100)
Specific Concentration Limits and ATE	Skin Corr. 1C, H314: >=0,6 %
opeone concentration Linnes and ATE	Skin Irrit. 2, H315: >=0,06 %
	Eye Dam. 1, H318: >=0,6 %
	Eye Irrit. 2, H319: >=0,06 %
	Skin Sens. 1A, H317: >=0,0015 %
	SNIT SETS. 1A, TST1. >=0,0013 %

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available. Protect uninjured eve.

Follow-up examination by an ophthalmologist.

Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours. eyes, reddened watering eyes

irritation of the eyes



@___

Page 4 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 05.01.2022 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 05.01.2022 PDF print date: 06.01.2022 TEPPICHREINIGER

Sensitive individuals: Allergic reaction possible.

4.3 Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire.

Unsuitable extinguishing media

None known

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Oxides of sulphur Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping. 6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk. Do not pour down the drain undiluted.

Prevent surface and ground-water infiltration, as well as ground penetration.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use. Use working methods according to operating instructions.



Page 5 of 15

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 05.01.2022 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 05.01.2022 PDF print date: 06.01.2022 TEPPICHREINIGER

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals. Store product closed and only in original packing. Not to be stored in gangways or stair wells.

Store at room temperature.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Area of application	Exposure route / Environmental	Effect on health	Descripto r	Value	Unit	Note	
	compartment		1				
	Environment - freshwater		PNEC	0,45	mg/l		
	Environment - marine		PNEC	0,10	mg/l		
	Environment - water, sporadic (intermittent) release		PNEC	1	mg/l		
	Environment - sediment		PNEC	0,79	mg/kg dry weight		
	Environment - soil		PNEC	0,063	mg/kg dry weight		
	Environment - sewage treatment plant		PNEC	8,2	mg/l		
	Environment - sediment, freshwater		PNEC	1,6	mg/kg		
	Environment - sediment, marine		PNEC	0,16	mg/kg		
Consumer	Human - dermal	Short term, systemic effects	DNEL	12,5	mg/kg bw/d		
Consumer	Human - inhalation	Short term, systemic effects	DNEL	43,5	mg/m3		
Consumer	Human - oral	Long term, systemic effects	DNEL	5	mg/kg bw/day		
Consumer	Human - dermal	Long term, systemic effects	DNEL	5	mg/kg bw/day		
Consumer	Human - inhalation	Long term, systemic effects	DNEL	17	mg/m3		
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	70	mg/m3		
Workers / employees	Human - dermal	Short term, systemic effects	DNEL	21	mg/kg bw/day		
Workers / employees	Human - inhalation	Short term, systemic effects	DNEL	147	mg/m3		
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	10	mg/kg bw/day		

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)



Page 6 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 05.01.2022 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 05.01.2022 PDF print date: 06.01.2022 TEPPICHREINIGER

Area of application	Exposure route / Environmental compartment	Effect on health	Descripto r	Value	Unit	Note
	Environment - freshwater		PNEC	0,00339	mg/l	
	Environment - marine		PNEC	0,00339	mg/l	
	Environment - sediment, freshwater		PNEC	0,027	mg/kg dw	
	Environment - sediment, marine		PNEC	0,027	mg/kg dw	
	Environment - soil		PNEC	0,01	mg/kg dw	
	Environment - sewage treatment plant		PNEC	0,23	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	0,00339	mg/l	
Consumer	Human - inhalation	Long term, local effects	DNEL	0,02	mg/m3	
Consumer	Human - inhalation	Short term, local effects	DNEL	0,04	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	0,09	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	0,02	mg/m3	
Workers / employees	Human - inhalation	Short term, local effects	DNEL	0,04	mg/m3	

8.2 Exposure controls

8.2.1 Appropriate engineering controls

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Chemical resistant protective gloves (EN ISO 374). If applicable Rubber gloves (EN ISO 374). Minimum layer thickness in mm: 0,5 Permeation time (penetration time) in minutes: 480 Protective hand cream recommended. The breakthrough times determined in accordance w

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed. In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.



Page 7 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 05.01.2022 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 05.01.2022 PDF print date: 06.01.2022 TEPPICHREINIGER

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	White
Odour:	Perfumed
Melting point/freezing point:	There is no information available on this parameter.
Boiling point or initial boiling point and boiling range:	There is no information available on this parameter.
Flammability:	There is no information available on this parameter.
Lower explosion limit:	There is no information available on this parameter.
Upper explosion limit:	There is no information available on this parameter.
Flash point:	There is no information available on this parameter.
Auto-ignition temperature:	There is no information available on this parameter.
Decomposition temperature:	There is no information available on this parameter.
pH:	7,0
Kinematic viscosity:	There is no information available on this parameter.
Solubility:	Soluble
Partition coefficient n-octanol/water (log value):	Does not apply to mixtures.
Vapour pressure:	There is no information available on this parameter.
Density and/or relative density:	1,0175 g/cm3
Relative vapour density:	There is no information available on this parameter.
Particle characteristics:	Does not apply to liquids.
9.2 Other information	
Explosives:	Product is not explosive.
Oxidising liquids:	No
	-

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested. **10.2 Chemical stability** Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** No dangerous reactions are known. **10.4 Conditions to avoid** None known **10.5 Incompatible materials** None known **10.6 Hazardous decomposition products** No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes	
Acute toxicity, by oral route:						n.d.a.	



- @B-

Safety data sheet according to		=C) No 1907/20	006, Annex II			
Revision date / version: 05.01.						
Replacing version dated / vers	sion: 01.11.202	21 / 0017				
Valid from: 05.01.2022						
PDF print date: 06.01.2022						
TEPPICHREINIGER						
		1				
Acute toxicity, by dermal						n.d.a.
route:						
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-						
RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.
1,2-benzisothiazol-3(2H)-one	9					
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	1193	mg/kg	Rat		
Acute toxicity, by oral route:	LD50	490	mg/kg	Rat		
Acute toxicity, by dermal	LD50	4115	mg/kg	Rat		
route:						
Acute toxicity, by inhalation:	LC50	0,25	mg/l/4h	Rat		Aerosol, Does
						not conform
						with EU
						classification.
Skin corrosion/irritation:						Skin Irrit. 2
Serious eye						Eye Dam. 1
damage/irritation:						
Respiratory or skin				Guinea pig	OECD 406 (Skin	Skin Sens. 1
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	
Respiratory or skin sensitisation: Germ cell mutagenicity:				Guinea pig		Negative
Respiratory or skin sensitisation:				Guinea pig		Negative vomiting,
Respiratory or skin sensitisation: Germ cell mutagenicity:				Guinea pig		Negative vomiting, headaches,
Respiratory or skin sensitisation: Germ cell mutagenicity:				Guinea pig		Negative vomiting, headaches, gastrointestinal
Respiratory or skin sensitisation: Germ cell mutagenicity:				Guinea pig		Negative vomiting, headaches,
Respiratory or skin sensitisation: Germ cell mutagenicity:				Guinea pig		Negative vomiting, headaches, gastrointestinal
Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms:					Sensitisation)	Negative vomiting, headaches, gastrointestinal disturbances,
Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms: Reaction mass of 5-chloro-2				nyl-2H-isothiazo	Sensitisation)	Negative vomiting, headaches, gastrointestinal disturbances, nausea
Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms: Reaction mass of 5-chloro-2 Toxicity / effect	Endpoint	Value	Unit	nyl-2H-isothiazo Organism	Sensitisation)	Negative vomiting, headaches, gastrointestinal disturbances,
Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms: Reaction mass of 5-chloro-2 Toxicity / effect Acute toxicity, by oral route:	Endpoint LD50	Value 53-64	Unit mg/kg	nyl-2H-isothiazo Organism Rat	Sensitisation)	Negative vomiting, headaches, gastrointestinal disturbances, nausea
Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms: Reaction mass of 5-chloro-2 Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal	Endpoint	Value	Unit	nyl-2H-isothiazo Organism	Sensitisation)	Negative vomiting, headaches, gastrointestinal disturbances, nausea
Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms: Provide the symptom of the sy	Endpoint LD50 LD50	Value 53-64 87	Unit mg/kg mg/kg	nyl-2H-isothiazo Organism Rat Rat	Sensitisation) DI-3-one (3:1) Test method OECD 402 (Acute Dermal Toxicity)	Negative vomiting, headaches, gastrointestinal disturbances, nausea Notes
Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms: Reaction mass of 5-chloro-2 Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal	Endpoint LD50	Value 53-64	Unit mg/kg	nyl-2H-isothiazo Organism Rat	Sensitisation) DI-3-one (3:1) Test method OECD 402 (Acute Dermal Toxicity) OECD 403 (Acute	Negative vomiting, headaches, gastrointestinal disturbances, nausea
Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms: Provide the symptom of the sy	Endpoint LD50 LD50	Value 53-64 87	Unit mg/kg mg/kg	nyl-2H-isothiazo Organism Rat Rat Rat	Sensitisation) DI-3-one (3:1) Test method OECD 402 (Acute Dermal Toxicity)	Negative vomiting, headaches, gastrointestinal disturbances, nausea Notes Aerosol
Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms: Provide the symptom of the sy	Endpoint LD50 LD50	Value 53-64 87	Unit mg/kg mg/kg	nyl-2H-isothiazo Organism Rat Rat Rat Rat	Sensitisation) DI-3-one (3:1) Test method OECD 402 (Acute Dermal Toxicity) OECD 403 (Acute	Negative vomiting, headaches, gastrointestinal disturbances, nausea Notes Aerosol Corrosive
Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms: Provide the symptom of the sy	Endpoint LD50 LD50	Value 53-64 87	Unit mg/kg mg/kg	nyl-2H-isothiazo Organism Rat Rat Rat	Sensitisation) DI-3-one (3:1) Test method OECD 402 (Acute Dermal Toxicity) OECD 403 (Acute	Negative vomiting, headaches, gastrointestinal disturbances, nausea Notes Aerosol
Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms: Provide the symptom of the sy	Endpoint LD50 LD50	Value 53-64 87	Unit mg/kg mg/kg	nyl-2H-isothiazo Organism Rat Rat Rat Rat Rat Rabbit Rabbit	Sensitisation)	Negative vomiting, headaches, gastrointestinal disturbances, nausea Notes Aerosol Corrosive Corrosive
Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms: Provide the symptom structure Acute toxicity, by oral route: Acute toxicity, by oral route: Acute toxicity, by dermal route: Acute toxicity, by inhalation: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin	Endpoint LD50 LD50	Value 53-64 87	Unit mg/kg mg/kg	nyl-2H-isothiazo Organism Rat Rat Rat Rat	Sensitisation)	Negative vomiting, headaches, gastrointestinal disturbances, nausea Notes Aerosol Corrosive Corrosive Yes (skin
Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms: Reaction mass of 5-chloro-2 Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by oral route: Acute toxicity, by dermal route: Acute toxicity, by inhalation: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation:	Endpoint LD50 LD50	Value 53-64 87	Unit mg/kg mg/kg	nyl-2H-isothiazo Organism Rat Rat Rat Rat Rat Rabbit Rabbit	Sensitisation)	Negative vomiting, headaches, gastrointestinal disturbances, nausea Notes Aerosol Corrosive Corrosive Yes (skin contact)
Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms: Symptoms: Reaction mass of 5-chloro-2 Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Acute toxicity, by inhalation: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Aspiration hazard:	Endpoint LD50 LD50	Value 53-64 87	Unit mg/kg mg/kg	nyl-2H-isothiazo Organism Rat Rat Rat Rat Rat Rabbit Rabbit	Sensitisation)	Negative vomiting, headaches, gastrointestinal disturbances, nausea Notes Aerosol Corrosive Corrosive Yes (skin contact) No
Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms: Reaction mass of 5-chloro-2 Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by oral route: Acute toxicity, by dermal route: Acute toxicity, by inhalation: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation:	Endpoint LD50 LD50	Value 53-64 87	Unit mg/kg mg/kg	nyl-2H-isothiazo Organism Rat Rat Rat Rat Rat Rabbit Rabbit	Sensitisation)	Negative vomiting, headaches, gastrointestinal disturbances, nausea Notes Aerosol Corrosive Corrosive Yes (skin contact) No diarrhoea,
Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms: Symptoms: Reaction mass of 5-chloro-2 Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Acute toxicity, by inhalation: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Aspiration hazard:	Endpoint LD50 LD50	Value 53-64 87	Unit mg/kg mg/kg	nyl-2H-isothiazo Organism Rat Rat Rat Rat Rat Rabbit Rabbit	Sensitisation)	Negative vomiting, headaches, gastrointestinal disturbances, nausea Notes Aerosol Corrosive Corrosive Yes (skin contact) No diarrhoea, mucous
Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms: Symptoms: Reaction mass of 5-chloro-2 Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Acute toxicity, by inhalation: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Aspiration hazard:	Endpoint LD50 LD50	Value 53-64 87	Unit mg/kg mg/kg	nyl-2H-isothiazo Organism Rat Rat Rat Rat Rat Rabbit Rabbit	Sensitisation)	Negative vomiting, headaches, gastrointestinal disturbances, nausea Notes Aerosol Corrosive Corrosive Yes (skin contact) No diarrhoea, mucous membrane
Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms: Symptoms: Reaction mass of 5-chloro-2 Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Acute toxicity, by inhalation: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Aspiration hazard:	Endpoint LD50 LD50	Value 53-64 87	Unit mg/kg mg/kg	nyl-2H-isothiazo Organism Rat Rat Rat Rat Rat Rabbit Rabbit	Sensitisation)	Negative vomiting, headaches, gastrointestinal disturbances, nausea Notes Aerosol Corrosive Corrosive Yes (skin contact) No diarrhoea, mucous membrane irritation,
Respiratory or skin sensitisation: Germ cell mutagenicity: Symptoms: Symptoms: Reaction mass of 5-chloro-2 Toxicity / effect Acute toxicity, by oral route: Acute toxicity, by dermal route: Acute toxicity, by inhalation: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Aspiration hazard:	Endpoint LD50 LD50	Value 53-64 87	Unit mg/kg mg/kg	nyl-2H-isothiazo Organism Rat Rat Rat Rat Rat Rabbit Rabbit	Sensitisation)	Negative vomiting, headaches, gastrointestinal disturbances, nausea Notes Aerosol Corrosive Corrosive Yes (skin contact) No diarrhoea, mucous membrane

11.2. Information on other hazards



œ.

Page 9 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 05.01.2022 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 05.01.2022 PDF print date: 06.01.2022 TEPPICHREINIGER

TEPPICHREINIGER						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Endocrine disrupting						Does not apply
properties:						to mixtures.
Other information:						No other
						relevant
						information
						available on
						adverse effects
						on health.

SECTION 12: Ecological information								
Possibly more information on environmental effects, see Section 2.1 (classification).								
	on on environm	nental effect	ts, see Sect	tion 2.1 (cla	assification).			
TEPPICHREINIGER		Time	Value	11	Ormoniom	Test methed	Nataa	
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes	
12.1. Toxicity to fish:							n.d.a.	
12.1. Toxicity to daphnia:							n.u.a.	
12.1. Toxicity to algae:							n.d.a.	
12.2. Persistence and							The	
degradability:							surfactant(s) contained in this mixture complies(compl y) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Supporting documents that confirm this are kept available for the competent authorities and will be provided by a detergent manufacturer	
							upon inquiry or demand.	
12.3. Bioaccumulative							n.d.a.	
potential:								
12.4. Mobility in soil:							n.d.a.	
12.5. Results of PBT							n.d.a.	
and vPvB assessment								
12.6. Endocrine							Does not apply	
disrupting properties:							to mixtures.	
12.7. Other adverse							No information	
effects:							available on	
							other adverse	
							effects on the	
							environment.	



Page 10 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 05.01.2022 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 05.01.2022 PDF print date: 06.01.2022 TEPPICHREINIGER

Other information:				DOC-
				elimination
				degree(complex
				ing organic
				substance)>=
				80%/28d: n.a.

1,2-benzisothiazol-3(2 Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.5. Results of PBT			Talue		Ci guilloni		No PBT
and vPvB assessment							substance, No
							vPvB substan
12.1. Toxicity to fish:	LC50	96h	2,18	mg/l	Oncorhynchus	OECD 203	
	2000	3011	2,10	ing/i	mykiss	(Fish, Acute	
					Пукі55	Toxicity Test)	
10.0 Develotories and			90	%			
12.2. Persistence and			90	%		OECD 302 B	
degradability:						(Inherent	
						Biodegradability -	
						Zahn-	
						Wellens/EMPA	
						Test)	
12.3. Bioaccumulative	BCF		6,95			OECD 305	
potential:						(Bioconcentration	
						- Flow-Through	
						Fish Test)	
12.1. Toxicity to	EC50	48h	2,94	mg/l	Daphnia magna	OECD 202	
daphnia:				_		(Daphnia sp.	
-						Acute	
						Immobilisation	
						Test)	
12.1. Toxicity to algae:	EC50	72h	0,11	mg/l	Pseudokirchnerie	OECD 201	
			-,		lla subcapitata	(Alga, Growth	
					ina ouo oup nana	Inhibition Test)	
12.1. Toxicity to algae:	NOEC/NOEL	72h	0,027	mg/l	Skeletonema	OECD 201	
12.11. Toxicity to algue.			0,021	g/i	costatum	(Alga, Growth	
					oootataini	Inhibition Test)	
12.2. Persistence and	DOC		>70	%		OECD 303 A	
degradability:	000		210	70		(Simulation Test -	
degradability.						Aerobic Sewage	
						Treatment -	
						Activated Sludge	
						Units)	
12.2. Persistence and						OECD 301 B	Readily
degradability:						(Ready Biodegradability -	biodegradable
						Co2 Evolution	
12.3. Bioaccumulative	Log Pow		1,3			Test)	
potential:	LUGFUW		1,5				
12.3. Bioaccumulative	Log Pow		0,7			OECD 117	
	LUGFUW		0,7			(Partition	
potential:						Coefficient (n-	
						octanol/water) -	
Tovicity to bootorio:	EC20	26	2.2	mc/l		HPLC method)	
Toxicity to bacteria:	EC20	3h	3,3	mg/l	activated sludge	OECD 209	
						(Activated	
						Sludge,	
						Respiration	
						Inhibition Test	
						(Carbon and	
						Ammonium	
	1					Oxidation))	

œ.



œ

Page 11 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 05.01.2022 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 05.01.2022 PDF print date: 06.01.2022 TEPPICHREINIGER

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	0,28	mg/l	Lepomis macrochirus		
12.1. Toxicity to fish:	LC50	96h	0,19- 0,22	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to fish:	NOEC/NOEL	28d	0,098	mg/l	Oncorhynchus mykiss	OECD 210 (Fish, Early-Life Stage Toxicity Test)	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	0,004	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	
12.1. Toxicity to daphnia:	EC50	48h	0,1-0,16	mg/l	Daphnia magna	, ,	
12.1. Toxicity to algae:	EC50	72h	0,048	mg/l	Pseudokirchnerie Ila subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
12.1. Toxicity to algae:	NOEC/NOEL	72h	0,0012	mg/l	Pseudokirchnerie Ila subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:			>60	%	activated sludge	OECD 301 D (Ready Biodegradability - Closed Bottle Test)	Does not conform with EU classification.
12.3. Bioaccumulative potential:	BCF		3,6				calculated valu
12.3. Bioaccumulative potential:	Log Pow		0,401- 0,486				Does not conform with EU classification.
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substanc
Toxicity to bacteria:	EC50	3h	7,92	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.



Page 12 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 05.01.2022 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 05.01.2022 PDF print date: 06.01.2022 TEPPICHREINIGER

E.g. dispose at suitable refuse site. For contaminated packing material

Pay attention to local and national official regulations. Uncontaminated packaging can be recycled. Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements 14.1. UN number or ID number: Transport by road/by rail (ADR/RID) 14.2. UN proper shipping name:	n.a.
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
Classification code:	n.a.
LQ:	n.a.
14.5. Environmental hazards:	Not applicable
Tunnel restriction code:	
Transport by sea (IMDG-code)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
Marine Pollutant:	n.a
14.5. Environmental hazards:	Not applicable
Transport by air (IATA)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
14.5. Environmental hazards:	Not applicable
14.6. Special precautions for user	

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC):

< 0,4 %

Treated goods as per Regulation (EU) No. 528/2012 must display specific information on the label. Please note Article 58 paragraph (3) subparagraph 2 of Regulation (EU) No. 528/2012. Approval of the biocidal active substance may mean that special conditions are required for marketing the treated goods. These are indicated in the approval of the active substance.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

2, 3, 4, 8, 11, 12, 16

Revised sections:

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.



Page 13 of 15

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 05.01.2022 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 05.01.2022 PDF print date: 06.01.2022 TEPPICHREINIGER

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Eye Dam. 1, H318	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3). H330 Fatal if inhaled. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H301 Toxic if swallowed. H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract. Eye Dam. — Serious eye damage Acute Tox. — Acute toxicity - oral Skin Irrit. — Skin irritation Aquatic Chronic - Hazardous to the aquatic environment - chronic Skin Sens. — Skin sensitization

Aquatic Acute — Hazardous to the aquatic environment - acute

Acute Tox. — Acute toxicity - dermal

Acute Tox. — Acute toxicity - inhalation

Skin Corr. — Skin corrosion

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany). EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831,

each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) dreiturm

(GB)

Page 14 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 05.01.2022 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 05.01.2022 PDF print date: 06.01.2022 **TEPPICHREINIGER** BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF Bioconcentration factor BSEF The International Bromine Council body weight bw CAS **Chemical Abstracts Service** CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) European Community EC ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect EEC European Economic Community European Inventory of Existing Commercial Chemical Substances EINECS **ELINCS** European List of Notified Chemical Substances ΕN European Norms United States Environmental Protection Agency (United States of America) EPA ErCx, $E\mu Cx$, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) et cetera etc. **European Union** EU EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number gen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Koc Adsorption coefficient of organic carbon in the soil Kow octanol-water partition coefficient IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods including, inclusive incl. **IUCLIDInternational Uniform Chemical Information Database** IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Logarithm of adsorption coefficient of organic carbon in the soil Log Koc Log Kow, Log Pow Logarithm of octanol-water partition coefficient LQ Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships not applicable n.a. n.av. not available not checked n.c. n.d.a. no data available NIOSHNational Institute for Occupational Safety and Health (USA) NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development organic org. OSHA Occupational Safety and Health Administration (USA) PBT persistent, bioaccumulative and toxic PE Polyethylene PNEC Predicted No Effect Concentration ppm parts per million PVC Polyvinylchloride REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)



Page 15 of 15 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 05.01.2022 / 0018 Replacing version dated / version: 01.11.2021 / 0017 Valid from: 05.01.2022 PDF print date: 06.01.2022 TEPPICHREINIGER

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

(GB)

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.