

Method card

BUZIL-WERK Wagner GmbH & Co. KG

AKTIV G 433

urface	area:	pH 10.5		
Dilution	20 - 50 ml / 10 l water	7		
Suitable for	Gentle, intensive cleaning for: Buildings; Surfaces and floors	Not suitable for	Textile surfaces; Aluminium	
Application	Water-resistant surfaces; Doors; Radiators; Plastic; Glass; Stone and plastic floors; Tiles; Acrylic glass			
	,, 510 5100			
\wedge	Issue / Failture / Requirement	Solving Issue		
Trouble Shooting Before initial use: Test material compatibility!		 Adjust product dilu water Select stronger clea HC 43, Multi Clean Strong IR 45 Select problem solv Forte IR 42, Clean I G 502 Check material's cheresistance 	G 430, Indumaster® er i.e. Indumaster® Jp G 555, Buz® Point	



Method card

BUZIL-WERK Wagner GmbH & Co. KG

ALTERNATIVE PRODUCT | AKTIV G 433

Application area: Surface	pH 10.5		
Alternative Product	Differentiation	Application	
Maradin HC 43	Highly concentrated	Intensive cleaning / degreasing	
Planta® Orange P 311	Ecological intensive cleaner	Intensive cleaning / degreasing	
Perfekt G 440	RK & RE listed	Intensive cleaning / degreasing	
Multi Clean G 430	pH 13, highly alkaline	Intensive cleaning / degreasing	