
according to Regulation (EC) No 1907/2006



2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Irrit. 2; H315 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H290	May be corrosive to metals.
H315	Causes skin irritation.
H319	Causes serious eve irritation.

Precautionary statements

Keep only in original packaging.
Wear protective gloves/protective clothing/eye protection/face protection.
IF ON SKIN: Wash with plenty of soap and water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

according to Regulation (EC) No 1907/2006



Bucasan® Hit

Revision date: 28.04.2023

P921

Page 2 of 11

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
77-92-9	Citric acid			10 - < 15 %
	201-069-1		01-2119457026-42	
	Eye Irrit. 2, STOT SE 3; H319 H335			
26183-52-8	Alkyl polyethoxilate			1 - < 5 %
	Acute Tox. 4, Eye Dam. 1; H302 H318			
79-33-4	L-(+)-Lactic acid		1 - < 5 %	
	201-196-2	607-743-00-5		
	Skin Corr. 1C, Eye Dam. 1; H314 H	H318 EUH071		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No Chemical name			
	Specific Conc.	Limits, M-factors and ATE		
77-92-9	201-069-1	Citric acid	10 - < 15 %	
	inhalation: LC5 mg/kg	0 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000		
26183-52-8		Alkyl polyethoxilate	1 - < 5 %	
		0 = > 5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 500 m. 1; H318: >= 20 - 100		
79-33-4	201-196-2	L-(+)-Lactic acid	1 - < 5 %	
	inhalation: LC5 mg/kg	0 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = 3540		

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, perfumes.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

according to Regulation (EC) No 1907/2006

Bucasan® Hit

Revision date: 28.04.2023

P921

Page 3 of 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet alcohol resistant foam Carbon dioxide Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon dioxide Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use personal protection equipment. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

Other information

Collect in closed and suitable containers for disposal.

Ventilate affected area.

6.4. Reference to other sections

Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothes.



according to Regulation (EC) No 1907/2006

Bucasan® Hit

Revision date: 28.04.2023

P921

Page 4 of 11

Do not mix with other chemicals. Use personal protection equipment. When using do not eat, drink or smoke.

Advice on protection against fire and explosion No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink or smoke.

Further information on handling

No further relevant information available.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

No further relevant information available.

7.3. Specific end use(s)

Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

No information available.

8.2. Exposure controls





Appropriate engineering controls

No information available.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. (EN 166)

Hand protection

Wear suitable gloves. (EN 374, Breakthrough time: >10 min.) Suitable material: NBR (Nitrile rubber). Thickness of the glove material >= 0,1 mm A survey of suitable brands with detailed information on breakthrough times is available upon request.

Diluted ready-to-use solutions <=1%:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

Skin protection

Wear suitable work clothing.

Respiratory protection

Usually no personal respirative protection necessary.

according to Regulation (EC) No 1907/2006

Melting point/freezing point:approx. 0 °CBoiling point or initial boiling point andapprox. 100 °C		Hit	Bucasan® I	
No further relevant information available. Environmental exposure controls Section 6: Accidental Release Measures SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state: Liquid Colour: pink Odour: Perfumes, fragrances Test met Melting point/freezing point: Boiling point or initial boiling point and	Page 5 of 11		P921	Revision date: 28.04.2023
9.1. Information on basic physical and chemical properties Physical state: Liquid Colour: pink Odour: Perfumes, fragrances Melting point/freezing point: approx. 0 °C Boiling point or initial boiling point and approx. 100 °C				No further relevant information availa Environmental exposure controls
Physical state: Liquid Colour: pink Odour: Perfumes, fragrances Test met Melting point/freezing point: Boiling point or initial boiling point and approx. 0 °C			roperties	SECTION 9: Physical and chemical pro
Colour: pink Odour: Perfumes, fragrances Melting point/freezing point: approx. 0 °C Boiling point or initial boiling point and approx. 100 °C			emical properties	9.1. Information on basic physical and che
Melting point/freezing point:approx. 0 °CBoiling point or initial boiling point andapprox. 100 °C			pink	Colour:
Boiling point or initial boiling point and approx. 100 °C	ethod	Test method	-	
bolling range:				
Flammability: not applicable Lower explosion limits: not determined		not determined		Lower explosion limits:
Upper explosion limits:not determinedFlash point:not applicableAuto-ignition temperature:not determinedDecomposition temperature:not applicable		not applicable not determined		Flash point: Auto-ignition temperature:
pH-Value (at 20 °C):1,3 - 1,8Viscosity / kinematic:not determined				Viscosity / kinematic:
(at 40 °C) Water solubility: completely miscible (at 20 °C) Solubility in other solvents		completely miscible		Water solubility: (at 20 °C) Solubility in other solvents
not determinedPartition coefficient n-octanol/water:not applicableVapour pressure:not determinedDensity (at 20 °C):1,05 g/cm³Relative density:not determinedRelative vapour density:not determinedParticle characteristics:not relevant		not determined 1,05 g/cm ³ not determined not determined		Partition coefficient n-octanol/water: Vapour pressure: Density (at 20 °C): Relative density: Relative vapour density:
9.2. Other information				
Other safety characteristicsViscosity / dynamic:< 10 mPa·s (50 1/s)		< 10 mPa·s (50 1/s)		Viscosity / dynamic: (at 25 °C)
SECTION 10: Stability and reactivity				SECTION 10: Stability and reactivity
10.1. Reactivity				

Corrosive to metals. Exothermic reaction with: Alkali (lye)

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Corrosive to metals.

Exothermic reaction with: Alkali (lye)

planta

according to Regulation (EC) No 1907/2006

	Bucasan® Hit	
Revision date: 28.04.2023	P921	Page 6 of 11

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

Corrosive to metals. Alkali (lye)

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	CAS No Chemical name						
	Exposure route	Dose		Species	Source	Method	
77-92-9	Citric acid	-					
	oral	LD50 mg/kg	>2000	Rat			
	dermal	LD50 mg/kg	>2000	Rat			
	inhalation (4 h) dust/mist	LC50	>5 mg/l	Rat			
26183-52-8	Alkyl polyethoxilate	Alkyl polyethoxilate					
	oral	LD50 mg/kg	500	Rat	ATE		
	dermal	LD50 mg/kg	> 2000	Rat	ATE		
	inhalation dust/mist	LC50	> 5 mg/l	Rat	ATE		
79-33-4	L-(+)-Lactic acid						
	oral	LD50 mg/kg	3540	Rat			
	dermal	LD50 mg/kg	>2000	Rabbit			
	inhalation dust/mist	LC50	>5 mg/l	Rat	ATE		

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

0

according to Regulation (EC) No 1907/2006



Bucasan® Hit

Revision date: 28.04.2023

P921

Page 7 of 11

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
77-92-9	Citric acid						
	Acute crustacea toxicity	EC50	160 mg/l	48 h		GESTIS	
	Algae toxicity	NOEC	425 mg/l		Scenedesmus quadricauda		
26183-52-8	52-8 Alkyl polyethoxilate						
	Acute algae toxicity	ErC50 mg/l	19,6	72 h		OECD 201	
	Acute crustacea toxicity	EC50 mg/l	15,0	48 h	Daphnia magna (Big water flea)	OECD 202	
79-33-4	L-(+)-Lactic acid						
	Acute fish toxicity	LC50	320 mg/l	96 h	Danio rerio (zebrafish)		
	Acute algae toxicity	ErC50 mg/l	3500	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50	240 mg/l	48 h	Daphnia magna (Big water flea)		

12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
77-92-9	Citric acid						
	OECD 301	>60%	28				
	Readily biodegradable (according to OECD criteria).						
26183-52-8	Alkyl polyethoxilate						
	OECD 301 B	> 60 %	28				
	Readily biodegradable (according to OECD criteria).						
79-33-4	L-(+)-Lactic acid						
	OECD 301	>60%	28				
	Readily biodegradable (according to OECD criteria).						

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
77-92-9	Citric acid	-1,57
79-33-4	L-(+)-Lactic acid	-0,62

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

according to Regulation (EC) No 1907/2006

planta

Bucasan® Hit

Revision date: 28.04.2023

P921

Page 8 of 11

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 3265
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Citric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C3 (
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3265
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Citric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C3 (
Special Provisions:	274

according to Regulation (EC) No 1907/2006



	Bucasan® Hit	
Revision date: 28.04.2023	P921	Page 9 of 1
Limited quantity:	5 L	
Excepted quantity:	E1	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 3265	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (citric acid)	
<u>14.3. Transport hazard class(es):</u>	8	
14.4. Packing group:	III	
Hazard label:	8	
Marine pollutant:	no	
Special Provisions:	223, 274	
Limited quantity:	5 L	
Excepted quantity:	E1	
EmS:	F-A, S-B	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 3265	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (citric acid)	
<u>14.3. Transport hazard class(es):</u>	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	852	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	856	
IATA-max. quantity - Cargo:	60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No special measures are necessary.		
14.7. Maritime transport in bulk according to	o IMO instruments	
not applicable		
SECTION 15: Regulatory information		
15.1 Safety health and environmental requ	lations/legislation specific for the substance or mixture	
	lationshegislation specific for the substance of mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII): Entry 3, Entry 75		
	< 0,1 %	
Entry 3, Entry 75	< 0,1 %	
Entry 3, Entry 75 2010/75/EU (VOC):		

according to Regulation (EC) No 1907/2006

Revision date: 28.04.2023	Bucasan® Hit P921	Page 10 of 11
		Fage 10 01 11
Water hazard class (D):	1 - slightly hazardous to water	
15.2. Chemical safety assessment		
Chemical safety assessments for	r substances in this mixture were not carried out.	
SECTION 16: Other information		
(European Agreement concernin IMDG: International Maritime Co IATA: International Air Transport GHS: Globally Harmonized Syste	Association em of Classification and Labelling of Chemicals Existing Commercial Chemical Substances ed Chemical Substances e	
assessment, chapter R.12: PROC 1: Use in closed processe PROC 2: Chemical production or processes with equivalent contai PROC 4: Chemical production w PROC 7: Industrial spraying PROC 8 (Transfer): Dilution of co agents.	r refinery in closed continuous process with occasional controlled exposure or nment conditions here opportunity for exposure arises oncentrated products, application of drain cleaners, dosage of textile washing	
PROC 10 (Roller application or b PROC 11 (Spraying outside indu cleaning, foam gun). PROC 13: Treatment of articles I	or mixture into small containers (dedicated filling line, including weighing) orushing): Processing without large-scale spraying. Istrial settings): Processing with large-scale spraying (e.g. high pressure by dipping and pouring mate contact): Hand cleaning and disinfection	

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
EUH071	Corrosive to the respiratory tract.

Further Information

In devation from REGULATION (EC) No 1272/2008, annex I part 2 and 3, the assessment of skin and eye corrosion and irritation was performed by in-vitro-testing of the product and/or the principles of annex I, part 1.1.0.

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of





according to Regulation (EC) No 1907/2006

Bucasan® Hit

Revision date: 28.04.2023

P921

Page 11 of 11

processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)