



Telefax: +49 (0) 8331 930-880

Budenat® Alkasept

Revision date: 29.08.2023 D445 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Budenat® Alkasept

UFI: 4G10-S0JA-W00P-2J0G

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

EuPCS: PP-BIO-2 Disinfectants and algaecides not intended for direct application to humans or animals,

PP-BIO-4 Biocidal products for food and feed area

Process categories [PROC]: 8, 10 Restricted to professional users.

1.3. Details of the supplier of the safety data sheet

Company name: BUZIL-WERK Wagner GmbH & Co. KG

Street: Fraunhofer Str. 17
Place: D-87700 Memmingen
Telephone: +49 (0) 8331 930-6

e-mail: info@buzil.de
Contact person: info@buzil.de
Internet: www.buzil.com

1.4. Emergency telephone +49 (0) 8331 930-6 (08:00 - 16:00 h)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1; H314 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

2-Aminoethanol, Didecyldimethylammonium chloride.

Signal word: Danger

Pictograms:







Hazard statements

H290 May be corrosive to metals.H335 May cause respiratory irritation.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006



Budenat® Alkasept

Revision date: 29.08.2023 D445 Page 2 of 12

Precautionary statements

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/containers in accordance with local and national regulations.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.


SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) N	0 1272/2008)		
141-43-5	2-Aminoethanol			5 - < 10 %
	205-483-3	603-030-00-8	01-2119486455-28	
	Acute Tox. 4, Acute Tox. 4, Acute H335	Tox. 4, Skin Corr. 1B, STOT SE 3;	H332 H312 H302 H314	
7173-51-5	Didecyldimethylammonium chlori	de		5 - < 10 %
	230-525-2	612-131-00-6		
	Acute Tox. 4, Skin Corr. 1B, Eye H400 H411	ronic 2; H302 H314 H318		
584-08-7	Potassium carbonate		5 - < 10 %	
	209-529-3		01-2119532646-36	
	Skin Irrit. 2, Eye Irrit. 2, STOT SE			
68439-49-6	Alkyl polyethoxilate		5 - < 10 %	
	Eye Dam. 1; H318			
67-63-0	Propan-2-ol; Isopropyl alcohol; Is		1 - < 5 %	
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SI			

Full text of H and EUH statements: see section 16.





Budenat® Alkasept

D445 Revision date: 29.08.2023 Page 3 of 12

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
141-43-5	205-483-3	2-Aminoethanol	5 - < 10 %
		i0 = 1487 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: g/kg; oral: LD50 = 1089 mg/kg STOT SE 3; H335: >= 5 - 100	
7173-51-5	230-525-2	Didecyldimethylammonium chloride	5 - < 10 %
		60 = >5 mg/l (dusts or mists); dermal: LD50 = 3342 mg/kg; oral: LD50 = 238 4 Acute 1; H400: M=10	
584-08-7	209-529-3	Potassium carbonate	5 - < 10 %
	inhalation: LC5 mg/kg	60 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000	
68439-49-6		Alkyl polyethoxilate	5 - < 10 %
	inhalation: LC5 mg/kg	60 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000	
67-63-0	200-661-7	Propan-2-ol; Isopropyl alcohol; Isopropanol	1 - < 5 %
	inhalation: LC5	60 = >20 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg	

Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % cationic surfactants, 5 % - < 15 % non-ionic surfactants.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet

alcohol resistant foam

Carbon dioxide

Extinguishing powder

Unsuitable extinguishing media

Full water jet

according to Regulation (EC) No 1907/2006



Budenat® Alkasept

Revision date: 29.08.2023 D445 Page 4 of 12

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon dioxide

Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

Other information

Collect in closed and suitable containers for disposal.

Ventilate affected area.

6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothes.

Do not mix with other chemicals.

Use personal protection equipment.

When using do not eat, drink or smoke.

Use only in well-ventilated areas.

Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing.

Wash hands before breaks and after work.

When using do not eat, drink or smoke.

Further information on handling

No further relevant information available.

according to Regulation (EC) No 1907/2006



Budenat® Alkasept

Revision date: 29.08.2023 D445 Page 5 of 12

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

No further relevant information available.

7.3. Specific end use(s)

Disinfectant cleaners

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m³	fib/cm³	Category	Origin
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	
		3	7.6		STEL (15 min)	

Additional advice on limit values

No information available.

8.2. Exposure controls





Appropriate engineering controls

No information available.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. (EN 166)

Hand protection

Wear suitable gloves. (EN 374, Breakthrough time: >10 min.)

Suitable material: NBR (Nitrile rubber).

Thickness of the glove material >= 0,1 mm

A survey of suitable brands with detailed information on breakthrough times is available upon request.

Diluted ready-to-use solutions <=1%:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

Skin protection

Wear suitable work clothing.

Respiratory protection

Use only in well-ventilated areas.

In case of inadequate ventilation wear respiratory protection. (EN 14387, A1)

Thermal hazards

No further relevant information available.

Environmental exposure controls

Section 6: Accidental Release Measures

according to Regulation (EC) No 1907/2006



Budenat® Alkasept

D445 Revision date: 29.08.2023 Page 6 of 12

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: yellow Odour: characteristic

Test method

approx. 0 °C Melting point/freezing point: Boiling point or initial boiling point and approx. 100 °C

boiling range:

Flammability: not applicable Lower explosion limits: not determined Upper explosion limits: not determined > 65 °C Flash point: Auto-ignition temperature: not determined Decomposition temperature: not applicable pH-Value (at 20 °C): approx. 13 Viscosity / kinematic: not determined

(at 40 °C)

Water solubility: completely miscible

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not applicable Vapour pressure: not determined Density (at 20 °C): 1,06 g/cm³ Relative density: not determined not determined Relative vapour density: Particle characteristics: not relevant

9.2. Other information

Other safety characteristics

Viscosity / dynamic: < 10 mPa·s (50 1/s)

(at 25 °C)

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

Exothermic reaction with: Acid

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Corrosive to metals.

Exothermic reaction with: Acid

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

Corrosive to metals.

Acid

according to Regulation (EC) No 1907/2006



Budenat® Alkasept

Revision date: 29.08.2023 D445 Page 7 of 12

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No Chemical name								
	Exposure route	Dose		Species	Source	Method		
141-43-5	2-Aminoethanol							
	oral	LD50 mg/kg	1089	Rat	OECD 401			
	dermal	LD50 mg/kg	1025	Rabbit	IUCLID			
	inhalation (4 h) vapour	LC50	1487 mg/l	Rat				
	inhalation dust/mist	ATE	1,5 mg/l					
7173-51-5	Didecyldimethylammoniu	ım chloride						
	oral	LD50 mg/kg	238	Rat				
	dermal	LD50 mg/kg	3342	Rabbit				
	inhalation dust/mist	LC50	>5 mg/l	Rat	ATE			
584-08-7	Potassium carbonate							
	oral	LD50 mg/kg	>2000	Rat	ATE			
	dermal	LD50 mg/kg	>2000	Rat	ATE			
	inhalation dust/mist	LC50	>5 mg/l	Rat	ATE			
68439-49-6	Alkyl polyethoxilate							
	oral	LD50 mg/kg	>2000	Rat	ATE			
	dermal	LD50 mg/kg	>2000	Rat	ATE			
	inhalation (4 h) dust/mist	LC50	>5 mg/l	Rat	ATE			
67-63-0	Propan-2-ol; Isopropyl alcohol; Isopropanol							
	oral	LD50 mg/kg	>2000	Rat	ATE			
	dermal	LD50 mg/kg	>2000	Rat	ATE			
	inhalation vapour	LC50	>20 mg/l	Rat	ATE			

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006



Budenat® Alkasept

Revision date: 29.08.2023 D445 Page 8 of 12

STOT-single exposure

May cause respiratory irritation. (2-Aminoethanol)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
141-43-5	2-Aminoethanol							
	Acute fish toxicity	LC50	170 mg/l	96 h	Carassius auratus (goldfish)	APHA 1971		
	Acute algae toxicity	ErC50	22 mg/l	72 h	Scenedesmus subspicatus	EG 92/69		
	Acute crustacea toxicity	EC50	65 mg/l	48 h	Daphnia magna (Big water flea)			
	Fish toxicity	NOEC	1,2 mg/l	30 d	Oryzias latipes (Ricefish)			
	Crustacea toxicity	NOEC mg/l	0,85	21 d	Daphnia magna (Big water flea)	OECD 211		
7173-51-5	Didecyldimethylammoniu	m chloride						
	Acute fish toxicity	LC50 mg/l	0,19	96 h	Pimephales promelas (fathead minnow)			
	Acute algae toxicity	ErC50 mg/l	0,026		Pseudokirchneriella subcapitata			
	Acute crustacea toxicity	EC50 mg/l	0,062	48 h	Daphnia magna (Big water flea)			
584-08-7	Potassium carbonate							
	Acute fish toxicity	LC50	>1 mg/l	96 h				
	Acute algae toxicity	ErC50	>1 mg/l					
	Acute crustacea toxicity	EC50	>1 mg/l	48 h				
68439-49-6	Alkyl polyethoxilate							
	Acute algae toxicity	ErC50 mg/l	19,6	72 h		OECD 201		
	Acute crustacea toxicity	EC50 mg/l	15,0	48 h	Daphnia magna (Big water flea)	OECD 202		
67-63-0	Propan-2-ol; Isopropyl alcohol; Isopropanol							
	Acute fish toxicity	LC50 mg/l	> 1000	96 h				
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h				

12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.



Print date: 29.08.2023

according to Regulation (EC) No 1907/2006

Budenat® Alkasept

Revision date: 29.08.2023 D445 Page 9 of 12

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation	-	-					
141-43-5	2-Aminoethanol							
	OECD 302A/ ISO 9887/ EEC 92/69/V, C.12	>90%	21					
	Readily biodegradable (according to OECD criteria).							
7173-51-5	Didecyldimethylammonium chloride							
	OECD 301	>70%	28					
	Readily biodegradable (according to OECD criteria).							
68439-49-6	Alkyl polyethoxilate							
	OECD 301	>60%	28					
	Readily biodegradable (according to OECD criteria).							
67-63-0	Propan-2-ol; Isopropyl alcohol; Isopropanol							
	OECD 301	>60%	28					
	Readily biodegradable (according to OECD criteria).							

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
141-43-5	2-Aminoethanol	-1,91

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND


PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information





Budenat® Alkasept

D445 Revision date: 29.08.2023 Page 10 of 12

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1903

14.2. UN proper shipping name: DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (quaternary nitrogen

compounds)

14.3. Transport hazard class(es): 14.4. Packing group: Ш 8

Hazard label:



Classification code: C9 **Special Provisions:** 274 Limited quantity: 5 L Excepted quantity: E1 Transport category: 3 Hazard No: 80 Tunnel restriction code: Ε

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1903

DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (quaternary nitrogen 14.2. UN proper shipping name:

compounds)

14.3. Transport hazard class(es): 14.4. Packing group: Ш 8

Hazard label:



Classification code: C9 Special Provisions: 274 Limited quantity: 5 L Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 1903

DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (quaternary nitrogen 14.2. UN proper shipping name:

compounds)

14.3. Transport hazard class(es): 8 Ш 14.4. Packing group: Hazard label: 8



Marine pollutant: yes Special Provisions: 223, 274 Limited quantity: 5 L Excepted quantity: E1 EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1903

DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (quaternary nitrogen 14.2. UN proper shipping name:

compounds)

8 14.3. Transport hazard class(es):

according to Regulation (EC) No 1907/2006



Budenat® Alkasept

Revision date: 29.08.2023 D445 Page 11 of 12

14.4. Packing group:
Hazard label: 8

8

Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Y841

Excepted quantity:

E1

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



14.6. Special precautions for user

No special measures are necessary.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC): 9,5 %

Additional information

Regulation (EC) No. 648/2004 [Detergents regulation]

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%



according to Regulation (EC) No 1907/2006

Budenat® Alkasept

Revision date: 29.08.2023 D445 Page 12 of 12

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)