according to Regulation (EC) No 1907/2006

## Budenat® LM

Revision date: 28.04.2023

D447

Page 1 of 11

315

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Budenat® LM

UFI:

YN10-S0X4-H00P-D75M

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

EuPCS: PP-BIO-2 Disinfectants and algaecides not intended for direct application to humans or animals , PP-BIO-4 Biocidal products for food and feed area Process categories [PROC]: 8, 10 Restricted to professional users.

## 1.3. Details of the supplier of the safety data sheet

Company name:	BUZIL-WERK Wagner GmbH & Co. KG	
Street:	Fraunhofer Str. 17	
Place:	D-87700 Memmingen	
Telephone:	+49 (0) 8331 930-6	Telefax: +49 (0) 8331 930-880
e-mail:	info@buzil.de	
Contact person:	info@buzil.de	
Internet:	www.buzil.com	
1.4. Emergency telephone	+49 (0) 8331 930-6 (08:00 - 16:00 h)	
numbori		

number:

**SECTION 2: Hazards identification** 

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Skin Corr. 1B; H314 Aquatic Acute 1; H400 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

## Regulation (EC) No 1272/2008

Hazard components for labelling

Alkyldimethylethylbenzylammonium chloride

Danger

Signal word:

**Pictograms:** 



### Hazard statements

H314	Causes severe skin burns and eye damage.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

## Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if



according to Regulation (EC) No 1907/2006

Budenat® LM							
Revision date: 28.04.2023	D447	Page 2 of 11					
	present and easy to do. Continue rinsing.						
P310	Immediately call a POISON CENTER/doctor.						
P501	Dispose of contents/containers in accordance with local and national regulations.						

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
68424-85-1	Alkyldimethylbenzylammonium chlo	pride		1 - < 5 %
	270-325-2			
	Acute Tox. 4, Skin Corr. 1B, Aquati	c Acute 1, Aquatic Chronic 1; H302 I	H314 H400 H410	
7173-51-5	Didecyldimethylammonium chloride		1 - < 5 %	
	230-525-2	612-131-00-6		
	Acute Tox. 4, Skin Corr. 1B, Aquati	H314 H400 H411		
85409-23-0	Alkyldimethylethylbenzylammoniun		1 - < 5 %	
	287-090-7			
	Acute Tox. 4, Skin Corr. 1B, Aquati			
67-63-0	Propan-2-ol; Isopropyl alcohol; Isop		1 - < 5 %	
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc.	Limits, M-factors and ATE				
68424-85-1	270-325-2	Alkyldimethylbenzylammonium chloride	1 - < 5 %			
	inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = 3340 mg/kg; oral: LD50 = 344 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1					
7173-51-5	230-525-2	Didecyldimethylammonium chloride	1 - < 5 %			
	inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = 3342 mg/kg; oral: LD50 = 238 mg/kg Aquatic Acute 1; H400: M=10					
85409-23-0	287-090-7	Alkyldimethylethylbenzylammonium chloride	1 - < 5 %			
	inhalation: LC mg/kg	50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = 500				
67-63-0	200-661-7	Propan-2-ol; Isopropyl alcohol; Isopropanol	1 - < 5 %			
	inhalation: LC	50 = >20 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg				

## SECTION 4: First aid measures

#### 4.1. Description of first aid measures

## **General information**

Remove contaminated, saturated clothing immediately.

## After inhalation

Provide fresh air.



according to Regulation (EC) No 1907/2006

	Budenat® LM	
Revision date: 28.04.2023	D447	Page 3 of 11
After contact with skin After contact with skin, wash imm Take off contaminated clothing a	nediately with plenty of water and soap. nd wash it before reuse.	
After contact with eyes Rinse immediately carefully and t	horoughly with eye-bath or water.	
After ingestion Rinse mouth immediately and dri Do NOT induce vomiting.	nk plenty of water.	
4.2. Most important symptoms and effective of the symptometry of the s	ects, both acute and delayed	
<b>4.3. Indication of any immediate medic</b> Treat symptomatically.	al attention and special treatment needed	
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Water spray jet		

alcohol resistant foam Carbon dioxide Extinguishing powder

#### Unsuitable extinguishing media

Full water jet

## 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon dioxide Carbon monoxide

#### 5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

## Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6:** Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Use personal protection equipment. Avoid contact with skin, eyes and clothes.

#### For non-emergency personnel

Ventilate affected area.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

according to Regulation (EC) No 1907/2006

Budenat® LM				
Revision date: 28.04.2023 D447	Page 4 of 11			
Other information Collect in closed and suitable containers for disposal. Ventilate affected area.				
<u>6.4. Reference to other sections</u> Personal protection equipment: see section 8 Disposal: see section 13				
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Advice on safe handling Avoid contact with skin, eyes and clothes. Do not mix with other chemicals. Use personal protection equipment. When using do not eat, drink or smoke.				
Advice on protection against fire and explosion No special fire protection measures are necessary.				
Advice on general occupational hygiene Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink or smoke.				
Further information on handling No further relevant information available.				
7.2. Conditions for safe storage, including any incompatibilities				
Requirements for storage rooms and vessels Keep container tightly closed.				
Hints on joint storage No special measures are necessary.				
Further information on storage conditions No further relevant information available.				
7.3. Specific end use(s)				
Disinfectants				
SECTION 8: Exposure controls/personal protection				
8.1. Control parameters				
Additional advice on limit values				
No information available.				

## 8.2. Exposure controls



#### Appropriate engineering controls

No information available.

## Individual protection measures, such as personal protective equipment

## Eye/face protection

Wear eye/face protection. (EN 166)



according to Regulation (EC) No 1907/2006

## Budenat® LM

Revision date: 28.04.2023

D447

Page 5 of 11

325

#### Hand protection

Wear suitable gloves. (EN 374, Breakthrough time: >10 min.) Suitable material: NBR (Nitrile rubber). Thickness of the glove material >= 0,1 mm A survey of suitable brands with detailed information on breakthrough times is available upon request.

#### Diluted ready-to-use solutions <=1%:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

#### Skin protection

Wear suitable work clothing.

#### Respiratory protection

Usually no personal respirative protection necessary.

#### Thermal hazards

No further relevant information available.

#### **Environmental exposure controls**

Section 6: Accidental Release Measures

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:	Liquid		
Colour:	colourless		
Odour:	characteristic		
			Test method
Melting point/freezing point:		approx. 0 °C	
Boiling point or initial boiling point and		approx. 100 °C	
boiling range:			
Flammability:		not applicable	
Lower explosion limits:		not determined	
Upper explosion limits:		not determined	
Flash point:		> 60 °C	
Auto-ignition temperature:		not determined	
Decomposition temperature:		not applicable	
pH-Value (at 20 °C):		7,0 - 8,0	
Viscosity / kinematic: (at 40 °C)		not determined	
Water solubility: (at 20 °C)		completely miscible	
Solubility in other solvents not determined			
Partition coefficient n-octanol/water:		not applicable	
Vapour pressure:		not determined	
Density (at 20 °C):		0,99 g/cm³	
Relative density:		not determined	
Relative vapour density:		not determined	
Particle characteristics:		not relevant	
<b>9.2. Other information</b>			
Other safety characteristics			
Viscosity / dynamic: (at 25 °C)		< 10 mPa·s	(50 1/s)
No information available.			

according to Regulation (EC) No 1907/2006

## **Budenat® LM**

Revision date: 28.04.2023

D447

Page 6 of 11

317

### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

## 10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

## 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
68424-85-1	Alkyldimethylbenzylam	monium chlori	de			
	oral	LD50 mg/kg	344	Rat		
	dermal	LD50 mg/kg	3340	Rabbit		
	inhalation dust/mist	LC50	>5 mg/l	Rat	ATE	
7173-51-5	Didecyldimethylammor	nium chloride				
	oral	LD50 mg/kg	238	Rat		
	dermal	LD50 mg/kg	3342	Rabbit		
	inhalation dust/mist	LC50	>5 mg/l	Rat	ATE	
85409-23-0	Alkyldimethylethylbenz	ylammonium c	hloride			
	oral	LD50 mg/kg	500	Rat	ATE	
	dermal	LD50 mg/kg	>2000	Rat	ATE	
	inhalation dust/mist	LC50	>5 mg/l	Rat	ATE	
67-63-0	Propan-2-ol; Isopropyl	alcohol; Isopro	panol			
	oral	LD50 mg/kg	>2000	Rat	ATE	
	dermal	LD50 mg/kg	>2000	Rat	ATE	
	inhalation vapour	LC50	>20 mg/l	Rat	ATE	

### Irritation and corrosivity

Causes severe skin burns and eye damage.

according to Regulation (EC) No 1907/2006

Budenat® LM					
Revision date: 28.04.2023	D447	Page 7 of 11			
Sensitising effects Based on available data, the classif	ication criteria are not met.				
Carcinogenic/mutagenic/toxic effects Based on available data, the classif	•				
STOT-single exposure Based on available data, the classif	ïcation criteria are not met.				
STOT-repeated exposure Based on available data, the classif	ication criteria are not met.				

### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### Other information

No information available.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
68424-85-1	Alkyldimethylbenzylammonium chloride						
	Acute fish toxicity	LC50 mg/l	0,28	96 h	Pimephales promelas (fathead minnow)		
	Acute algae toxicity	ErC50 mg/l	0,049		Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	0,016	48 h	Daphnia magna (Big water flea)	OECD 202	
7173-51-5	Didecyldimethylammonium chloride						
	Acute fish toxicity	LC50 mg/l	0,19	96 h	Pimephales promelas (fathead minnow)		
	Acute algae toxicity	ErC50 mg/l	0,026		Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	0,062	48 h	Daphnia magna (Big water flea)		
85409-23-0	Alkyldimethylethylbenzyla	Immonium	chloride				
	Acute fish toxicity	LC50 mg/l	0,71	96 h	Danio rerio (zebrafish)	OECD 203	
67-63-0	Propan-2-ol; Isopropyl ald	ohol; Isopr	opanol				
	Acute fish toxicity	LC50 mg/l	> 1000	96 h			
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h			

## 12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

617



according to Regulation (EC) No 1907/2006

### Budenat® LM

D447

Page 8 of 11

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
68424-85-1	Alkyldimethylbenzylammonium chloride				
	OECD 301	>70%	28		
	Readily biodegradable (according to OECD criteria).				
7173-51-5	Didecyldimethylammonium chloride				
	OECD 301	>70%	28		
	Readily biodegradable (according to OECD criteria).				
85409-23-0	Alkyldimethylethylbenzylammonium chloride				
	OECD 301	>60%	28		
	Readily biodegradable (according to OECD criteria).				
67-63-0	Propan-2-ol; Isopropyl alcohol; Isopropanol				
	OECD 301	>60%	28		
	Readily biodegradable (according to OECD criteria).				

## 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68424-85-1	Alkyldimethylbenzylammonium chloride	<3

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation.

Delivery to an approved waste disposal company.

#### List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

#### List of Wastes Code - contaminated packaging


150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

#### Contaminated packaging


Non-contaminated packages may be recycled.

#### **SECTION 14: Transport information**

according to Regulation (EC) No 1907/2006



according to Regulation (EC) No 1907/2006



(European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service



according to Regulation (EC) No 1907/2006

## Budenat® LM

Revision date: 28.04.2023

D447

Page 11 of 11

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

## Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

### Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)