
according to Regulation (EC) No 1907/2006



Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Irrit. 2; H315 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

L-(+)-Lactic acid

Signal word:

Pictograms:



Danger

Hazard statements

H290	May be corrosive to metals.
H315	Causes skin irritation.
H318	Causes serious eye damage.

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.



according to Regulation (EC) No 1907/2006

	Buz® Calc Ex	
Revision date: 28.04.2023	G437	Page 2 of 10

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity			
	EC No	Index No	REACH No		
	Classification (Regulation	on (EC) No 1272/2008)			
77-92-9	Citric acid			15 - < 20 %	
	201-069-1		01-2119457026-42		
	Eye Irrit. 2, STOT SE 3;				
79-33-4	L-(+)-Lactic acid	1 - < 5 %			
	201-196-2	607-743-00-5			
	Skin Corr. 1C, Eye Dam	. 1; H314 H318 EUH071			
5329-14-6	Sulfamic acid			1 - < 5 %	
	226-218-8	016-026-00-0	01-2119488633-28		
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 3; H315 H319 H412				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Cond	z. Limits, M-factors and ATE	
77-92-9	201-069-1	Citric acid	15 - < 20 %
	inhalation: L0 mg/kg	C50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000	
79-33-4	201-196-2	L-(+)-Lactic acid	1 - < 5 %
	inhalation: L0 mg/kg	C50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = 3540	
5329-14-6	226-218-8	Sulfamic acid	1 - < 5 %
	inhalation: L0 mg/kg	C50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting.



according to Regulation (EC) No 1907/2006

	Buz® Calc Ex	
Revision date: 28.04.2023	G437	Page 3 of 10

4.2. Most important symptoms and effects, both acute and delayed No information available.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet alcohol resistant foam Carbon dioxide

Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon dioxide Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

Other information

Collect in closed and suitable containers for disposal. Ventilate affected area.

6.4. Reference to other sections

Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

according to Regulation (EC) No 1907/2006

	Buz® Calc Ex	
Revision date: 28.04.2023	G437	Page 4 of 10
Advice on safe handling Avoid contact with skin, eyes and clot Do not mix with other chemicals. Use personal protection equipment. When using do not eat, drink or smok		
Advice on protection against fire and ex No special fire protection measures a	-	
Advice on general occupational hygien Take off contaminated clothing. Wash hands before breaks and after w When using do not eat, drink or smok	work.	
Further information on handling No further relevant information availab	ble.	
7.2. Conditions for safe storage, including	any incompatibilities	

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

No information available.

8.2. Exposure controls





Appropriate engineering controls

No information available.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. (EN 166)

Hand protection

Wear suitable gloves. (EN 374, Breakthrough time: >10 min.)

Suitable material: NBR (Nitrile rubber).

Thickness of the glove material >= 0,1 mm

A survey of suitable brands with detailed information on breakthrough times is available upon request.

Diluted ready-to-use solutions <=1%:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

Skin protection

Wear suitable work clothing.

Respiratory protection

Usually no personal respirative protection necessary.



according to Regulation (EC) No 1907/2006

	according to Regulation (EC) No 1907/2006	
	Buz® Calc Ex	
Revision date: 28.04.2023	G437	Page 5 of 10
Thermal hazards		
No further relevant information availa	ble.	
Environmental exposure controls		
Section 6: Accidental Release Measu	ures	
SECTION 9: Physical and chemical pro	operties	
9.1. Information on basic physical and che	emical properties	
Physical state:	Liquid	
Colour:	colourless	
Odour:	characteristic	
		Test method
Melting point/freezing point:	approx. 0 °C	
Boiling point or initial boiling point and	approx. 100 °C	
boiling range:		
Flammability:	not applicable	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point:	not applicable	
Auto-ignition temperature:	not determined	
Decomposition temperature:	not applicable	
pH-Value (at 20 °C):	approx. 1	
Viscosity / kinematic: (at 40 °C)	not determined	
Water solubility:	completely miscible	
(at 20 °C)		
Solubility in other solvents		
not determined	(P. 11	
Partition coefficient n-octanol/water:	not applicable	
Vapour pressure: Density (at 20 °C):	not determined 1,10 g/cm³	
Relative density:	not determined	
Relative vapour density:	not determined	
Particle characteristics:	not relevant	
9.2. Other information		
Other safety characteristics Viscosity / dynamic:	< 10 mPa·s	(50.1/s)
(at 25 °C)	< 10 mil a 3	(30 1/3)
No information available.		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Corrosive to metals.		
Exothermic reaction with: Alkali (lye)		
10.2. Chemical stability		
The product is stable under storage a	at normal ambient temperatures	
10.3. Possibility of hazardous reactions		

Corrosive to metals.

Exothermic reaction with: Alkali (lye)



according to Regulation (EC) No 1907/2006

	Buz® Calc Ex	
Revision date: 28.04.2023	G437	Page 6 of 10

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

Corrosive to metals. Alkali (lye)

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
77-92-9	Citric acid					
	oral	LD50 mg/kg	>2000	Rat		
	dermal	LD50 mg/kg	>2000	Rat		
	inhalation (4 h) dust/mist	LC50	>5 mg/l	Rat		
79-33-4	L-(+)-Lactic acid					
	oral	LD50 mg/kg	3540	Rat		
	dermal	LD50 mg/kg	>2000	Rabbit		
	inhalation dust/mist	LC50	>5 mg/l	Rat	ATE	
5329-14-6	Sulfamic acid					
	oral	LD50 mg/kg	>2000	Rat	ATE	
	dermal	LD50 mg/kg	>2000	Rat	ATE	
	inhalation dust/mist	LC50	>5 mg/l	Rat	ATE	

Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards



according to Regulation (EC) No 1907/2006



Buz® Calc Ex

Revision date: 28.04.2023

G437

Page 7 of 10

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
77-92-9	Citric acid			_			
	Acute crustacea toxicity	EC50	160 mg/l	48 h		GESTIS	
	Algae toxicity	NOEC	425 mg/l		Scenedesmus quadricauda		
79-33-4	L-(+)-Lactic acid						
	Acute fish toxicity	LC50	320 mg/l	96 h	Danio rerio (zebrafish)		
	Acute algae toxicity ErC50 3500 72 h Pseudokirchneriella mg/l subcapitata						
	Acute crustacea toxicity EC50 240 mg/l 48 h Daphnia magna (Big water flea)						
5329-14-6	Sulfamic acid						
	Acute fish toxicity LC50 70,3 mg/l 96 h Pimephales promelas (fathead minnow)						

12.2. Persistence and degradability

CAS No	Chemical name						
	Method Value d Source						
	Evaluation						
77-92-9	Citric acid						
	OECD 301	>60%	28				
	Readily biodegradable (according to OECD criteria).						
79-33-4	L-(+)-Lactic acid						
	OECD 301 >60% 28						
	Readily biodegradable (according to OECD criteria).						

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
77-92-9	Citric acid	-1,57
79-33-4	L-(+)-Lactic acid	-0,62

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

according to Regulation (EC) No 1907/2006



Buz® Calc Ex

Revision date: 28.04.2023

G437

Page 8 of 10

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 3265
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (L-(+)-Lactic acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
	8
Classification code:	C3
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
<u>14.1. UN number or ID number:</u>	UN 3265
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (L-(+)-Lactic acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C3
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 3265
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (lactic acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	
····· uoking group.	

according to Regulation (EC) No 1907/2006



Buz® Calc Ex				
Revision date: 28.04.2023	G437	Page 9 of 10		
Hazard label:	8			
Special Provisions:	223, 274			
Limited quantity:	5 L			
Excepted quantity: EmS:	E1 F-A, S-B			
Segregation group:	1 - acids			
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number or ID number:	UN 3265			
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (lactic acid)			
14.3. Transport hazard class(es):	8			
<u>14.4. Packing group:</u> Hazard label:	III 8			
Special Provisions:	A3 A803			
Limited quantity Passenger:	1 L			
Passenger LQ:	Y841			
Excepted quantity: IATA-packing instructions - Passenger:	E1 852			
IATA-max. quantity - Passenger:	5 L			
IATA-packing instructions - Cargo:	856			
IATA-max. quantity - Cargo:	60 L			
14.5. Environmental hazards	Ne			
ENVIRONMENTALLY HAZARDOUS:	No			
<u>14.6. Special precautions for user</u> No special measures are necessary.				
14.7. Maritime transport in bulk according to	o IMO instruments			
not applicable				
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture			
EU regulatory information				
Restrictions on use (REACH, annex XVII):				
Entry 3, Entry 75				
2010/75/EU (VOC):	0 %			
Additional information				
Regulation (EC) No. 648/2004 [Deterg	ents regulation]			
National regulatory information				
Water hazard class (D):	1 - slightly hazardous to water			
15.2. Chemical safety assessment				
Chemical safety assessments for subs	stances in this mixture were not carried out.			
SECTION 16: Other information				

Changes



according to Regulation (EC) No 1907/2006

Buz® Calc Ex

Revision date: 28.04.2023

G437

Page 10 of 10

This data sheet contains changes from the previous version in section(s): 2,7,9,10,15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12: PROC 1: Use in closed processes. PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC 4: Chemical production where opportunity for exposure arises PROC 7: Industrial spraying PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing) PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

In devation from REGULATION (EC) No 1272/2008, annex I part 2 and 3, the assessment of skin and eye corrosion and irritation was performed by in-vitro-testing of the product and/or the principles of annex I, part 1.1.0.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)