according to Regulation (EC) No 1907/2006



Buz® Laundry Compact

Revision date: 27.04.2023

L810

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Buz® Laundry Compact

UFI:

2K70-Q0JH-N00T-1SD2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

EuPCS: PC-DET-1.3 Laundry detergents – professional or industrial use Process categories [PROC]: 1, 2, 8, 9 Restricted to professional users.

1.3. Details of the supplier of the safety data sheet

Company name:	BUZIL-WERK Wagner GmbH & Co. KG	
Street:	Fraunhofer Str. 17	
Place:	D-87700 Memmingen	
Telephone:	+49 (0) 8331 930-6	Telefax:+49 (0) 8331 930-880
e-mail:	info@buzil.de	
Contact person:	info@buzil.de	
Internet:	www.buzil.com	
1.4. Emergency telephone	+49 (0) 8331 930-6 (08:00 - 16:00 h)	

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Potassium hydroxide
Signal word: Danger

Pictograms:



Hazard statements

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
Precautionary statemer	nts
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

(buril

according to Regulation (EC) No 1907/2006

Buz® Laundry Compact

Revision date: 27.04.2023

L810

Page 2 of 12

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
78330-21-9	Alkyl polyethoxylate			5 - < 10 %
	616-609-5			
	Acute Tox. 4, Eye Dam. 1, Aquatic	Chronic 3; H302 H318 H412		
97489-15-1	Sodium alkyl sulfonate			1 - < 5 %
	307-055-2		01-2119489924-20	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam	n. 1, Aquatic Chronic 3; H302 H315 H	H318 H412	
1310-58-3	Potassium hydroxide			1 - < 5 %
	215-181-3	019-002-00-8	01-2119487136-33	
	Met. Corr. 1, Acute Tox. 4, Skin Co			
15763-76-5	Sodium cumene sulfonate		1 - < 5 %	
	239-854-6		01-2119489411-37	
	Eye Irrit. 2; H319			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
78330-21-9	616-609-5	Alkyl polyethoxylate	5 - < 10 %
	inhalation: LC mg/kg	50 = > 5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 500	
97489-15-1	307-055-2	Sodium alkyl sulfonate	1 - < 5 %
		50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 rit. 2; H315: >= 10 - 100 Eye Dam. 1; H318: >= 15 - 100 Eye Irrit. 2; H319: >=	
1310-58-3	215-181-3	Potassium hydroxide	1 - < 5 %
		273 mg/kg Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 215: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2	
15763-76-5	239-854-6	Sodium cumene sulfonate	1 - < 5 %
		50 = >20 mg/l (vapours); inhalation: LC50 = >5 mg/l (dusts or mists); dermal: mg/kg; oral: LD50 = >7000 mg/kg	

Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % non-ionic surfactants, < 5 % soap, < 5 % anionic surfactants, optical brighteners, < 5 % phosphonates, perfumes.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

according to Regulation (EC) No 1907/2006

Buz® Laundry Compact

Revision date: 27.04.2023

L810

Page 3 of 12

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet alcohol resistant foam Carbon dioxide Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon dioxide Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use personal protection equipment. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

according to Regulation (EC) No 1907/2006

Buz® Laundry Compact L810 Revision date: 27.04.2023 Page 4 of 12 Treat the recovered material as prescribed in the section on waste disposal. Other information Collect in closed and suitable containers for disposal. Ventilate affected area. 6.4. Reference to other sections Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

For cleaning up

Avoid contact with skin, eves and clothes. Do not mix with other chemicals. Use personal protection equipment. When using do not eat, drink or smoke.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink or smoke.

Further information on handling

No further relevant information available.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

No further relevant information available.

7.3. Specific end use(s)

Laundry detergents

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

Buz® Laundry Compact

Revision date: 27.04.2023

L810

Page 5 of 12

buz

DNEL/DMEL values

CAS No	Name of agent				
DNEL type		Exposure route	Effect	Value	
97489-15-1	Sodium alkyl sulfonate				
Worker DNEL	, long-term	dermal	systemic	5 mg/kg bw/day	
Worker DNEL	., long-term	inhalation	systemic	35 mg/m³	
Worker DNEL	., acute	dermal	local	2,8 mg/cm ²	
Worker DNEL	., long-term	dermal	local	2,8 mg/cm ²	
Consumer DN	NEL, acute	dermal	local	2,8 mg/cm ²	
Consumer DNEL, long-term		dermal	systemic	3,57 mg/kg bw/day	
Consumer DN	NEL, long-term	inhalation	systemic	12,4 mg/m ³	
Consumer DN	NEL, long-term	oral	systemic	7,1 mg/kg bw/day	
Consumer DN	NEL, long-term	dermal	local	2,8 mg/cm ²	
15763-76-5	Sodium cumene sulfonate				
Worker DNEL	., long-term	dermal	systemic	7,6 mg/kg bw/day	
Worker DNEL	., long-term	inhalation	systemic	53,6 mg/m ³	
Consumer DNEL, long-term		dermal	systemic	3,8 mg/kg bw/day	
Consumer DNEL, long-term		inhalation	systemic	13,2 mg/m ³	
<u> </u>	NEL, long-term	oral	systemic	3,8 mg/kg bw/day	

CAS No	Name of agent				
Environmental	Environmental compartment Value				
97489-15-1	Sodium alkyl sulfonate				
Freshwater		0,04 mg/l			
Marine water		0,004 mg/l			
Freshwater sediment		9,4 mg/kg			
Marine sediment 0,94 n		0,94 mg/kg			
Soil 9,4 mg/kg					
Micro-organisms in sewage treatment plants (STP) 600 mg/l		600 mg/l			
15763-76-5	15763-76-5 Sodium cumene sulfonate				
Micro-organisr	Micro-organisms in sewage treatment plants (STP) 100 mg/l				

Additional advice on limit values

No information available.

8.2. Exposure controls



Appropriate engineering controls

No information available.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. (EN 166)

according to Regulation (EC) No 1907/2006

Buz® Laundry Compact

Revision date: 27.04.2023

L810

Page 6 of 12

325

Hand protection

Wear suitable gloves. (EN 374, Breakthrough time: >10 min.) Suitable material: NBR (Nitrile rubber). Thickness of the glove material >= 0,1 mm A survey of suitable brands with detailed information on breakthrough times is available upon request.

Diluted ready-to-use solutions <=1%:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

Skin protection

Wear suitable work clothing.

Respiratory protection

Usually no personal respirative protection necessary.

Thermal hazards

No further relevant information available.

Environmental exposure controls

Section 6: Accidental Release Measures

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	Liquid light yellow Perfumes, fragrances		
			Test method
Melting point/freezing point:		approx. 0 °C	
Boiling point or initial boiling point and boiling range:		approx. 100 °C	
Flammability:		not applicable	
Lower explosion limits:		not determined	
Upper explosion limits:		not determined	
Flash point:		not applicable	
Auto-ignition temperature:		not determined	
Decomposition temperature:		not applicable	
pH-Value (at 20 °C):		13,0 - 14,0	
Viscosity / kinematic: (at 40 °C)		not determined	
Water solubility: (at 20 °C)		completely miscible	
Solubility in other solvents not determined			
Partition coefficient n-octanol/water:		not applicable	
Vapour pressure:		not determined	
Density (at 20 °C):		1,12 g/cm ³	
Relative density:		not determined	
Relative vapour density:		not determined	
Particle characteristics:		not relevant	
9.2. Other information			
Other safety characteristics			
Viscosity / dynamic: (at 25 °C)		< 10 mPa·s	(50 1/s)
No information available			

according to Regulation (EC) No 1907/2006

Buz® Laundry Compact

Revision date: 27.04.2023

L810

Page 7 of 12

217

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals. Exothermic reaction with: Acid

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Corrosive to metals. Exothermic reaction with: Acid

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

Corrosive to metals. Acid

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
78330-21-9	Alkyl polyethoxylate					
	oral	LD50 mg/kg	500	Rat	ATE	
	dermal	LD50 mg/kg	> 2000	Rat	ATE	
	inhalation dust/mist	LC50	> 5 mg/l	Rat	ATE	
97489-15-1	Sodium alkyl sulfonate					
	oral	LD50 mg/kg	>2000	Rat	OECD 401	
	dermal	LD50 mg/kg	>2000	Mouse		
	inhalation dust/mist	LC50	>5 mg/l	Rat	ATE	
1310-58-3	Potassium hydroxide					
	oral	LD50 mg/kg	273	Rat	RTECS	
15763-76-5	Sodium cumene sulfonate					
	oral	LD50 mg/kg	>7000	Rat		
	dermal	LD50 mg/kg	>2000	Rabbit		
	inhalation vapour	LC50	>20 mg/l	Rat	ATE	
	inhalation dust/mist	LC50	>5 mg/l	Rat	ATE	

according to Regulation (EC) No 1907/2006

Buz® Laundry Compact

Revision date: 27.04.2023

L810

Page 8 of 12

317

Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
78330-21-9	Alkyl polyethoxylate						
	Acute fish toxicity	LC50	> 1 mg/l	96 h			
	Acute algae toxicity	ErC50	> 1 mg/l				
	Acute crustacea toxicity	EC50	> 1 mg/l	48 h			
97489-15-1	Sodium alkyl sulfonate				-	_	
	Acute fish toxicity	LC50 mg/l	1-10	96 h	Danio rerio (zebrafish)	OECD 203	
	Acute algae toxicity	ErC50	>61 mg/l	72 h	Scenedesmus subspicatus	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	9,81	48 h	Daphnia magna (Big water flea)	OECD 202	
	Fish toxicity	NOEC mg/l	0,85	28 d	Oncorhynchus mykiss (Rainbow trout)	OECD 204	
	Crustacea toxicity	NOEC mg/l	0,36	22 d	Daphnia magna (Big water flea)	OECD 202	
310-58-3	Potassium hydroxide						
	Acute fish toxicity	LC50	80 mg/l	96 h	Gambusia affinis (Mosquito fish)	IUCLID	
15763-76-5	Sodium cumene sulfonate	9					
	Acute fish toxicity	LC50 mg/l	>1000	96 h			
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna (Big water flea)		
	Algae toxicity	NOEC	31 mg/l	4 d			

12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.



according to Regulation (EC) No 1907/2006

Buz® Laundry Compact

Revision date: 27.04.2023

L810

Page 9 of 12

CAS No	Chemical name							
	Method Value d Source							
	Evaluation							
78330-21-9	Alkyl polyethoxylate							
	OECD 301D/ EEC 92/69/V, C.4-E	85,6%	2	8				
	Readily biodegradable (according to OECD criteria).	-	-					
97489-15-1	Sodium alkyl sulfonate							
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	78%	2	8				
	Readily biodegradable (according to OECD criteria).							
	OECD 301E/ EEC 92/69/V, C.4-B	89%	2	8				
	Readily biodegradable (according to OECD criteria).							
	OECD 303/ EEC 92/69/V, C10	96,2%	3	4				
	Readily biodegradable (according to OECD criteria).							
15763-76-5	Sodium cumene sulfonate							
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	>60%	2	8				
	Readily biodegradable (according to OECD criteria).							

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
15763-76-5	Sodium cumene sulfonate	-1,1

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

List of Wastes Code - contaminated packaging


150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled.


SECTION 14: Transport information

according to Regulation (EC) No 1907/2006



315

according to Regulation (EC) No 1907/2006





according to Regulation (EC) No 1907/2006

Buz® Laundry Compact

Revision date: 27.04.2023

L810

Page 12 of 12

cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)