

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buzil® Metasoft

Revision date: 28.06.2023

G507

Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Buzil® Metasoft

UFI: 4250-10J0-S00F-VVG6

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

EuPCS: PC-CLN-1 Abrasive cleaning products

Process categories [PROC]: 10

#### 1.3. Details of the supplier of the safety data sheet

Company name: BUZIL-WERK Wagner GmbH & Co. KG

Street: Fraunhofer Str. 17

Place: D-87700 Memmingen

Telephone: +49 (0) 8331 930-6

Telefax: +49 (0) 8331 930-880

e-mail: info@buzil.de

Contact person: info@buzil.de

Internet: www.buzil.com

**1.4. Emergency telephone number:** +49 (0) 8331 930-6 (08:00 - 16:00 h)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No 1272/2008

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

##### Regulation (EC) No 1272/2008

**Signal word:** Warning

**Pictograms:**



##### Hazard statements

H319 Causes serious eye irritation.

##### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

##### Special labelling of certain mixtures

EUH208 Contains Methylchloroisothiazolinone, 2-Methylisothiazol-3(2H)-one. May produce an allergic reaction.

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### SECTION 3: Composition/information on ingredients

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Metasoft

Revision date: 28.06.2023

G507

Page 2 of 11

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts			5 - < 10 %
	307-055-2		01-2119489924-20	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H302 H315 H318 H412			
69011-36-5	Isotridecanol, ethoxylated			1 - < 5 %
	931-138-8			
	Eye Irrit. 2, Aquatic Chronic 3; H319 H412			
5329-14-6	Sulfamic acid			1 - < 5 %
	226-218-8	016-026-00-0	01-2119488633-28	
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 3; H315 H319 H412			
55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)			< 0.1 %
	611-341-5	613-167-00-5		
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
97489-15-1	307-055-2	Sulfonic acids, C14-17-sec-alkane, sodium salts	5 - < 10 %
	inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg Skin Irrit. 2; H315: >= 10 - 100 Eye Dam. 1; H318: >= 15 - 100 Eye Irrit. 2; H319: >= 10 - < 15		
69011-36-5	931-138-8	Isotridecanol, ethoxylated	1 - < 5 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg		
5329-14-6	226-218-8	Sulfamic acid	1 - < 5 %
	inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg		
55965-84-9	611-341-5	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	< 0.1 %
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: ATE = 50 mg/kg; oral: ATE = 100 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; H315: >= 0,06 - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=100 Aquatic Chronic 1; H410: M=100		

#### Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % anionic surfactants, < 5 % non-ionic surfactants, perfumes (Limonene, Hexyl cinnamal, Benzyl salicylate), preservation agents (Methylchloroisothiazolinone/methylisothiazolinone).

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove contaminated, saturated clothing immediately.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buzil® Metasoft

G507

Revision date: 28.06.2023

Page 3 of 11

### After inhalation

Provide fresh air.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

### After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

### **4.2. Most important symptoms and effects, both acute and delayed**

No information available.

### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

## SECTION 5: Firefighting measures

### **5.1. Extinguishing media**

#### Suitable extinguishing media

Water spray jet  
alcohol resistant foam  
Carbon dioxide  
Extinguishing powder

#### Unsuitable extinguishing media

Full water jet

### **5.2. Special hazards arising from the substance or mixture**

Hazardous combustion products:

Carbon dioxide  
Carbon monoxide

### **5.3. Advice for firefighters**

Co-ordinate fire-fighting measures to the fire surroundings.

### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### General advice

Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.

#### For non-emergency personnel

Ventilate affected area.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.  
Do not allow to enter into soil/subsoil.

### **6.3. Methods and material for containment and cleaning up**

#### For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Metasoft

G507

Revision date: 28.06.2023

Page 4 of 11

### For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

### Other information

Collect in closed and suitable containers for disposal.

Ventilate affected area.

### 6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothes.

Do not mix with other chemicals.

Use personal protection equipment.

When using do not eat, drink or smoke.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Take off contaminated clothing.

Wash hands before breaks and after work.

When using do not eat, drink or smoke.

#### Further information on handling

No further relevant information available.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

No special measures are necessary.

#### Further information on storage conditions

No further relevant information available.

### 7.3. Specific end use(s)

Cleaning agent

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Metasoft

Revision date: 28.06.2023

G507

Page 5 of 11

### DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts			
Worker DNEL, long-term		dermal	systemic	5 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	35 mg/m <sup>3</sup>
Worker DNEL, acute		dermal	local	2,8 mg/cm <sup>2</sup>
Worker DNEL, long-term		dermal	local	2,8 mg/cm <sup>2</sup>
Consumer DNEL, acute		dermal	local	2,8 mg/cm <sup>2</sup>
Consumer DNEL, long-term		dermal	systemic	3,57 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	12,4 mg/m <sup>3</sup>
Consumer DNEL, long-term		oral	systemic	7,1 mg/kg bw/day
Consumer DNEL, long-term		dermal	local	2,8 mg/cm <sup>2</sup>

### PNEC values

CAS No	Name of agent	Value
97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts	
Environmental compartment		
Freshwater		0,04 mg/l
Marine water		0,004 mg/l
Freshwater sediment		9,4 mg/kg
Marine sediment		0,94 mg/kg
Soil		9,4 mg/kg
Micro-organisms in sewage treatment plants (STP)		600 mg/l

### Additional advice on limit values

No information available.

### 8.2. Exposure controls



#### Appropriate engineering controls

No information available.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear eye/face protection. (EN 166)

##### Hand protection

Wear suitable gloves. (EN 374, Breakthrough time: >10 min.)

Suitable material: NBR (Nitrile rubber).

Thickness of the glove material  $\geq 0,1$  mm

A survey of suitable brands with detailed information on breakthrough times is available upon request.

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

##### Skin protection

Wear suitable work clothing.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Metasoft

G507

Revision date: 28.06.2023

Page 6 of 11

### Respiratory protection

Usually no personal respirative protection necessary.

### Thermal hazards

No further relevant information available.

### Environmental exposure controls

Section 6: Accidental Release Measures

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	grey	
Odour:	Perfumes, fragrances	
Melting point/freezing point:	approx. 0 °C	Test method
Boiling point or initial boiling point and boiling range:	approx. 100 °C	
Flammability:	not applicable	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point:	not applicable	
Auto-ignition temperature:	not determined	
Decomposition temperature:	not applicable	
pH-Value (at 20 °C):	2,8 - 3,4	
Viscosity / kinematic: (at 40 °C)	not determined	
Water solubility: (at 20 °C)	partially soluble	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not applicable	
Vapour pressure:	not determined	
Density (at 20 °C):	1,18 g/cm <sup>3</sup>	
Relative density:	not determined	
Relative vapour density:	not determined	
Particle characteristics:	not relevant	

### 9.2. Other information

#### Other safety characteristics

Viscosity / dynamic:  
(at 25 °C) < 1000 mPa·s (50 1/s)

No information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Metasoft

G507

Revision date: 28.06.2023

Page 7 of 11

### 10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts				
	oral	LD50 >2000 mg/kg	Rat	OECD 401	
	dermal	LD50 >2000 mg/kg	Mouse		
	inhalation dust/mist	LC50 >5 mg/l	Rat	ATE	
69011-36-5	Isotridecanol, ethoxylated				
	oral	LD50 > 5000 mg/kg	Rat		OECD 401
	dermal	LD50 > 2000 mg/kg	Rat	ATE	
5329-14-6	Sulfamic acid				
	oral	LD50 >2000 mg/kg	Rat	ATE	
	dermal	LD50 >2000 mg/kg	Rat	ATE	
	inhalation dust/mist	LC50 >5 mg/l	Rat	ATE	
55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)				
	oral	ATE 100 mg/kg			
	dermal	ATE 50 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			

#### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Contains Methylchloroisothiazolinone, 2-Methylisothiazol-3(2H)-one. May produce an allergic reaction.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Metasoft

Revision date: 28.06.2023

G507

Page 8 of 11

### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Other information

No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts					
	Acute fish toxicity	LC50 mg/l	1-10	96 h	Danio rerio (zebrafish)	OECD 203
	Acute algae toxicity	ErC50	>61 mg/l	72 h	Scenedesmus subspicatus	OECD 201
	Acute crustacea toxicity	EC50 mg/l	9,81	48 h	Daphnia magna (Big water flea)	OECD 202
	Fish toxicity	NOEC mg/l	0,85	28 d	Oncorhynchus mykiss (Rainbow trout)	OECD 204
	Crustacea toxicity	NOEC mg/l	0,36	22 d	Daphnia magna (Big water flea)	OECD 202
69011-36-5	Isotridecanol, ethoxylated					
	Acute fish toxicity	LC50	> 1 mg/l	96 h	Cyprinus carpio (Common Carp)	OECD 203
	Acute crustacea toxicity	EC50	> 1 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202
5329-14-6	Sulfamic acid					
	Acute fish toxicity	LC50 mg/l	70,3	96 h	Pimephales promelas (fathead minnow)	

### 12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts			
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	78%	28	
	Readily biodegradable (according to OECD criteria).			
	OECD 301E/ EEC 92/69/V, C.4-B	89%	28	
	Readily biodegradable (according to OECD criteria).			
	OECD 303/ EEC 92/69/V, C10	96,2%	34	
	Readily biodegradable (according to OECD criteria).			
69011-36-5	Isotridecanol, ethoxylated			
	OECD 301 B	> 60 %	28	
	Readily biodegradable (according to OECD criteria).			

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.



# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Metasoft

G507

Revision date: 28.06.2023

Page 9 of 11

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation.

Delivery to an approved waste disposal company.

#### **List of Wastes Code - residues/unused products**

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

#### **List of Wastes Code - contaminated packaging**

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

#### **Contaminated packaging**

Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### **Land transport (ADR/RID)**

**14.1. UN number or ID number:** No dangerous good in sense of these transport regulations.

### **Inland waterways transport (ADN)**

**14.1. UN number or ID number:** No dangerous good in sense of these transport regulations.

### **Marine transport (IMDG)**

**14.1. UN number or ID number:** No dangerous good in sense of these transport regulations.  
Marine pollutant: no

### **Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** No dangerous good in sense of these transport regulations.

### **14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

### **14.6. Special precautions for user**

No special measures are necessary.

### **14.7. Maritime transport in bulk according to IMO instruments**

not applicable

## SECTION 15: Regulatory information

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **EU regulatory information**

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Metasoft

G507

Revision date: 28.06.2023

Page 10 of 11

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2010/75/EU (VOC): < 0,3 %

### Additional information

Regulation (EC) No. 648/2004 [Detergents regulation]

### National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Changes

This data sheet contains changes from the previous version in section(s): 2,7,12.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

### Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.

# Safety Data Sheet



according to Regulation (EC) No 1907/2006

## Buz® Metasoft

G507

Revision date: 28.06.2023

Page 11 of 11

H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains Methylchloroisothiazolinone, 2-Methylisothiazol-3(2H)-one. May produce an allergic reaction.

### Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*