



# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Window King

Revision date: 28.04.2023

P913

Page 2 of 11

### Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
68515-73-1	Alkyl polyglucoside			1 - < 5 %
			01-2119488530-36	
	Eye Dam. 1; H318			
64-17-5	Ethanol			1 - < 5 %
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2; H225 H319			
1569-02-4	1-Ethoxy-2-propanol			1 - < 5 %
	216-374-5	603-177-00-8	01-2119462792-32	
	Flam. Liq. 3, STOT SE 3; H226 H336			
68891-38-3	Sodium laureth sulfate			1 - < 5 %
			01-2119488639-16	
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315 H318 H412			

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
68515-73-1		Alkyl polyglucoside	1 - < 5 %	
	inhalation: LC50 = >20 mg/l (vapours); inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg			
64-17-5	200-578-6	Ethanol	1 - < 5 %	
	inhalation: LC50 = >20 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg Eye Irrit. 2; H319: >= 50 - 100			
1569-02-4	216-374-5	1-Ethoxy-2-propanol	1 - < 5 %	
	inhalation: LC50 = >10000 mg/l (vapours); dermal: LD50 = 8100 mg/kg; oral: LD50 = >5000 mg/kg			
68891-38-3		Sodium laureth sulfate	1 - < 5 %	
	inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg Eye Dam. 1; H318: >= 10 - 100 Eye Irrit. 2; H319: >= 5 - < 10			

### Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, < 5 % anionic surfactants, < 5 % polycarboxylates, perfumes, preservation agents  
(Phenoxyethanol, Benzisothiazolinone, Methylchloroisothiazolinone/methylisothiazolinone).

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove contaminated, saturated clothing immediately.

#### After inhalation

Provide fresh air.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Window King

Revision date: 28.04.2023

P913

Page 3 of 11

### After ingestion

Rinse mouth immediately and drink plenty of water.  
Do NOT induce vomiting.

### **4.2. Most important symptoms and effects, both acute and delayed**

No information available.

### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

## SECTION 5: Firefighting measures

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Water spray jet  
alcohol resistant foam  
Carbon dioxide  
Extinguishing powder

#### **Unsuitable extinguishing media**

Full water jet

### **5.2. Special hazards arising from the substance or mixture**

Hazardous combustion products:

Carbon dioxide  
Carbon monoxide

### **5.3. Advice for firefighters**

Co-ordinate fire-fighting measures to the fire surroundings.

### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **General advice**

Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.

#### **For non-emergency personnel**

Ventilate affected area.

#### **For emergency responders**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.  
Do not allow to enter into soil/subsoil.

### **6.3. Methods and material for containment and cleaning up**

#### **For containment**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### **For cleaning up**

Treat the recovered material as prescribed in the section on waste disposal.

#### **Other information**

Collect in closed and suitable containers for disposal.  
Ventilate affected area.

### **6.4. Reference to other sections**

Personal protection equipment: see section 8  
Disposal: see section 13

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Window King

Revision date: 28.04.2023

P913

Page 4 of 11

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### **Advice on safe handling**

Avoid contact with skin, eyes and clothes.  
Do not mix with other chemicals.  
Use personal protection equipment.  
When using do not eat, drink or smoke.

##### **Advice on protection against fire and explosion**

No special fire protection measures are necessary.

##### **Advice on general occupational hygiene**

Take off contaminated clothing.  
Wash hands before breaks and after work.  
When using do not eat, drink or smoke.

##### **Further information on handling**

No further relevant information available.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### **Requirements for storage rooms and vessels**

Keep container tightly closed.

##### **Hints on joint storage**

No special measures are necessary.

##### **Further information on storage conditions**

No further relevant information available.

#### 7.3. Specific end use(s)

Cleaning agent

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### **DNEL/DMEL values**

CAS No	Name of agent	Exposure route	Effect	Value
68515-73-1	Alkyl polyglucoside			
Worker DNEL, long-term		dermal	systemic	595000 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	420 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	357000 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	35,7 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	124 mg/m <sup>3</sup>

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Window King

Revision date: 28.04.2023

P913

Page 5 of 11

### PNEC values

CAS No	Name of agent	
Environmental compartment		Value
68515-73-1	Alkyl polyglucoside	
Freshwater		0,176 mg/l
Marine water		0,0176 mg/l
Micro-organisms in sewage treatment plants (STP)		560 mg/l
Freshwater sediment		1516 mg/kg
Marine sediment		0,152 mg/kg
Soil		0,654 mg/kg
Secondary poisoning		111,11 mg/kg

### Additional advice on limit values

No information available.

### 8.2. Exposure controls



### Appropriate engineering controls

No information available.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye/face protection. (EN 166)

#### Hand protection

Wear suitable gloves. (EN 374, Breakthrough time: >10 min.)

Suitable material: NBR (Nitrile rubber).

Thickness of the glove material  $\geq 0,1$  mm

A survey of suitable brands with detailed information on breakthrough times is available upon request.

Diluted ready-to-use solutions  $\leq 1\%$ :

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

#### Skin protection

Wear suitable work clothing.

#### Respiratory protection

Usually no personal respirative protection necessary.

#### Thermal hazards

No further relevant information available.

#### Environmental exposure controls

Section 6: Accidental Release Measures

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	blue
Odour:	Perfumes, fragrances

Test method

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Window King

P913

Revision date: 28.04.2023

Page 6 of 11

Melting point/freezing point:	approx. 0 °C
Boiling point or initial boiling point and boiling range:	approx. 100 °C
Flammability:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	> 60 °C
Auto-ignition temperature:	not determined
Decomposition temperature:	not applicable
pH-Value (at 20 °C):	6,0 - 7,0
Viscosity / kinematic: (at 40 °C)	not determined
Water solubility: (at 20 °C)	completely miscible
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	not applicable
Vapour pressure:	not determined
Density (at 20 °C):	1,02 g/cm <sup>3</sup>
Relative density:	not determined
Relative vapour density:	not determined
Particle characteristics:	not relevant

### 9.2. Other information

#### Other safety characteristics

Viscosity / dynamic:  
(at 25 °C) < 10 mPa·s (50 1/s)

No information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Window King

Revision date: 28.04.2023

P913

Page 7 of 11

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
68515-73-1	Alkyl polyglucoside				
	oral	LD50 >5000 mg/kg	Rat	OECD 401	
	dermal	LD50 >2000 mg/kg	Rabbit	OECD 402	
	inhalation vapour	LC50 >20 mg/l			
	inhalation dust/mist	LC50 >5 mg/l	Rat	ATE	
64-17-5	Ethanol				
	oral	LD50 >2000 mg/kg	Rat	ATE	
	dermal	LD50 >2000 mg/kg	Rat	ATE	
	inhalation (4 h) vapour	LC50 >20 mg/l	Rat	ATE	
1569-02-4	1-Ethoxy-2-propanol				
	oral	LD50 >5000 mg/kg	Rat		
	dermal	LD50 8100 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 >10000 mg/l	Rat		
68891-38-3	Sodium laureth sulfate				
	oral	LD50 >2000 mg/kg	Rat		
	dermal	LD50 >2000 mg/kg	Rat		
	inhalation dust/mist	LC50 >5 mg/l	Rat		

### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

### Other information

No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Window King

P913

Revision date: 28.04.2023

Page 8 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
68515-73-1	Alkyl polyglucoside					
	Acute fish toxicity	LC50 mg/l	>100	96 h	Danio rerio (zebrafish)	
	Acute algae toxicity	ErC50 mg/l	>10-100		Scenedesmus subspicatus	
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna (Big water flea)	OECD 202
	Fish toxicity	NOEC mg/l	1-10		Danio rerio (zebrafish)	OECD 204
	Crustacea toxicity	NOEC mg/l	1-10		Daphnia magna (Big water flea)	
64-17-5	Ethanol					
	Acute fish toxicity	LC50 mg/l	>1000	96 h		
	Acute algae toxicity	ErC50 mg/l	>100			
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna	IUCLID
1569-02-4	1-Ethoxy-2-propanol					
	Acute crustacea toxicity	EC50 mg/l	5,465	48 h	Daphnia magna (Big water flea)	
68891-38-3	Sodium laureth sulfate					
	Acute fish toxicity	LC50	7,1 mg/l	96 h		OECD 203
	Acute algae toxicity	ErC50 mg/l	27,7	72 h		OECD 201
	Acute crustacea toxicity	EC50	7,4 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202
	Fish toxicity	NOEC	1 mg/l	45 d		OECD 203
	Algae toxicity	NOEC mg/l	0,95	3 d		OECD 201

### 12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
68515-73-1	Alkyl polyglucoside			
	OECD 301	>60%	28	
	Readily biodegradable (according to OECD criteria).			
64-17-5	Ethanol			
	OECD 301	>60%	28	
	Readily biodegradable (according to OECD criteria).			
1569-02-4	1-Ethoxy-2-propanol			
	OECD 301	>70	28	
	Readily biodegradable (according to OECD criteria).			
68891-38-3	Sodium laureth sulfate			
	OECD 301	>60%	28	
	Readily biodegradable (according to OECD criteria).			



# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Window King

Revision date: 28.04.2023

P913

Page 9 of 11

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68515-73-1	Alkyl polyglucoside	<1,77
64-17-5	Ethanol	-0,31
1569-02-4	1-Ethoxy-2-propanol	<1
68891-38-3	Sodium laureth sulfate	0,95-3,9

### BCF

CAS No	Chemical name	BCF	Species	Source
1569-02-4	1-Ethoxy-2-propanol	3,16		

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation.

Delivery to an approved waste disposal company.

#### **List of Wastes Code - residues/unused products**

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

#### **List of Wastes Code - contaminated packaging**

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

#### **Contaminated packaging**

Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### **Land transport (ADR/RID)**

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.

### **Inland waterways transport (ADN)**

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.

### **Marine transport (IMDG)**

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.

### **Air transport (ICAO-TI/IATA-DGR)**

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.

### 14.5. Environmental hazards

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Window King

Revision date: 28.04.2023

P913

Page 10 of 11

ENVIRONMENTALLY HAZARDOUS: No

### **14.6. Special precautions for user**

No special measures are necessary.

### **14.7. Maritime transport in bulk according to IMO instruments**

not applicable

## SECTION 15: Regulatory information

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC): 6,0 %

#### **Additional information**

Regulation (EC) No. 648/2004 [Detergents regulation]

#### **National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

### **15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### **Changes**

This data sheet contains changes from the previous version in section(s): 2,7,9,14,15.

### **Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Buz® Window King

Revision date: 28.04.2023

P913

Page 11 of 11

### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.

### Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

In deviation from REGULATION (EC) No 1272/2008, annex I part 2 and 3, the assessment of skin and eye corrosion and irritation was performed by in-vitro-testing of the product and/or the principles of annex I, part 1.1.0.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*