according to Regulation (EC) No 1907/2006



Telefax: +49 (0) 8331 930-880

## Indumaster® Step

Revision date: 28.04.2023 IR16 Page 1 of 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Indumaster® Step

UFI: 0J60-N08R-Y00V-3PD9

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

EuPCS: PC-CLN-2 All-purpose (or multi-purpose) non-abrasive cleaners

Process categories [PROC]: 8, 10

### 1.3. Details of the supplier of the safety data sheet

Company name: BUZIL-WERK Wagner GmbH & Co. KG

Street: Fraunhofer Str. 17
Place: D-87700 Memmingen
Telephone: +49 (0) 8331 930-6

e-mail: info@buzil.de
Contact person: info@buzil.de
Internet: www.buzil.com

**1.4. Emergency telephone** +49 (0) 8331 930-6 (08:00 - 16:00 h)

number:

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

The product does not support combustion. It therefore needs not to be classified as flammable despite a flash point below 60 °C.

### 2.2. Label elements

### Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



#### **Hazard statements**

H319 Causes serious eye irritation.

### **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

### Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, 2-Octyl-2H-isothiazol-3-one. May produce an

allergic reaction.

# 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

according to Regulation (EC) No 1907/2006



# Indumaster® Step

Revision date: 28.04.2023 IR16 Page 2 of 12

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No				
7320-34-5	Tetrapotassium pyrophosphate			5 - < 10 %	
	230-785-7		01-2119489369-18		
	Eye Irrit. 2; H319				
64-17-5	Ethanol			1 - < 5 %	
	200-578-6	603-002-00-5	01-2119457610-43		
	Flam. Liq. 2, Eye Irrit. 2; H225 H31	9			
97862-59-4	1-Propanaminium, 3-amino-N-(car	boxymethyl)-N,N-dimethyl-, N-C8-18	acyl derivs., inner salts	1 - < 5 %	
	931-296-8		01-2119488533-30		
	Eye Dam. 1, Aquatic Chronic 3; H3				
122-99-6	2-Phenoxyethanol			1 - < 5 %	
	204-589-7	603-098-00-9	01-2119488943-21		
	Acute Tox. 4, Eye Dam. 1, STOT S				
61788-90-7	Alkyl dimethyl amine oxide		< 1 %		
	263-016-9				
	Acute Tox. 4, Skin Irrit. 2, Eye Dan	318 H400			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-		< 0.1 %		
	220-120-9	613-088-00-6			
	Acute Tox. 4, Skin Irrit. 2, Eye Dan H400	H302 H315 H318 H317			
26530-20-1	2-Octyl-2H-isothiazol-3-one		< 0.1 %		
	247-761-7	613-112-00-5			
	Acute Tox. 2, Acute Tox. 3, Acute 1, Aquatic Chronic 1; H330 H311 F				

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

# Indumaster® Step

Revision date: 28.04.2023 IR16 Page 3 of 12

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7320-34-5	230-785-7	Tetrapotassium pyrophosphate	5 - < 10 %
	inhalation: LC mg/kg	250 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000	
64-17-5	200-578-6	Ethanol	1 - < 5 %
		250 = >20 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg 319: >= 50 - 100	
97862-59-4	931-296-8	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts	1 - < 5 %
	inhalation: LC50 = >20 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg Eye Dam. 1; H318: >= 10 - 100 Eye Irrit. 2; H319: >= 4 - < 10		
122-99-6	204-589-7	2-Phenoxyethanol	1 - < 5 %
	dermal: LD50	l = >2000 mg/kg; oral: ATE 1394 mg/kg	
61788-90-7	263-016-9	Alkyl dimethyl amine oxide	< 1 %
	inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = 846-3873 mg/kg		
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	< 0.1 %
	oral: ATE = 500 mg/kg Skin Sens. 1; H317: >= 0,05 - 100		
26530-20-1	247-761-7	2-Octyl-2H-isothiazol-3-one	< 0.1 %
	Skin Sens. 1A Aquatic Acute	E 0,27 mg/l (dusts or mists); dermal: ATE 311 mg/kg; oral: ATE 125 mg/kg ; H317: >= 0,0015 - 100 1; H400: M=100 lic 1; H410: M=100	

### Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % phosphates, < 5 % amphoteric surfactants, perfumes (Benzyl alcohol, Citral, Limonene), preservation agents (Benzisothiazolinone, Octylisothiazolinone).

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

Remove contaminated, saturated clothing immediately.

#### After inhalation

Provide fresh air.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

## After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

according to Regulation (EC) No 1907/2006



# Indumaster® Step

Revision date: 28.04.2023 IR16 Page 4 of 12

### Suitable extinguishing media

Water spray jet

alcohol resistant foam

Carbon dioxide

Extinguishing powder

### Unsuitable extinguishing media

Full water jet

# 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon dioxide

Carbon monoxide

#### 5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

### For non-emergency personnel

Ventilate affected area.

# For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

### Other information

Collect in closed and suitable containers for disposal.

Ventilate affected area.

# 6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

### Advice on safe handling

Avoid contact with skin, eyes and clothes.

Do not mix with other chemicals.

Use personal protection equipment.

When using do not eat, drink or smoke.

Use only in well-ventilated areas.

Do not breathe gas/fumes/vapour/spray.

according to Regulation (EC) No 1907/2006



## Indumaster® Step

Revision date: 28.04.2023 IR16 Page 5 of 12

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Take off contaminated clothing.

Wash hands before breaks and after work.

When using do not eat, drink or smoke.

### Further information on handling

No further relevant information available.

### 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

No special measures are necessary.

### Further information on storage conditions

No further relevant information available.

# 7.3. Specific end use(s)

Cleaning agent

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### Additional advice on limit values

No information available.

# 8.2. Exposure controls





### Appropriate engineering controls

No information available.

### Individual protection measures, such as personal protective equipment

# Eye/face protection

Wear eye/face protection. (EN 166)

### Hand protection

Wear suitable gloves. (EN 374, Breakthrough time: >10 min.)

Suitable material: NBR (Nitrile rubber).

Thickness of the glove material >= 0,1 mm

A survey of suitable brands with detailed information on breakthrough times is available upon request.

Diluted ready-to-use solutions <=1%:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

#### Skin protection

Wear suitable work clothing.

# Respiratory protection

Use only in well-ventilated areas.

In case of inadequate ventilation wear respiratory protection. (EN 14387, A1)

#### Thermal hazards

No further relevant information available.

according to Regulation (EC) No 1907/2006



# Indumaster® Step

**IR16** Revision date: 28.04.2023 Page 6 of 12

### **Environmental exposure controls**

Section 6: Accidental Release Measures

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: I iauid

Colour: colourless - light yellow Odour: Perfumes, fragrances

Test method

Melting point/freezing point: approx. 0 °C Boiling point or initial boiling point and approx. 100 °C

boiling range:

Flammability: not applicable Lower explosion limits: not determined not determined Upper explosion limits: Flash point: 54 °C Auto-ignition temperature: not determined Decomposition temperature: not applicable pH-Value (at 20 °C): 8.0 - 9.0Viscosity / kinematic: not determined

(at 40 °C)

Water solubility: completely miscible

(at 20 °C)

Solubility in other solvents not determined

Partition coefficient n-octanol/water: not applicable Vapour pressure: not determined Density (at 20 °C): 1,08 g/cm<sup>3</sup> Relative density: not determined Relative vapour density: not determined Particle characteristics: not relevant

# 9.2. Other information

Information with regard to physical hazard classes

Sustaining combustion: Not sustaining combustion

Other safety characteristics

Viscosity / dynamic: < 10 mPa·s (50 1/s)

(at 25 °C)

**Further Information** 

No information available.

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

according to Regulation (EC) No 1907/2006



# Indumaster® Step

Revision date: 28.04.2023 IR16 Page 7 of 12

### 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
7320-34-5	Tetrapotassium pyrophosphate							
	oral	LD50 mg/kg	>2000	Rat				
	dermal	LD50 mg/kg	>2000	Rat	ATE			
	inhalation dust/mist	LC50	>5 mg/l	Rat	ATE			
64-17-5	Ethanol							
	oral	LD50 mg/kg	>2000	Rat	ATE			
	dermal	LD50 mg/kg	>2000	Rat	ATE			
	inhalation (4 h) vapour	LC50	>20 mg/l	Rat	ATE			
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts							
	oral	LD50 mg/kg	>2000	Rat				
	dermal	LD50 mg/kg	>2000	Rat				
	inhalation dust/mist	LC50	>20 mg/l	Rat	ATE			
122-99-6	2-Phenoxyethanol							
	oral	ATE 1394	mg/kg					
	dermal	LD50 mg/kg	>2000	Rabbit				
61788-90-7	Alkyl dimethyl amine oxide							
	oral	LD50 mg/kg	846-3873	Rat				
	dermal	LD50 mg/kg	>2000	Rat				
	inhalation dust/mist	LC50	>5 mg/l	Rat	ATE			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one							
	oral	ATE mg/kg	500					
26530-20-1	2-Octyl-2H-isothiazol-3-one							
	oral	ATE 125 r	ng/kg					
	dermal	ATE 311 r	ng/kg					
	inhalation dust/mist	ATE 0,27	mg/l					

Irritation and corrosivity

انتنا

Print date: 03.05.2023

according to Regulation (EC) No 1907/2006

# Indumaster® Step

Revision date: 28.04.2023 IR16 Page 8 of 12

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one, 2-Octyl-2H-isothiazol-3-one. May produce an allergic reaction.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Other information

No information available.

# **SECTION 12: Ecological information**

### 12.1. Toxicity



according to Regulation (EC) No 1907/2006

# Indumaster® Step

Revision date: 28.04.2023 IR16 Page 9 of 12

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
7320-34-5	Tetrapotassium pyrophosphate							
	Acute fish toxicity	LC50	>1 mg/l	96 h				
	Acute algae toxicity	ErC50	>1 mg/l					
	Acute crustacea toxicity	EC50	>1 mg/l	48 h				
64-17-5	Ethanol							
	Acute fish toxicity	LC50 mg/l	>1000	96 h				
	Acute algae toxicity	ErC50 mg/l	>100					
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna	IUCLID		
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts							
	Acute fish toxicity	LC50	>1 mg/l	96 h				
	Acute algae toxicity	ErC50	>1 mg/l					
	Acute crustacea toxicity	EC50	>1 mg/l	48 h				
122-99-6	2-Phenoxyethanol							
	Acute fish toxicity	LC50 460 mg/l	220 -	96 h	Leuciscus idus (golden orfe)			
	Acute algae toxicity	ErC50 mg/l	> 500	72 h	Scenedesmus subspicatus			
	Acute crustacea toxicity	EC50 mg/l	> 500	48 h	Daphnia magna (Big water flea)			
61788-90-7	Alkyl dimethyl amine oxide							
	Acute fish toxicity	LC50 mg/l	2,6 -3,5	96 h				
	Acute algae toxicity	ErC50 mg/l	0,19	72 h				
	Acute crustacea toxicity	EC50	3,1 mg/l	48 h	Daphnia magna (Big water flea)			
	Algae toxicity	NOEC mg/l	>0,067	28 d				
	Crustacea toxicity	NOEC	0,7 mg/l	21 d	Daphnia magna (Big water flea)	OECD 211		

# 12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.



according to Regulation (EC) No 1907/2006

# Indumaster® Step

Revision date: 28.04.2023 IR16 Page 10 of 12

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
64-17-5	Ethanol						
	OECD 301	>60%	28				
	Readily biodegradable (according to OECD criteria).						
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts						
	OECD 301	>80%	28				
	Readily biodegradable (according to OECD criteria).						
122-99-6	2-Phenoxyethanol						
	OECD 301	>60%	28				
	Readily biodegradable (according to OECD criteria).						
61788-90-7	Alkyl dimethyl amine oxide						
	OECD 301	>60%	28				
	Readily biodegradable (according to OECD criteria).						

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7320-34-5	Tetrapotassium pyrophosphate	-2
64-17-5	Ethanol	-0,31
122-99-6	2-Phenoxyethanol	1,16

#### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Dispose of waste according to applicable legislation.

Delivery to an approved waste disposal company.

### List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

### List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

#### Contaminated packaging

Non-contaminated packages may be recycled.

according to Regulation (EC) No 1907/2006



## Indumaster® Step

Revision date: 28.04.2023 IR16 Page 11 of 12

### **SECTION 14: Transport information**

Land transport (ADR/RID)

**14.1. UN number or ID number:** No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

**14.1. UN number or ID number:** No dangerous good in sense of these transport regulations.

Marine pollutant: no

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No special measures are necessary.

# 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC): 4.9 %

**Additional information** 

Regulation (EC) No. 648/2004 [Detergents regulation]

**National regulatory information** 

Water hazard class (D): 1 - slightly hazardous to water

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 2,7,9,14,15.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:



according to Regulation (EC) No 1907/2006

# Indumaster® Step

Revision date: 28.04.2023 IR16 Page 12 of 12

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one, 2-Octyl-2H-isothiazol-3-one. May produce an allergic reaction.

### **Further Information**

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)