

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Total Extra

Revision date: 27.04.2023

G426

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Total Extra

UFI: AX20-D093-4003-AAWK

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

EuPCS: PC-CLN-13.3 Floor strippers

Process categories [PROC]: 8, 10

Restricted to professional users.

1.3. Details of the supplier of the safety data sheet

Company name: BUZIL-WERK Wagner GmbH & Co. KG
Street: Fraunhofer Str. 17
Place: D-87700 Memmingen
Telephone: +49 (0) 8331 930-6
e-mail: info@buzil.de
Contact person: info@buzil.de
Internet: www.buzil.com
Telefax: +49 (0) 8331 930-880

1.4. Emergency telephone number: +49 (0) 8331 930-6 (08:00 - 16:00 h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290
Skin Corr. 1; H314
Eye Dam. 1; H318
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

2-Aminoethanol

Signal word: Danger

Pictograms:



Hazard statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Total Extra

G426

Revision date: 27.04.2023

Page 2 of 14

P310 present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.

Special labelling of certain mixtures

EUH208 Contains Limonene. May produce an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
112-34-5	2-(2-Butoxyethoxy)ethanol, Diethylene glycol monobutyl ether			5 - < 10 %
	203-961-6	603-096-00-8	01-2119475104-44	
	Eye Irrit. 2; H319			
100-51-6	Benzyl alcohol			1 - < 5 %
	202-859-9	603-057-00-5	01-2119492630-38	
	Acute Tox. 4, Acute Tox. 4; H332 H302			
15763-76-5	Sodium cumene sulfonate			1 - < 5 %
	239-854-6		01-2119489411-37	
	Eye Irrit. 2; H319			
6834-92-0	Disodium metasilicate			1 - < 5 %
	229-912-9	014-010-00-8	01-2119449811-37	
	Met. Corr. 1, Skin Corr. 1B, STOT SE 3; H290 H314 H335			
78330-21-9	Alkyl polyethoxylate			1 - < 5 %
	934-084-3			
	Eye Dam. 1, Aquatic Chronic 3; H318 H412			
141-43-5	2-Aminoethanol			1 - < 5 %
	205-483-3	603-030-00-8	01-2119486455-28	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, STOT SE 3; H332 H312 H302 H314 H335			
1310-73-2	Sodium hydroxide			< 1 %
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A; H290 H314			
5989-27-5	(R)-p-Mentha-1,8-diene, d-limonene			< 1 %
	227-813-5	601-029-00-7	01-2119529223-47	
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H226 H315 H317 H304 H400 H410			

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Total Extra

Revision date: 27.04.2023

G426

Page 3 of 14

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
112-34-5	203-961-6	2-(2-Butoxyethoxy)ethanol, Diethylene glycol monobutyl ether	5 - < 10 %
		inhalation: LC50 = >20 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg	
100-51-6	202-859-9	Benzyl alcohol	1 - < 5 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 2000 mg/kg; oral: LD50 = 1230 mg/kg	
15763-76-5	239-854-6	Sodium cumene sulfonate	1 - < 5 %
		inhalation: LC50 = >20 mg/l (vapours); inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >7000 mg/kg	
6834-92-0	229-912-9	Disodium metasilicate	1 - < 5 %
		inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg	
78330-21-9	934-084-3	Alkyl polyethoxylate	1 - < 5 %
		inhalation: LC50 = > 5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
141-43-5	205-483-3	2-Aminoethanol	1 - < 5 %
		inhalation: LC50 = 1487 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 1025 mg/kg; oral: LD50 = 1089 mg/kg STOT SE 3; H335: >= 5 - 100	
1310-73-2	215-185-5	Sodium hydroxide	< 1 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2	
5989-27-5	227-813-5	(R)-p-Mentha-1,8-diene, d-limonene	< 1 %
		dermal: LD50 = > 5000 mg/kg; oral: LD50 = 5300 mg/kg Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1	

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, perfumes (Benzyl alcohol, Limonene).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Total Extra

G426

Revision date: 27.04.2023

Page 4 of 14

Suitable extinguishing media

Water spray jet
alcohol resistant foam
Carbon dioxide
Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:
Carbon dioxide
Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use personal protection equipment.
Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.
Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

Other information

Collect in closed and suitable containers for disposal.
Ventilate affected area.

6.4. Reference to other sections

Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothes.
Do not mix with other chemicals.
Use personal protection equipment.
When using do not eat, drink or smoke.
Use only in well-ventilated areas.
Do not breathe gas/fumes/vapour/spray.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Total Extra

G426

Revision date: 27.04.2023

Page 5 of 14

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing.

Wash hands before breaks and after work.

When using do not eat, drink or smoke.

Further information on handling

No further relevant information available.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

No further relevant information available.

7.3. Specific end use(s)

Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m ³	fib/cm ³	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	
		15	101.2		STEL (15 min)	
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	
		3	7.6		STEL (15 min)	

DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
15763-76-5	Sodium cumene sulfonate			
Worker DNEL, long-term		dermal	systemic	7,6 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	53,6 mg/m ³
Consumer DNEL, long-term		dermal	systemic	3,8 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	13,2 mg/m ³
Consumer DNEL, long-term		oral	systemic	3,8 mg/kg bw/day

PNEC values

CAS No	Name of agent	Value
15763-76-5	Sodium cumene sulfonate	
Micro-organisms in sewage treatment plants (STP)		100 mg/l

Additional advice on limit values

No information available.

8.2. Exposure controls

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Total Extra

G426

Revision date: 27.04.2023

Page 6 of 14



Appropriate engineering controls

No information available.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. (EN 166)

Hand protection

Wear suitable gloves. (EN 374, Breakthrough time: >10 min.)

Suitable material: NBR (Nitrile rubber).

Thickness of the glove material $\geq 0,1$ mm

A survey of suitable brands with detailed information on breakthrough times is available upon request.

Diluted ready-to-use solutions $\leq 1\%$:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

Skin protection

Wear suitable work clothing.

Respiratory protection

Use only in well-ventilated areas.

In case of inadequate ventilation wear respiratory protection. (EN 14387, A1)

Thermal hazards

No further relevant information available.

Environmental exposure controls

Section 6: Accidental Release Measures

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless - yellow
Odour:	Perfumes, fragrances

	Test method
Melting point/freezing point:	approx. 0 °C
Boiling point or initial boiling point and boiling range:	approx. 100 °C
Flammability:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	> 60 °C
Auto-ignition temperature:	not determined
Decomposition temperature:	not applicable
pH-Value (at 20 °C):	13,2 - 13,5
Viscosity / kinematic: (at 40 °C)	not determined
Water solubility: (at 20 °C)	completely miscible
Solubility in other solvents	not determined

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Total Extra

G426

Revision date: 27.04.2023

Page 7 of 14

Partition coefficient n-octanol/water:	not applicable
Vapour pressure:	not determined
Density (at 25 °C):	1,07 g/cm ³
Relative density:	not determined
Relative vapour density:	not determined
Particle characteristics:	not relevant

9.2. Other information

Other safety characteristics

Viscosity / dynamic:
(at 25 °C) < 10 mPa·s (50 1/s)

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.
Exothermic reaction with: Acid

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Corrosive to metals.
Exothermic reaction with: Acid

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

Corrosive to metals.
Acid

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Total Extra

G426

Revision date: 27.04.2023

Page 8 of 14

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
112-34-5	2-(2-Butoxyethoxy)ethanol, Diethylene glycol monobutyl ether				
	oral	LD50 >2000 mg/kg	Rat	ATE	
	dermal	LD50 >2000 mg/kg	Rat	ATE	
	inhalation vapour	LC50 >20 mg/l	Rat	ATE	
100-51-6	Benzyl alcohol				
	oral	LD50 1230 mg/kg	Rat	GESTIS	
	dermal	LD50 2000 mg/kg	Rabbit		
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
15763-76-5	Sodium cumene sulfonate				
	oral	LD50 >7000 mg/kg	Rat		
	dermal	LD50 >2000 mg/kg	Rabbit		
	inhalation vapour	LC50 >20 mg/l	Rat	ATE	
	inhalation dust/mist	LC50 >5 mg/l	Rat	ATE	
6834-92-0	Disodium metasilicate				
	oral	LD50 >2000 mg/kg	Rat	ATE	
	dermal	LD50 >2000 mg/kg	Rat	ATE	
	inhalation dust/mist	LC50 >5 mg/l	Rat	ATE	
78330-21-9	Alkyl polyethoxylate				
	oral	LD50 > 2000 mg/kg	Rat		OECD 401
	dermal	LD50 > 2000 mg/kg	Rat	ATE	
	inhalation dust/mist	LC50 > 5 mg/l	Rat	ATE	
141-43-5	2-Aminoethanol				
	oral	LD50 1089 mg/kg	Rat	OECD 401	
	dermal	LD50 1025 mg/kg	Rabbit	IUCLID	
	inhalation (4 h) vapour	LC50 1487 mg/l	Rat		
	inhalation dust/mist	ATE 1,5 mg/l			
1310-73-2	Sodium hydroxide				
	oral	LD50 > 2000 mg/kg	Rat	ATE	
	dermal	LD50 > 2000 mg/kg	Rat	ATE	
5989-27-5	(R)-p-Mentha-1,8-diene, d-limonene				
	oral	LD50 5300 mg/kg	Rat	GESTIS	

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Total Extra

G426

Revision date: 27.04.2023

Page 9 of 14

	dermal	LD50 mg/kg	> 5000	Rabbit	GESTIS	
--	--------	---------------	--------	--------	--------	--

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

Contains Limonene. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Total Extra

G426

Revision date: 27.04.2023

Page 10 of 14

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
112-34-5	2-(2-Butoxyethoxy)ethanol, Diethylene glycol monobutyl ether					
	Acute fish toxicity	LC50 2780 mg/l	96 h	Pimephales promelas (fathead minnow)		
	Acute algae toxicity	ErC50 > 100 mg/l		Scenedesmus subspicatus		
	Acute crustacea toxicity	EC50 4950 mg/l	48 h	Daphnia magna (Big water flea)		
100-51-6	Benzyl alcohol					
	Acute fish toxicity	LC50 460 mg/l	96 h	Pimephales promelas (fathead minnow)		
	Acute algae toxicity	ErC50 640 mg/l	96 h	Scenedesmus quadricauda		
15763-76-5	Sodium cumene sulfonate					
	Acute fish toxicity	LC50 >1000 mg/l	96 h			
	Acute crustacea toxicity	EC50 >1000 mg/l	48 h	Daphnia magna (Big water flea)		
	Algae toxicity	NOEC 31 mg/l	4 d			
6834-92-0	Disodium metasilicate					
	Acute fish toxicity	LC50 210 mg/l	96 h	Danio rerio (zebrafish)		
	Acute crustacea toxicity	EC50 1700 mg/l	48 h	Daphnia magna (Big water flea)		
78330-21-9	Alkyl polyethoxylate					
	Acute fish toxicity	LC50 1-10 mg/l	96 h	Danio rerio (zebrafish)		OECD 203
	Acute crustacea toxicity	EC50 0,7 mg/l	48 h	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(EC50 > 1000 mg/l)				
141-43-5	2-Aminoethanol					
	Acute fish toxicity	LC50 170 mg/l	96 h	Carassius auratus (goldfish)	APHA 1971	
	Acute algae toxicity	ErC50 22 mg/l	72 h	Scenedesmus subspicatus	EG 92/69	
	Acute crustacea toxicity	EC50 65 mg/l	48 h	Daphnia magna (Big water flea)		
	Fish toxicity	NOEC 1,2 mg/l	30 d	Oryzias latipes (Ricefish)		
	Crustacea toxicity	NOEC 0,85 mg/l	21 d	Daphnia magna (Big water flea)	OECD 211	
1310-73-2	Sodium hydroxide					
	Acute fish toxicity	LC50 125 mg/l	96 h	Gambusia affinis (Mosquito fish)		
	Acute crustacea toxicity	EC50 40,4 mg/l	48 h	Ceriodaphnia spec		
5989-27-5	(R)-p-Mentha-1,8-diene, d-limonene					
	Acute fish toxicity	LC50 0,72 mg/l	96 h	Pimephales promelas (fathead minnow)	REACH Registration Dossier	OECD 203

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Total Extra

G426

Revision date: 27.04.2023

Page 11 of 14

	Acute algae toxicity	ErC50	0,32 mg/l	72 h	Pseudokirchneriella subcapitata	REACH Registration Dossier	OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,307	48 h	Daphnia magna (Big water flea)	GESTIS	OECD 202

12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
112-34-5	2-(2-Butoxyethoxy)ethanol, Diethylene glycol monobutyl ether				
	OECD 301		>60%	28	
	Readily biodegradable (according to OECD criteria).				
100-51-6	Benzyl alcohol				
	OECD 301		>60%	28	
	Readily biodegradable (according to OECD criteria).				
15763-76-5	Sodium cumene sulfonate				
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C		>60%	28	
	Readily biodegradable (according to OECD criteria).				
78330-21-9	Alkyl polyethoxylate				
	OECD 301F		> 60%	28	
	Readily biodegradable (according to OECD criteria).				
141-43-5	2-Aminoethanol				
	OECD 302A/ ISO 9887/ EEC 92/69/V, C.12		>90%	21	
	Readily biodegradable (according to OECD criteria).				
5989-27-5	(R)-p-Mentha-1,8-diene, d-limonene				
	OECD 301B		> 60%	28	
	Readily biodegradable (according to OECD criteria).				

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-34-5	2-(2-Butoxyethoxy)ethanol, Diethylene glycol monobutyl ether	0,56
100-51-6	Benzyl alcohol	1,05
15763-76-5	Sodium cumene sulfonate	-1,1
141-43-5	2-Aminoethanol	-1,91
5989-27-5	(R)-p-Mentha-1,8-diene, d-limonene	4,38

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Total Extra

Revision date: 27.04.2023

G426

Page 12 of 14

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.
Delivery to an approved waste disposal company.

List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 2491
14.2. UN proper shipping name: ETHANOLAMINE SOLUTION
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8



Classification code: C7
Limited quantity: 5 L
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2491
14.2. UN proper shipping name: ETHANOLAMINE SOLUTION
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8



Classification code: C7
Limited quantity: 5 L

Marine transport (IMDG)

14.1. UN number or ID number: UN 2491
14.2. UN proper shipping name: ETHANOLAMINE SOLUTION
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Total Extra

G426

Revision date: 27.04.2023

Page 13 of 14



Marine pollutant: no
Special Provisions: 223
Limited quantity: 5 L
EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2491
14.2. UN proper shipping name: ETHANOLAMINE SOLUTION
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8



Special Provisions: A3 A803
Limited quantity Passenger: 1 L
IATA-packing instructions - Passenger: 852
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 856
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 55, Entry 75

2010/75/EU (VOC): 5,4 %

Additional information

Regulation (EC) No. 648/2004 [Detergents regulation]

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,7,9,10,15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Total Extra

G426

Revision date: 27.04.2023

Page 14 of 14

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains Limonene. May produce an allergic reaction.

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)