



WASHING AGENT

BUZ[®] LAUNDRY BRIGHT L 832

Liquid bleaching and disinfecting additive



Area of application

- For the commercial sector
- Suitable for chemo-thermal laundry disinfection (washing temperature 40/60 °C) of alkali-resistant, bleachable white and coloured cleaning textiles

Product advantages/properties

- Excellent bleaching effect for brilliantly clean and hygienically clean laundry
- Gentle oxygen bleaching
- Broad antimicrobial spectrum of activity even at washing temperature of 40 °C
- RKI-listed washing process in combination with Buz[®] Laundry Compact L 810 at 60 °C (effective range: AB)
- VAH-listed washing process in combination with Buz[®] Laundry Compact L 810 at 60 °C and Buz[®] Laundry Color+ L 821 at 40 °C

Technical data

pH-Value	2
Product colour	colourless
Container*	20 kg canister

* Remark: Some products may not be available in all territories. Please talk to your customer service representative.





WASHING AGENT

BUZ[®] LAUNDRY BRIGHT L 832

Liquid bleaching and disinfecting additive

Application and dosage



For manual and automatic dosing Buz[®] Laundry Bright L 832 is added to the main wash in the recommended dosage shown below:

Bleaching laundry: 0,4 - 1 ml / l



Chemo-thermal disinfection:

according to RKI

Buz[®] Laundry Compact L 810 2 ml / l +

Buz[®] Laundry Bright L 832 6 ml / l at a linen-water ratio of 1:5 at a temperature of 60°C. Exposure time: 10 minutes



according to VAH

Buz[®] Laundry Compact L 810 2 ml / l +

Buz[®] Laundry Bright L 832 2 ml / l at a linen-water ratio of 1:5 at a temperature of 60°C. Exposure time: 10 minutes

according to VAH

Buz[®] Laundry Color+ L 821 1 ml / l +

Buz[®] Laundry Bright L 832 8 ml / l at a linen-water ratio of 1:5 at a temperature of 40°C. Exposure time: 20 minutes

Note

Please observe the washing and care instructions of the textiles.

Not suitable for wool and polyamide.

Not suitable for washing laundry that is heavily soiled with blood.

Changes or variations in colour of the product do not impact on the quality.

Ingredients: 100 g contains: 4.84 g peracetic acid. BAuA Reg. No. N-54273

Hand over containers completely emptied at a RIGK acceptance point (see MSDS (Material Safety Data Sheet SECTION 13:)).

Use biocides safely. Always read the label and product information before use.

Hazard statements

EUH071	Corrosive to the respiratory tract.
H242	Heating may cause a fire.
H290	May be corrosive to metals.
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled.
H314	Causes severe skin burns and eye damage.
H410	Very toxic to aquatic life with long lasting effects.

For further safety precautions, please refer to the safety data sheet for Buz[®] Laundry Bright L 832 at www.buzil.com.

Article number*:

L832-0020RA

* Remark: Some products may not be available in all territories. Please talk to your customer service representative.

The data in our product information sheets are based on our experience and careful investigations, and correspond to our present state of knowledge. We are, however, not able to examine and influence in detail the varying conditions for usage and materials, and those at premises where products are to be used. For this reason, we can only provide general information on usage. The quality of the work depends on expert assessment of the premises where products are to be used and how they are in fact employed by the user. In the case of doubt, the latter is obliged at all times to test the compatibility of the material to be treated with the Buzil product on an inconspicuous area or to obtain relevant advice on application technology. Liability for incomplete or incorrect data in our product information sheets shall only be assumed in cases of negligence caused by gross negligence or intent; any claims arising from the Product Liability Act shall remain unaffected. All previous product information shall lose its validity through the above listed product information.

Date 24.05.2023

BUZIL-WERK Wagner GmbH & Co. KG

Fraunhoferstraße 17 . D-87700 Memmingen T +49 8331 930-6 . F +49 8331 930-880 . E-mail: info@buzil.de . www.buzil.com