



## FLOOR CLEANER

Intensive cleaner

# PERFEKT G 440

Alkaline intensive cleaner



### Fields of application

- Industrial applications e.g. workshop floors, industrial kitchens and gastronomy, food-processing industry
- Solvent-sensitive floors

### Product advantages/properties

- Outstanding cleaning effect on oil and greasy dirt
- Foam-inhibited
- Suitable for high-pressure cleaners
- RK-listed
- RE-listed
- With pleasant fragrance
- Proven for use in post-fire restoration

Technical data	
pH-Value	13
Product colour	yellow-green
Container*	1 l bottle 5 l canister 10 l canister 200 l drum 750 l IBC container
Ingredients according to INCI	AQUA, TETRAPOTASSIUM PYROPHOSPHATE, SODIUM DODECYLBENZENESULFONATE, DECETH-8, SODIUM CUMENESULFONATE, PENTASODIUM TRIPHOSPHATE, SODIUM HYDROXIDE, PARFUM, DIMETHICONE, COLORANT, LINALOOL

\* Please note: Some products may not be available in all territories. Please talk to your customer service representative.





## FLOOR CLEANER

Intensive cleaner

# PERFEKT G 440

Alkaline intensive cleaner

### Application and dosage



Daily routine cleaning:  
50 ml / 10 l water



Daily routine cleaning:  
50 ml / 10 l water



Machine cleaning:  
50 - 200 ml / 10 l water



High-pressure cleaning:  
1:5 to 1:10 with water

### Note

Surfaces or objects that come into direct contact with food, freed from cleaning residues by careful rinsing with water. An increased concentration is recommended when using hard water (>14 °dGH).

Always use cold water.

When using with machines, tanks should be regularly cleaned and washed. Any precipitation, colour changes or differences have no impact on product quality. Changes or variations in colour of the product do not impact on the quality.

### Hazard statements

H290 May be corrosive to metals.

H318 Causes serious eye damage.

For further safety precautions, please refer to the safety data sheet for Perfekt G 440 at [www.buzil.com](http://www.buzil.com).

GISBAU code: GG 40

Article number\*:

G440-0001

G440-0005

G440-0010

G440-0200

G440-0750

\* Please note: Some products may not be available in all territories. Please talk to your customer service representative.

The data in our product information sheets are based on our experience and careful investigations, and correspond to our present state of knowledge. We are, however, not able to examine and influence in detail the varying conditions for usage and materials, and those at premises where products are to be used. For this reason, we can only provide general information on usage. The quality of the work depends on expert assessment of the premises where products are to be used and how they are in fact employed by the user. In the case of doubt, the latter is obliged at all times to test the compatibility of the material to be treated with the Buzil product on an inconspicuous area or to obtain relevant advice on application technology. Liability for incomplete or incorrect data in our product information sheets shall only be assumed in cases of negligence caused by gross negligence or intent; any claims arising from the Product Liability Act shall remain unaffected. All previous product information shall lose its validity through the above listed product information.

Date 20.10.2020

**BUZIL-WERK Wagner GmbH & Co. KG**

Fraunhoferstraße 17 . D-87700 Memmingen T +49 8331 930-6 . F +49 8331 930-880 . E-mail: [info@buzil.de](mailto:info@buzil.de) . [www.buzil.com](http://www.buzil.com)